

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/BOM,v

working file: atlas/BOM

head: 7.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 7.0

keyword substitution: kv

total revisions: 1799; selected revisions: 12

description:

revision 2.77

date: 1995/02/24 01:52:08; author: wampler; state: Exp; lines: +2 -2

Release Target: atlas/gards/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.

revision 2.76

date: 1995/02/24 01:23:25; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

revision 2.75

date: 1995/02/24 00:14:48; author: wampler; state: Exp; lines: +2 -2

Release Target: atlas/gards/basegen

Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

revision 2.74

date: 1995/02/23 20:48:27; author: wampler; state: Exp; lines: +2 -2

Release Target: atlas/gards/basegen

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacd1.c.template

revision 2.73

date: 1995/02/23 07:43:23; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts

releasing after conversion from microns to DBUs

revision 2.72

date: 1995/02/23 06:52:12; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts

releasing before conversion from microns to DBUs

revision 2.71

date: 1995/02/22 22:51:12; author: wampler; state: Exp; lines: +2 -2

Release Target: atlas/gards

Initial release of atlas/gards Makefiles & basegen stuff.

revision 2.70

date: 1995/02/22 22:44:05; author: wampler; state: Exp; lines: +5 -1

Release Target: atlas/gards/basegen

Initial release of atlas/gards/basegen scripts/programs.

revision 2.69

date: 1995/02/22 01:55:23; author: ong; state: Exp; lines: +2 -2

bz Feb 21-27 1995.log

Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.68

date: 1995/02/22 00:38:12; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

New layout rules

Geert

revision 2.67

date: 1995/02/22 00:33:30; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 2.66

date: 1995/02/21 22:54:33; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/tab/doc

Added more info from Trancy

Geert

=====

RCS file: /p/cvsroot/atlas/compass/BOM,v

working file: atlas/compass/BOM

head: 10.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 10.0

keyword substitution: kv

total revisions: 217; selected revisions: 2

description:

releasebom adding BOM

revision 2.3

date: 1995/02/23 07:43:10; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts

releasing after conversion from microns to DBUs

revision 2.2

date: 1995/02/23 06:52:00; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts

releasing before conversion from microns to DBUs

=====

RCS file: /p/cvsroot/atlas/compass/layouts/BOM,v

working file: atlas/compass/layouts/BOM

head: 75.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 75.0

keyword substitution: kv

total revisions: 278; selected revisions: 4

bz Feb 21-27 1995.log

description:
releasebom adding BOM

revision 4.0
date: 1995/02/23 07:42:53; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/compass/layouts

releasing after conversion from microns to DBUS

revision 3.1
date: 1995/02/23 07:42:40; author: tom; state: Exp; lines: +260 -260
releasebom: File needs to be up-to-date to use commit -r

revision 3.0
date: 1995/02/23 06:51:45; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/compass/layouts

releasing before conversion from microns to DBUS

revision 2.1
date: 1995/02/23 06:51:34; author: tom; state: Exp; lines: +261 -3
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/compass/layouts/atlas.db,v
Working file: atlas/compass/layouts/atlas.db
head: 1.136
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.136
keyword substitution: kv
total revisions: 136; selected revisions: 2
description:

revision 1.7
date: 1995/02/23 00:02:59; author: chip; state: Exp; lines: +26 -26
periodic checkin of Wed Feb 22 16:02:52 PST 1995

revision 1.6
date: 1995/02/22 17:43:28; author: chip; state: Exp; lines: +17 -8
periodic checkin of Wed Feb 22 09:43:14 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccr1bar1.ly,v
Working file: atlas/compass/layouts/ccr1bar1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:43; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:11; author: chip; state: Exp;

bz Feb 21-27 1995.log
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccr1col.ly,v
working file: atlas/compass/layouts/ccr1col.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:47; author: chip; state: Exp; lines: +82 -82
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:14; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccr1col2.ly,v
working file: atlas/compass/layouts/ccr1col2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:49; author: chip; state: Exp; lines: +16 -16
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:18; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccr1colr.ly,v
working file: atlas/compass/layouts/ccr1colr.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:50; author: chip; state: Exp; lines: +83 -83
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:21; author: chip; state: Exp;

bz Feb 21-27 1995.log
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccr2col.ly,v
working file: atlas/compass/layouts/ccr2col.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:53; author: chip; state: Exp; lines: +28 -28
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:24; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccr4col.ly,v
working file: atlas/compass/layouts/ccr4col.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:55; author: chip; state: Exp; lines: +75 -75
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:28; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrcap.ly,v
working file: atlas/compass/layouts/ccrcap.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:58; author: chip; state: Exp; lines: +17 -17
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:31; author: chip; state: Exp;

bz Feb 21-27 1995.log
periodic checkin of wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrcell.ly,v
working file: atlas/compass/layouts/ccrcell.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:00; author: chip; state: Exp; lines: +58 -58
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:34; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrcell_1.ly,v
working file: atlas/compass/layouts/ccrcell_1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:02; author: chip; state: Exp; lines: +266 -266
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:01; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrddrv.ly,v
working file: atlas/compass/layouts/ccrddrv.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:05; author: chip; state: Exp; lines: +226 -226
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:38; author: chip; state: Exp;

bz Feb 21-27 1995.log
periodic checkin of wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrddrv2.ly,v
working file: atlas/compass/layouts/ccrddrv2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:08; author: chip; state: Exp; lines: +228 -228
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:41; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrdec.ly,v
working file: atlas/compass/layouts/ccrdec.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:09; author: chip; state: Exp; lines: +16 -16
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:45; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrdec1.ly,v
working file: atlas/compass/layouts/ccrdec1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:11; author: chip; state: Exp; lines: +259 -259
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:48; author: chip; state: Exp;

bz Feb 21-27 1995.log
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrmcap.ly,v
working file: atlas/compass/layouts/ccrmcap.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:15; author: chip; state: Exp; lines: +17 -17
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:51; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrplat.ly,v
working file: atlas/compass/layouts/ccrplat.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:17; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:54; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrsa.ly,v
working file: atlas/compass/layouts/ccrsa.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:20; author: chip; state: Exp; lines: +341 -341
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:58; author: chip; state: Exp;

bz Feb 21-27 1995.log
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrsa2.ly,v
working file: atlas/compass/layouts/ccrsa2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:21; author: chip; state: Exp; lines: +350 -350
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:01; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrsanlat.ly,v
working file: atlas/compass/layouts/ccrsanlat.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:23; author: chip; state: Exp; lines: +153 -153
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:04; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cell16t.ly,v
working file: atlas/compass/layouts/cell16t.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:26; author: chip; state: Exp; lines: +1146 -1146
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:05; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cell16tx2.ly,v
working file: atlas/compass/layouts/cell16tx2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:21:29; author: chip; state: Exp; lines: +6 -6
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:49:10; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cell16tx4.ly,v
working file: atlas/compass/layouts/cell16tx4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:21:31; author: chip; state: Exp; lines: +5 -5
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:49:14; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cell16tx8.ly,v
working file: atlas/compass/layouts/cell16tx8.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:21:32; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:49:17; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cell18t.ly,v
```

```

bz Feb 21-27 1995.log
working file: atlas/compass/layouts/cell18t.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:21:35; author: chip; state: Exp; lines: +932 -932
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:49:21; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/crcell_6.ly,v
working file: atlas/compass/layouts/crcell_6.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.2
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:21:38; author: chip; state: Exp; lines: +227 -227
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:49:24; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/csm.ly,v
working file: atlas/compass/layouts/csm.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.3
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:21:40; author: chip; state: Exp; lines: +533 -581
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/23 01:13:36; author: chip; state: Exp;
periodic checkin of wed Feb 22 17:13:31 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6t.ly,v
working file: atlas/compass/layouts/csm6t.ly

```

bz Feb 21-27 1995.log

head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:44; author: chip; state: Exp; lines: +60 -60
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:27; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tc.ly,v
working file: atlas/compass/layouts/csm6tc.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:45; author: chip; state: Exp; lines: +49 -49
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:30; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tcell.ly,v
working file: atlas/compass/layouts/csm6tcell.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:48; author: chip; state: Exp; lines: +75 -75
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:33; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tcell_1.ly,v
working file: atlas/compass/layouts/csm6tcell_1.ly
head: 2.2
branch:
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:21:50; author: chip; state: Exp; lines: +77 -77

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:49:35; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tcx2.ly,v

working file: atlas/compass/layouts/csm6tcx2.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:21:53; author: chip; state: Exp; lines: +6 -6

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:49:38; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tcx4.ly,v

working file: atlas/compass/layouts/csm6tcx4.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:21:54; author: chip; state: Exp; lines: +4 -4

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:49:42; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1.ly,v

working file: atlas/compass/layouts/csm6tm1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

bz Feb 21-27 1995.log
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:56; author: chip; state: Exp; lines: +129 -129
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:45; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm18x8.ly,v
working file: atlas/compass/layouts/csm6tm18x8.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:59; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:48; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1a.ly,v
working file: atlas/compass/layouts/csm6tm1a.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:02; author: chip; state: Exp; lines: +132 -135
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:52; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1ax4.ly,v
working file: atlas/compass/layouts/csm6tm1ax4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 2.2

date: 1995/02/23 07:22:04; author: chip; state: Exp; lines: +3 -3
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:49:55; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1b.ly,v

working file: atlas/compass/layouts/csm6tm1b.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:22:29; author: chip; state: Exp; lines: +132 -133
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:49:58; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1c.ly,v

working file: atlas/compass/layouts/csm6tm1c.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:22:34; author: chip; state: Exp; lines: +64 -64
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:50:01; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1d.ly,v

working file: atlas/compass/layouts/csm6tm1d.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:22:36; author: chip; state: Exp; lines: +46 -46
periodic checkin of wed Feb 22 23:20:23 PST 1995

bz Feb 21-27 1995.log

revision 2.1
date: 1995/02/22 22:50:04; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1e.ly,v
working file: atlas/compass/layouts/csm6tm1e.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:39; author: chip; state: Exp; lines: +43 -43
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:07; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1f.ly,v
working file: atlas/compass/layouts/csm6tm1f.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:40; author: chip; state: Exp; lines: +48 -48
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:10; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1x4.ly,v
working file: atlas/compass/layouts/csm6tm1x4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:42; author: chip; state: Exp; lines: +8 -8
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:13; author: chip; state: Exp;

bz Feb 21-27 1995.log
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm28x8.ly,v
working file: atlas/compass/layouts/csm6tm28x8.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:45; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:16; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm38x8.ly,v
working file: atlas/compass/layouts/csm6tm38x8.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:49; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:19; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tx2.ly,v
working file: atlas/compass/layouts/csm6tx2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:51; author: chip; state: Exp; lines: +6 -6
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:22; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tx4.ly,v
working file: atlas/compass/layouts/csm6tx4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:22:53; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:50:25; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm_a1.ly,v
working file: atlas/compass/layouts/csm_a1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:22:55; author: chip; state: Exp; lines: +21 -21
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:50:28; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm_a2.ly,v
working file: atlas/compass/layouts/csm_a2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:22:57; author: chip; state: Exp; lines: +17 -17
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:50:32; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm_a3.ly,v
working file: atlas/compass/layouts/csm_a3.ly
head: 2.2
```

bz Feb 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:23:01; author: chip; state: Exp; lines: +17 -17
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:35; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm_a4.ly,v
Working file: atlas/compass/layouts/csm_a4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:23:03; author: chip; state: Exp; lines: +17 -17
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:37; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm_a5.ly,v
Working file: atlas/compass/layouts/csm_a5.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:23:06; author: chip; state: Exp; lines: +13 -13
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:40; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm_a6.ly,v
Working file: atlas/compass/layouts/csm_a6.ly
head: 2.2
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:23:07; author: chip; state: Exp; lines: +17 -17

periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:50:42; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm_a7.ly,v

working file: atlas/compass/layouts/csm_a7.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:23:10; author: chip; state: Exp; lines: +19 -19

periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:50:45; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm_b1.ly,v

working file: atlas/compass/layouts/csm_b1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:23:13; author: chip; state: Exp; lines: +19 -19

periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:50:48; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm_b1_a1.ly,v

working file: atlas/compass/layouts/csm_b1_a1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 2.2

date: 1995/02/23 07:23:16; author: chip; state: Exp; lines: +162 -162
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:51:15; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm_c1.ly,v

working file: atlas/compass/layouts/csm_c1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:23:17; author: chip; state: Exp; lines: +25 -25
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:51:19; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csmatom.ly,v

working file: atlas/compass/layouts/csmatom.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:23:19; author: chip; state: Exp; lines: +25 -25
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:51:24; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csmatom_2.ly,v

working file: atlas/compass/layouts/csmatom_2.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

bz Feb 21-27 1995.log
date: 1995/02/23 07:23:22; author: chip; state: Exp; lines: +26 -26
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:28; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csmloadlatbc.ly,v
working file: atlas/compass/layouts/csmloadlatbc.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:23:25; author: chip; state: Exp; lines: +122 -122
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:31; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csmloadlatbc_a7.ly,v
working file: atlas/compass/layouts/csmloadlatbc_a7.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:23:27; author: chip; state: Exp; lines: +118 -118
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:35; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csmsertriflop.ly,v
working file: atlas/compass/layouts/csmsertriflop.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:23:28; author: chip; state: Exp; lines: +8 -8
periodic checkin of wed Feb 22 23:20:23 PST 1995

bz Feb 21-27 1995.log

revision 2.1
date: 1995/02/22 22:51:39; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/decls.ly,v
working file: atlas/compass/layouts/decls.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:23:31; author: chip; state: Exp; lines: +981 -981
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:07; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/drv1.ly,v
working file: atlas/compass/layouts/drv1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:23:34; author: chip; state: Exp; lines: +219 -219
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:10; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/emptyatom.ly,v
working file: atlas/compass/layouts/emptyatom.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:23:37; author: chip; state: Exp; lines: +8 -8
periodic checkin of wed Feb 22 23:20:23 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/exand1b17nm.ly,v

```
bz Feb 21-27 1995.log
working file: atlas/compass/layouts/exand1b17nm.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:23:39; author: chip; state: Exp; lines: +385 -407
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/exnor4nm.ly,v
working file: atlas/compass/layouts/exnor4nm.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.3
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 2.3
date: 1995/02/23 07:23:42; author: chip; state: Exp; lines: +61 -63
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====
```

```
revision 2.2
date: 1995/02/23 01:13:38; author: chip; state: Exp; lines: +22 -18
periodic checkin of Wed Feb 22 17:13:31 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/exvffqm.ly,v
working file: atlas/compass/layouts/exvffqm.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:23:45; author: chip; state: Exp; lines: +181 -183
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/guardring.ly,v
working file: atlas/compass/layouts/guardring.ly
head: 2.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 1
```

bz Feb 21-27 1995.log

description:

revision 2.7

date: 1995/02/23 07:23:47; author: chip; state: Exp; lines: +11 -11
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/guardringcnr.ly,v

working file: atlas/compass/layouts/guardringcnr.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 2.2

date: 1995/02/23 07:23:49; author: chip; state: Exp; lines: +9 -9
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/mos_site.ly,v

working file: atlas/compass/layouts/mos_site.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.4

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

revision 2.4

date: 1995/02/23 07:24:21; author: chip; state: Exp; lines: +8 -8
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

revision 2.3

date: 1995/02/22 23:28:36; author: chip; state: Exp; lines: +9 -28
periodic checkin of Wed Feb 22 15:28:31 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/mousbit.ly,v

working file: atlas/compass/layouts/mousbit.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.2

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:24:24; author: chip; state: Exp; lines: +97 -106
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

revision 2.1

date: 1995/02/23 01:13:41; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:13:31 PST 1995

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/mousbit2.ly,v
working file: atlas/compass/layouts/mousbit2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.2
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:24:27; author: chip; state: Exp; lines: +85 -93
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/23 01:13:43; author: chip; state: Exp;
periodic checkin of wed Feb 22 17:13:31 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/mousbitx2.ly,v
working file: atlas/compass/layouts/mousbitx2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.2
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:24:30; author: chip; state: Exp; lines: +5 -5
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/23 01:13:45; author: chip; state: Exp;
periodic checkin of wed Feb 22 17:13:31 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/mousmemw1.ly,v
working file: atlas/compass/layouts/mousmemw1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.2
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:24:33; author: chip; state: Exp; lines: +28 -28
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/23 01:16:06; author: chip; state: Exp;
periodic checkin of wed Feb 22 17:16:03 PST 1995
=====
```

bz Feb 21-27 1995.log

=====

RCS file: /p/cvsroot/atlas/compass/layouts/moussmem.ly,v
working file: atlas/compass/layouts/moussmem.ly
head: 2.2

branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:35; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/23 01:16:08; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:16:03 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux2_a1.ly,v
working file: atlas/compass/layouts/mux2_a1.ly
head: 2.2

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:38; author: chip; state: Exp; lines: +12 -12
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:43; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a1.ly,v
working file: atlas/compass/layouts/mux_a1.ly
head: 2.2

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:42; author: chip; state: Exp; lines: +36 -36
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:46; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

```
bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a2.1y,v
working file: atlas/compass/layouts/mux_a2.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:24:45; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:51:49; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a3.1y,v
working file: atlas/compass/layouts/mux_a3.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:24:47; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:51:52; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a3_1.1y,v
working file: atlas/compass/layouts/mux_a3_1.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:24:50; author: chip; state: Exp; lines: +24 -24
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:51:55; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a3_2.1y,v
working file: atlas/compass/layouts/mux_a3_2.1y
head: 2.2
```


bz Feb 21-27 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:24:54; author: chip; state: Exp; lines: +15 -15
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:51:58; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a4.ly,v
working file: atlas/compass/layouts/mux_a4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:24:57; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:52:01; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a5.ly,v
working file: atlas/compass/layouts/mux_a5.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:24:59; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:52:05; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a6.ly,v
working file: atlas/compass/layouts/mux_a6.ly
head: 2.2
branch:
locks: strict
access list:
```

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:01; author: chip; state: Exp; lines: +4 -4

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:08; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a6_1.ly,v

working file: atlas/compass/layouts/mux_a6_1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:03; author: chip; state: Exp; lines: +68 -68

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:13; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a7.ly,v

working file: atlas/compass/layouts/mux_a7.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:06; author: chip; state: Exp; lines: +33 -33

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:16; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a7_1.ly,v

working file: atlas/compass/layouts/mux_a7_1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 2.2

date: 1995/02/23 07:25:09; author: chip; state: Exp; lines: +27 -27
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:20; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a7_2.1y,v

working file: atlas/compass/layouts/mux_a7_2.1y

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:11; author: chip; state: Exp; lines: +122 -122
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:25; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a7_2a.1y,v

working file: atlas/compass/layouts/mux_a7_2a.1y

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:12; author: chip; state: Exp; lines: +125 -125
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:28; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a7_a.1y,v

working file: atlas/compass/layouts/mux_a7_a.1y

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

bz Feb 21-27 1995.log
date: 1995/02/23 07:25:14; author: chip; state: Exp; lines: +32 -32
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:32; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_c1.ly,v

working file: atlas/compass/layouts/mux_c1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:17; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:34; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/nbcell.ly,v

working file: atlas/compass/layouts/nbcell.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.2

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:20; author: chip; state: Exp; lines: +111 -111
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:37; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/nbcell_1.ly,v

working file: atlas/compass/layouts/nbcell_1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.2

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:22; author: chip; state: Exp; lines: +108 -108

bz Feb 21-27 1995.log
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:40; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/nbcellx4.ly,v
working file: atlas/compass/layouts/nbcellx4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:24; author: chip; state: Exp; lines: +8 -8
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:43; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell10u.ly,v
working file: atlas/compass/layouts/ncell10u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:26; author: chip; state: Exp; lines: +28 -28
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:46; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell10ua.ly,v
working file: atlas/compass/layouts/ncell10ua.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:27; author: chip; state: Exp; lines: +9 -9
periodic checkin of wed Feb 22 23:20:23 PST 1995

bz Feb 21-27 1995.log

revision 2.1

date: 1995/02/22 22:52:49; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell10ub.ly,v

working file: atlas/compass/layouts/ncell10ub.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:30; author: chip; state: Exp; lines: +10 -10
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:52; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell10ub1.ly,v

working file: atlas/compass/layouts/ncell10ub1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:32; author: chip; state: Exp; lines: +10 -10
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:55; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell15u.ly,v

working file: atlas/compass/layouts/ncell15u.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:35; author: chip; state: Exp; lines: +19 -19
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:58; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell6u.ly,v
working file: atlas/compass/layouts/ncell6u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:25:37; author: chip; state: Exp; lines: +19 -19
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:53:01; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell7u.ly,v
working file: atlas/compass/layouts/ncell7u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:25:40; author: chip; state: Exp; lines: +22 -22
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:53:04; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell8u.ly,v
working file: atlas/compass/layouts/ncell8u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:25:42; author: chip; state: Exp; lines: +22 -22
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:53:07; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/padvdd.ly,v
```

```

bz Feb 21-27 1995.log
working file: atlas/compass/layouts/padvdd.ly
head: 2.38
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.38
keyword substitution: kv
total revisions: 38;    selected revisions: 2
description:
-----
revision 2.3
date: 1995/02/23 07:25:45; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.2
date: 1995/02/23 00:55:44; author: chip; state: Exp; lines: +2 -44
periodic checkin of Wed Feb 22 16:55:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell10u.ly,v
working file: atlas/compass/layouts/pcell10u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:25:48; author: chip; state: Exp; lines: +28 -28
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:53:24; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell12u.ly,v
working file: atlas/compass/layouts/pcell12u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:26:16; author: chip; state: Exp; lines: +28 -28
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:53:27; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell14u.ly,v
working file: atlas/compass/layouts/pcell14u.ly
head: 2.2

```


bz Feb 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:18; author: chip; state: Exp; lines: +31 -31
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:32; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell15u.ly,v
working file: atlas/compass/layouts/pcell15u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:20; author: chip; state: Exp; lines: +31 -31
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:35; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell16u.ly,v
working file: atlas/compass/layouts/pcell16u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:23; author: chip; state: Exp; lines: +22 -22
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:38; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell17u.ly,v
working file: atlas/compass/layouts/pcell17u.ly
head: 2.2
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:25; author: chip; state: Exp; lines: +22 -22

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:53:41; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell18u.ly,v

working file: atlas/compass/layouts/pcell18u.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:27; author: chip; state: Exp; lines: +22 -22

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:53:45; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell19u.ly,v

working file: atlas/compass/layouts/pcell19u.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:29; author: chip; state: Exp; lines: +22 -22

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:53:47; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/rcell11.ly,v

working file: atlas/compass/layouts/rcell11.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 2.2

date: 1995/02/23 07:26:30; author: chip; state: Exp; lines: +53 -53
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:44:13; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/rdec1.ly,v

working file: atlas/compass/layouts/rdec1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:33; author: chip; state: Exp; lines: +122 -122
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:44:17; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/rdec2.ly,v

working file: atlas/compass/layouts/rdec2.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:36; author: chip; state: Exp; lines: +98 -98
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:44:20; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/rdec3.ly,v

working file: atlas/compass/layouts/rdec3.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

bz Feb 21-27 1995.log
date: 1995/02/23 07:26:38; author: chip; state: Exp; lines: +59 -59
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:23; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/rdec4.ly,v
working file: atlas/compass/layouts/rdec4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:40; author: chip; state: Exp; lines: +55 -55
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:26; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/rvia12.ly,v
working file: atlas/compass/layouts/rvia12.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:41; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/23 00:22:56; author: chip; state: Exp;
periodic checkin of Wed Feb 22 16:22:53 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/rvia23.ly,v
working file: atlas/compass/layouts/rvia23.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:43; author: chip; state: Exp; lines: +7 -7

bz Feb 21-27 1995.log
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/23 00:22:58; author: chip; state: Exp;
periodic checkin of wed Feb 22 16:22:53 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/sa1.ly,v
working file: atlas/compass/layouts/sa1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:45; author: chip; state: Exp; lines: +166 -166
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:29; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/sa2.ly,v
working file: atlas/compass/layouts/sa2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:48; author: chip; state: Exp; lines: +158 -158
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:32; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/sa3.ly,v
working file: atlas/compass/layouts/sa3.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:51; author: chip; state: Exp; lines: +524 -524
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

bz Feb 21-27 1995.log
date: 1995/02/22 22:44:36; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/sa_c1.ly,v
working file: atlas/compass/layouts/sa_c1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:53; author: chip; state: Exp; lines: +21 -21
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:50; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/sertriflop_b1.ly,v
working file: atlas/compass/layouts/sertriflop_b1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:55; author: chip; state: Exp; lines: +165 -165
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:54; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/tempcr.ly,v
working file: atlas/compass/layouts/tempcr.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:57; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:39; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/template.ly,v
working file: atlas/compass/layouts/template.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 2.3

date: 1995/02/23 07:27:00; author: chip; state: Exp; lines: +28 -28

periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/tempx16.ly,v

working file: atlas/compass/layouts/tempx16.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:27:02; author: chip; state: Exp; lines: +4 -4

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:53:57; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_10x1.ly,v

working file: atlas/compass/layouts/uh_10x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/02/23 07:27:03; author: chip; state: Exp; lines: +7 -7

periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_11x1.ly,v

working file: atlas/compass/layouts/uh_11x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

bz Feb 21-27 1995.log

description:

revision 2.3

date: 1995/02/23 07:27:05; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_12x1.ly,v

working file: atlas/compass/layouts/uh_12x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/02/23 07:27:07; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_13x1.ly,v

working file: atlas/compass/layouts/uh_13x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/02/23 07:27:10; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_14x1.ly,v

working file: atlas/compass/layouts/uh_14x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/02/23 07:27:12; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_15x1.ly,v

working file: atlas/compass/layouts/uh_15x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv


```

bz Feb 21-27 1995.log
total revisions: 3;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:27:14; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_16x1.ly,v
working file: atlas/compass/layouts/uh_16x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:27:15; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_17x1.ly,v
working file: atlas/compass/layouts/uh_17x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:27:19; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_18x1.ly,v
working file: atlas/compass/layouts/uh_18x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:27:22; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_19x1.ly,v
working file: atlas/compass/layouts/uh_19x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:

```

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:25; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_20x1.ly,v
working file: atlas/compass/layouts/uh_20x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:26; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_21x1.ly,v
working file: atlas/compass/layouts/uh_21x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:29; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_22x1.ly,v
working file: atlas/compass/layouts/uh_22x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:32; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_23x1.ly,v
working file: atlas/compass/layouts/uh_23x1.ly
head: 2.3
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/02/23 07:27:35; author: chip; state: Exp; lines: +7 -7

periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_24x1.ly,v

working file: atlas/compass/layouts/uh_24x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/02/23 07:27:37; author: chip; state: Exp; lines: +7 -7

periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_25x1.ly,v

working file: atlas/compass/layouts/uh_25x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/02/23 07:27:38; author: chip; state: Exp; lines: +7 -7

periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_26x1.ly,v

working file: atlas/compass/layouts/uh_26x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/02/23 07:27:52; author: chip; state: Exp; lines: +7 -7

periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_27x1.ly,v

working file: atlas/compass/layouts/uh_27x1.ly

head: 2.4

branch:

locks: strict

bz Feb 21-27 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:53; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_28x1.ly,v
working file: atlas/compass/layouts/uh_28x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:55; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_29x1.ly,v
working file: atlas/compass/layouts/uh_29x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:57; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_2x1.ly,v
working file: atlas/compass/layouts/uh_2x1.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.4
date: 1995/02/23 07:28:00; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

revision 2.3
date: 1995/02/22 23:59:34; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 15:59:31 PST 1995
=====

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_30x1.ly,v
working file: atlas/compass/layouts/uh_30x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:28:02; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_33x1.ly,v
working file: atlas/compass/layouts/uh_33x1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:28:04; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_34x1.ly,v
working file: atlas/compass/layouts/uh_34x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:28:07; author: chip; state: Exp; lines: +8 -8
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_3x1.ly,v
working file: atlas/compass/layouts/uh_3x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:28:10; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_40x1.ly,v
working file: atlas/compass/layouts/uh_40x1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:28:13; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 23:59:36; author: chip; state: Exp;
periodic checkin of wed Feb 22 15:59:31 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_45x1.ly,v
working file: atlas/compass/layouts/uh_45x1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:28:14; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_46x1.ly,v
working file: atlas/compass/layouts/uh_46x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:28:15; author: chip; state: Exp; lines: +8 -8
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_4x1.ly,v
working file: atlas/compass/layouts/uh_4x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

bz Feb 21-27 1995.log

revision 2.3
date: 1995/02/23 07:32:07; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_5x1.ly,v
working file: atlas/compass/layouts/uh_5x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:32:09; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_6x1.ly,v
working file: atlas/compass/layouts/uh_6x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:32:12; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_7x1.ly,v
working file: atlas/compass/layouts/uh_7x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:32:15; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_8x1.ly,v
working file: atlas/compass/layouts/uh_8x1.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1

bz Feb 21-27 1995.log

description:

revision 2.3
date: 1995/02/23 07:32:18; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_9x1.ly,v
working file: atlas/compass/layouts/uh_9x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:32:20; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh_grid.ly,v
working file: atlas/compass/layouts/uh_grid.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.4
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:32:23; author: chip; state: Exp; lines: +22 -41
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh_hzchk.ly,v
working file: atlas/compass/layouts/uh_hzchk.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:32:25; author: chip; state: Exp; lines: +13 -13
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh_power.ly,v
working file: atlas/compass/layouts/uh_power.ly
head: 2.5
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 2.5

keyword substitution: kv

total revisions: 5; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:32:28; author: chip; state: Exp; lines: +154 -154

periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1

date: 1995/02/22 23:56:46; author: chip; state: Exp;

periodic checkin of Wed Feb 22 15:56:43 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh_pwr.ly,v

working file: atlas/compass/layouts/uh_pwr.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/02/23 07:32:31; author: chip; state: Exp; lines: +123 -123

periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh_vrtchk.ly,v

working file: atlas/compass/layouts/uh_vrtchk.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.3

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 2.3

date: 1995/02/23 07:32:33; author: chip; state: Exp; lines: +16 -16

periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2

date: 1995/02/22 23:59:38; author: chip; state: Exp; lines: +2 -2

periodic checkin of Wed Feb 22 15:59:31 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown.ly,v

working file: atlas/compass/layouts/unknown.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

revision 2.2
date: 1995/02/23 07:32:35; author: chip; state: Exp; lines: +359 -359
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 22:54:00; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown2.ly,v
working file: atlas/compass/layouts/unknown2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:32:38; author: chip; state: Exp; lines: +372 -372
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 22:54:04; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown3.ly,v
working file: atlas/compass/layouts/unknown3.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:32:41; author: chip; state: Exp; lines: +88 -88
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 22:54:08; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown4.ly,v
working file: atlas/compass/layouts/unknown4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:32:43; author: chip; state: Exp; lines: +327 -327

bz Feb 21-27 1995.log
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 22:54:12; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown5.ly,v
working file: atlas/compass/layouts/unknown5.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:32:45; author: chip; state: Exp; lines: +253 -253
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 22:54:15; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown6.ly,v
working file: atlas/compass/layouts/unknown6.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:32:47; author: chip; state: Exp; lines: +342 -342
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 22:54:19; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/vial2.ly,v
working file: atlas/compass/layouts/vial2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:32:48; author: chip; state: Exp; lines: +6 -6
periodic checkin of Wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

revision 2.1
date: 1995/02/23 00:23:00; author: chip; state: Exp;
periodic checkin of Wed Feb 22 16:22:53 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/via23.ly,v
working file: atlas/compass/layouts/via23.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:32:50; author: chip; state: Exp; lines: +6 -6
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/23 00:23:02; author: chip; state: Exp;
periodic checkin of Wed Feb 22 16:22:53 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/vlsi.log,v
working file: atlas/compass/layouts/vlsi.log
head: 1.3654
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3654
keyword substitution: kv
total revisions: 3654; selected revisions: 77
description:

revision 1.215
date: 1995/02/26 19:19:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sun Feb 26 11:18:58 PST 1995

revision 1.214
date: 1995/02/26 18:40:57; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sun Feb 26 10:40:54 PST 1995

revision 1.213
date: 1995/02/25 17:51:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:51:56 PST 1995

revision 1.212
date: 1995/02/25 17:42:41; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:42:38 PST 1995

revision 1.211
date: 1995/02/25 17:40:50; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:40:47 PST 1995

revision 1.210
date: 1995/02/25 17:38:44; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:38:41 PST 1995

revision 1.209

```

bz Feb 21-27 1995.log
date: 1995/02/24 21:59:18; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:59:15 PST 1995
-----
revision 1.208
date: 1995/02/24 21:29:30; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:29:26 PST 1995
-----
revision 1.207
date: 1995/02/24 21:08:50; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:08:47 PST 1995
-----
revision 1.206
date: 1995/02/24 18:29:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 10:29:17 PST 1995
-----
revision 1.205
date: 1995/02/24 02:01:32; author: chip; state: Exp; lines: +5 -0
periodic checkin of Thu Feb 23 18:01:29 PST 1995
-----
revision 1.204
date: 1995/02/24 01:59:46; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Feb 23 17:59:43 PST 1995
-----
revision 1.203
date: 1995/02/24 01:58:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 17:57:59 PST 1995
-----
revision 1.202
date: 1995/02/24 01:56:15; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Feb 23 17:56:12 PST 1995
-----
revision 1.201
date: 1995/02/24 01:34:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 23 17:34:09 PST 1995
-----
revision 1.200
date: 1995/02/24 01:32:27; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 17:32:24 PST 1995
-----
revision 1.199
date: 1995/02/23 22:30:14; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 14:30:10 PST 1995
-----
revision 1.198
date: 1995/02/23 18:37:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 23 10:37:37 PST 1995
-----
revision 1.197
date: 1995/02/23 18:20:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 10:20:01 PST 1995
-----
revision 1.196
date: 1995/02/23 15:21:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 07:20:57 PST 1995
-----
revision 1.195
date: 1995/02/23 07:32:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 1.194
date: 1995/02/23 01:16:11; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 22 17:16:03 PST 1995
-----

```

bz Feb 21-27 1995.log

revision 1.193

date: 1995/02/23 01:13:48; author: chip; state: Exp; lines: +18 -0
periodic checkin of Wed Feb 22 17:13:31 PST 1995

revision 1.192

date: 1995/02/23 00:55:48; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Feb 22 16:55:42 PST 1995

revision 1.191

date: 1995/02/23 00:53:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 22 16:53:45 PST 1995

revision 1.190

date: 1995/02/23 00:23:05; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Feb 22 16:22:53 PST 1995

revision 1.189

date: 1995/02/23 00:03:03; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 22 16:02:52 PST 1995

revision 1.188

date: 1995/02/22 23:59:41; author: chip; state: Exp; lines: +17 -1122
periodic checkin of Wed Feb 22 15:59:31 PST 1995

revision 1.187

date: 1995/02/22 23:56:51; author: chip; state: Exp; lines: +53 -0
periodic checkin of Wed Feb 22 15:56:43 PST 1995

revision 1.186

date: 1995/02/22 23:28:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 22 15:28:31 PST 1995

revision 1.185

date: 1995/02/22 23:23:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 22 15:23:42 PST 1995

revision 1.184

date: 1995/02/22 23:16:13; author: chip; state: Exp; lines: +6 -0
periodic checkin of Wed Feb 22 15:16:04 PST 1995

revision 1.183

date: 1995/02/22 23:10:42; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 22 15:10:37 PST 1995

revision 1.182

date: 1995/02/22 23:07:50; author: chip; state: Exp; lines: +6 -0
periodic checkin of Wed Feb 22 15:07:41 PST 1995

revision 1.181

date: 1995/02/22 23:02:38; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 22 15:02:33 PST 1995

revision 1.180

date: 1995/02/22 22:57:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 22 14:56:58 PST 1995

revision 1.179

date: 1995/02/22 22:54:23; author: chip; state: Exp; lines: +172 -0
periodic checkin of Wed Feb 22 14:48:36 PST 1995

revision 1.178

date: 1995/02/22 22:44:43; author: chip; state: Exp; lines: +56 -0
periodic checkin of Wed Feb 22 14:42:50 PST 1995

bz Feb 21-27 1995.log

```

-----
revision 1.177
date: 1995/02/22 22:39:55; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 22 14:39:50 PST 1995
-----
revision 1.176
date: 1995/02/22 22:37:26; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 22 14:37:21 PST 1995
-----
revision 1.175
date: 1995/02/22 18:53:51; author: chip; state: Exp; lines: +14 -0
periodic checkin of Wed Feb 22 10:53:44 PST 1995
-----
revision 1.174
date: 1995/02/22 17:43:33; author: chip; state: Exp; lines: +24 -0
periodic checkin of Wed Feb 22 09:43:14 PST 1995
-----
revision 1.173
date: 1995/02/22 00:02:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 16:02:34 PST 1995
-----
revision 1.172
date: 1995/02/21 23:58:09; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 15:58:05 PST 1995
-----
revision 1.171
date: 1995/02/21 23:52:55; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 15:52:50 PST 1995
-----
revision 1.170
date: 1995/02/21 23:00:32; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 15:00:26 PST 1995
-----
revision 1.169
date: 1995/02/21 22:52:05; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 14:52:00 PST 1995
-----
revision 1.168
date: 1995/02/21 22:48:21; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 14:48:17 PST 1995
-----
revision 1.167
date: 1995/02/21 22:46:22; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 14:46:17 PST 1995
-----
revision 1.166
date: 1995/02/21 22:43:59; author: chip; state: Exp; lines: +8 -0
periodic checkin of Tue Feb 21 14:43:51 PST 1995
-----
revision 1.165
date: 1995/02/21 22:40:23; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Feb 21 14:40:18 PST 1995
-----
revision 1.164
date: 1995/02/21 22:37:43; author: chip; state: Exp; lines: +7 -0
periodic checkin of Tue Feb 21 14:37:40 PST 1995
-----
revision 1.163
date: 1995/02/21 22:35:47; author: chip; state: Exp; lines: +16 -0
periodic checkin of Tue Feb 21 14:35:43 PST 1995
-----
revision 1.162
date: 1995/02/21 22:32:37; author: chip; state: Exp; lines: +31 -0

```

```

bz Feb 21-27 1995.log
periodic checkin of Tue Feb 21 14:32:29 PST 1995
-----
revision 1.161
date: 1995/02/21 21:22:46; author: chip; state: Exp; lines: +18 -0
periodic checkin of Tue Feb 21 13:22:39 PST 1995
-----
revision 1.160
date: 1995/02/21 19:54:02; author: chip; state: Exp; lines: +12 -0
periodic checkin of Tue Feb 21 11:53:57 PST 1995
-----
revision 1.159
date: 1995/02/21 19:45:36; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:45:34 PST 1995
-----
revision 1.158
date: 1995/02/21 19:27:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:27:33 PST 1995
-----
revision 1.157
date: 1995/02/21 19:25:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:25:09 PST 1995
-----
revision 1.156
date: 1995/02/21 19:22:54; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:22:52 PST 1995
-----
revision 1.155
date: 1995/02/21 19:20:38; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:20:35 PST 1995
-----
revision 1.154
date: 1995/02/21 19:18:24; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:18:20 PST 1995
-----
revision 1.153
date: 1995/02/21 19:15:43; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:15:41 PST 1995
-----
revision 1.152
date: 1995/02/21 19:14:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:14:01 PST 1995
-----
revision 1.151
date: 1995/02/21 19:12:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:12:05 PST 1995
-----
revision 1.150
date: 1995/02/21 19:09:34; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 11:09:31 PST 1995
-----
revision 1.149
date: 1995/02/21 19:07:16; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Feb 21 11:07:13 PST 1995
-----
revision 1.148
date: 1995/02/21 19:05:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:05:08 PST 1995
-----
revision 1.147
date: 1995/02/21 18:54:08; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 10:54:06 PST 1995
-----
revision 1.146

```


bz Feb 21-27 1995.log
date: 1995/02/21 18:52:04; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 10:52:00 PST 1995

revision 1.145
date: 1995/02/21 18:49:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 10:49:50 PST 1995

revision 1.144
date: 1995/02/21 18:26:45; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 10:26:42 PST 1995

revision 1.143
date: 1995/02/21 18:13:55; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 10:13:52 PST 1995

revision 1.142
date: 1995/02/21 18:11:16; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Feb 21 10:11:12 PST 1995

revision 1.141
date: 1995/02/21 18:08:36; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Feb 21 10:08:33 PST 1995

revision 1.140
date: 1995/02/21 18:06:16; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 10:06:13 PST 1995

revision 1.139
date: 1995/02/21 18:02:00; author: chip; state: Exp; lines: +8 -0
periodic checkin of Tue Feb 21 10:01:55 PST 1995

=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n10s.ly,v
working file: atlas/compass/layouts/xland2n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:32:57; author: chip; state: Exp; lines: +47 -48
periodic checkin of Wed Feb 22 23:31:42 PST 1995

=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n160s.ly,v
working file: atlas/compass/layouts/xland2n160s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:33:00; author: chip; state: Exp; lines: +499 -517
periodic checkin of Wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n20s.ly,v
Working file: atlas/compass/layouts/xland2n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:02; author: chip; state: Exp; lines: +96 -98
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n40s.ly,v
Working file: atlas/compass/layouts/xland2n40s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:33:05; author: chip; state: Exp; lines: +148 -152
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n80s.ly,v
Working file: atlas/compass/layouts/xland2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:33:09; author: chip; state: Exp; lines: +260 -271
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n10s.ly,v
Working file: atlas/compass/layouts/xland3n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:11; author: chip; state: Exp; lines: +44 -45
periodic checkin of wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n160s.ly,v
Working file: atlas/compass/layouts/xland3n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:33:14; author: chip; state: Exp; lines: +651 -677
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n20s.ly,v
Working file: atlas/compass/layouts/xland3n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:33:16; author: chip; state: Exp; lines: +101 -103
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n40s.ly,v
Working file: atlas/compass/layouts/xland3n40s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:33:18; author: chip; state: Exp; lines: +210 -221
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n80s.ly,v
Working file: atlas/compass/layouts/xland3n80s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:33:21; author: chip; state: Exp; lines: +342 -356
```

bz Feb 21-27 1995.log
periodic checkin of Wed Feb 22 23:31:42 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n10s.ly,v
working file: atlas/compass/layouts/xland4n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:24; author: chip; state: Exp; lines: +68 -71
periodic checkin of Wed Feb 22 23:31:42 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n160s.ly,v
working file: atlas/compass/layouts/xland4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.6
date: 1995/02/23 07:33:27; author: chip; state: Exp; lines: +788 -823
periodic checkin of Wed Feb 22 23:31:42 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n20s.ly,v
working file: atlas/compass/layouts/xland4n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:29; author: chip; state: Exp; lines: +130 -136
periodic checkin of Wed Feb 22 23:31:42 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n40s.ly,v
working file: atlas/compass/layouts/xland4n40s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3

bz Feb 21-27 1995.log
date: 1995/02/23 07:33:55; author: chip; state: Exp; lines: +229 -241
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n80s.ly,v
working file: atlas/compass/layouts/xland4n80s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:33:58; author: chip; state: Exp; lines: +416 -435
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn10s.ly,v
working file: atlas/compass/layouts/xlbufn10s.ly
head: 2.8
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:34:02; author: chip; state: Exp; lines: +23 -23
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn160s.ly,v
working file: atlas/compass/layouts/xlbufn160s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 2.5
date: 1995/02/23 07:34:05; author: chip; state: Exp; lines: +308 -319
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn20s.ly,v
working file: atlas/compass/layouts/xlbufn20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.6
keyword substitution: kv

bz Feb 21-27 1995.log
total revisions: 6; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:34:07; author: chip; state: Exp; lines: +23 -23
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn40s.ly,v
working file: atlas/compass/layouts/xlbufn40s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:34:10; author: chip; state: Exp; lines: +56 -57
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn80s.ly,v
working file: atlas/compass/layouts/xlbufn80s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 2.5
date: 1995/02/23 07:34:13; author: chip; state: Exp; lines: +149 -153
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand12n20s.ly,v
working file: atlas/compass/layouts/xldand12n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:34:15; author: chip; state: Exp; lines: +180 -183
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 17:43:39; author: chip; state: Exp;
periodic checkin of Wed Feb 22 09:43:14 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand17n20s.ly,v

bz Feb 21-27 1995.log

working file: atlas/compass/layouts/xldand17n20s.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:34:17; author: chip; state: Exp; lines: +226 -229

periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.1

date: 1995/02/22 17:43:42; author: chip; state: Exp;

periodic checkin of wed Feb 22 09:43:14 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand2n10s.ly,v

working file: atlas/compass/layouts/xldand2n10s.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:34:19; author: chip; state: Exp; lines: +63 -67

periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.1

date: 1995/02/22 17:43:45; author: chip; state: Exp;

periodic checkin of wed Feb 22 09:43:14 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand3n10s.ly,v

working file: atlas/compass/layouts/xldand3n10s.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:34:21; author: chip; state: Exp; lines: +73 -76

periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.1

date: 1995/02/22 17:43:48; author: chip; state: Exp;

periodic checkin of wed Feb 22 09:43:14 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand4n10s.ly,v

working file: atlas/compass/layouts/xldand4n10s.ly

head: 2.3

branch:

bz Feb 21-27 1995.log

```
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:34:24; author: chip; state: Exp; lines: +89 -92
periodic checkin of wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 17:43:51; author: chip; state: Exp;
periodic checkin of wed Feb 22 09:43:14 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1dand6n10s.ly,v
working file: atlas/compass/layouts/x1dand6n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:34:27; author: chip; state: Exp; lines: +105 -109
periodic checkin of wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 17:43:55; author: chip; state: Exp;
periodic checkin of wed Feb 22 09:43:14 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1dand8n10s.ly,v
working file: atlas/compass/layouts/x1dand8n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:34:29; author: chip; state: Exp; lines: +130 -133
periodic checkin of wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 17:43:58; author: chip; state: Exp;
periodic checkin of wed Feb 22 09:43:14 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1dor12n20s.ly,v
working file: atlas/compass/layouts/x1dor12n20s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
-----
```


bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 7; selected revisions: 5
description:

revision 2.5
date: 1995/02/24 02:01:34; author: chip; state: Exp; lines: +32 -25
periodic checkin of Thu Feb 23 18:01:29 PST 1995

revision 2.4
date: 1995/02/24 01:34:15; author: chip; state: Exp; lines: +107 -130
periodic checkin of Thu Feb 23 17:34:09 PST 1995

revision 2.3
date: 1995/02/23 07:34:32; author: chip; state: Exp; lines: +177 -180
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/22 23:10:47; author: chip; state: Exp; lines: +30 -24
periodic checkin of Wed Feb 22 15:10:37 PST 1995

revision 2.1
date: 1995/02/22 18:53:55; author: chip; state: Exp;
periodic checkin of Wed Feb 22 10:53:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor17n20s.ly,v
working file: atlas/compass/layouts/xldor17n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 5
description:

revision 2.5
date: 1995/02/24 02:01:36; author: chip; state: Exp; lines: +28 -18
periodic checkin of Thu Feb 23 18:01:29 PST 1995

revision 2.4
date: 1995/02/24 01:56:17; author: chip; state: Exp; lines: +137 -137
periodic checkin of Thu Feb 23 17:56:12 PST 1995

revision 2.3
date: 1995/02/23 07:34:36; author: chip; state: Exp; lines: +192 -199
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/22 23:16:18; author: chip; state: Exp; lines: +20 -21
periodic checkin of Wed Feb 22 15:16:04 PST 1995

revision 2.1
date: 1995/02/22 18:53:59; author: chip; state: Exp;
periodic checkin of Wed Feb 22 10:53:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor2n10s.ly,v
working file: atlas/compass/layouts/xldor2n10s.ly
head: 2.6
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 4

description:

revision 2.4

date: 1995/02/24 01:59:48; author: chip; state: Exp; lines: +12 -15

periodic checkin of Thu Feb 23 17:59:43 PST 1995

revision 2.3

date: 1995/02/23 07:34:39; author: chip; state: Exp; lines: +55 -56

periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2

date: 1995/02/22 23:07:55; author: chip; state: Exp; lines: +8 -6

periodic checkin of Wed Feb 22 15:07:41 PST 1995

revision 2.1

date: 1995/02/22 18:54:01; author: chip; state: Exp;

periodic checkin of Wed Feb 22 10:53:44 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor3n10s.ly,v

working file: atlas/compass/layouts/xldor3n10s.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 3

description:

revision 2.3

date: 1995/02/23 07:34:41; author: chip; state: Exp; lines: +65 -65

periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2

date: 1995/02/22 23:07:59; author: chip; state: Exp; lines: +8 -6

periodic checkin of Wed Feb 22 15:07:41 PST 1995

revision 2.1

date: 1995/02/22 18:54:03; author: chip; state: Exp;

periodic checkin of Wed Feb 22 10:53:44 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor4n10s.ly,v

working file: atlas/compass/layouts/xldor4n10s.ly

head: 2.5

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 3

description:

revision 2.3

date: 1995/02/23 07:34:42; author: chip; state: Exp; lines: +88 -90

periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2

date: 1995/02/22 23:08:01; author: chip; state: Exp; lines: +8 -6

bz Feb 21-27 1995.log
periodic checkin of wed Feb 22 15:07:41 PST 1995

revision 2.1
date: 1995/02/22 18:54:06; author: chip; state: Exp;
periodic checkin of wed Feb 22 10:53:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor6n10s.ly,v
working file: atlas/compass/layouts/xldor6n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:34:45; author: chip; state: Exp; lines: +100 -103
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/22 23:16:20; author: chip; state: Exp; lines: +19 -17
periodic checkin of wed Feb 22 15:16:04 PST 1995

revision 2.1
date: 1995/02/22 18:54:09; author: chip; state: Exp;
periodic checkin of wed Feb 22 10:53:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor8n10s.ly,v
working file: atlas/compass/layouts/xldor8n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:34:48; author: chip; state: Exp; lines: +111 -114
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/22 23:16:23; author: chip; state: Exp; lines: +7 -6
periodic checkin of wed Feb 22 15:16:04 PST 1995

revision 2.1
date: 1995/02/22 18:54:11; author: chip; state: Exp;
periodic checkin of wed Feb 22 10:53:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n10s.ly,v
working file: atlas/compass/layouts/xlmux2n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 6;    selected revisions: 3
description:
-----
revision 2.3
date: 1995/02/23 07:34:51; author: chip; state: Exp; lines: +83 -84
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 22:35:50; author: chip; state: Exp; lines: +49 -13
periodic checkin of Tue Feb 21 14:35:43 PST 1995
-----
revision 2.1
date: 1995/02/21 22:32:41; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n160s.ly,v
working file: atlas/compass/layouts/xlmux2n160s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 3
description:
-----
revision 2.3
date: 1995/02/23 07:34:52; author: chip; state: Exp; lines: +310 -325
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 19:05:14; author: chip; state: Exp; lines: +17 -13
periodic checkin of Tue Feb 21 11:05:08 PST 1995
-----
revision 2.1
date: 1995/02/21 18:49:56; author: chip; state: Exp;
periodic checkin of Tue Feb 21 10:49:50 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n20s.ly,v
working file: atlas/compass/layouts/xlmux2n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;    selected revisions: 3
description:
-----
revision 2.3
date: 1995/02/23 07:34:54; author: chip; state: Exp; lines: +78 -81
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 22:37:47; author: chip; state: Exp; lines: +54 -37
periodic checkin of Tue Feb 21 14:37:40 PST 1995
-----
revision 2.1
date: 1995/02/21 22:32:43; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

```

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n40s.ly,v
working file: atlas/compass/layouts/xlmux2n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:34:57; author: chip; state: Exp; lines: +129 -135
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 21:22:49; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2
date: 1995/02/21 18:02:03; author: chip; state: Exp; lines: +8 -9
periodic checkin of Tue Feb 21 10:01:55 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n80s.ly,v
working file: atlas/compass/layouts/xlmux2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:34:59; author: chip; state: Exp; lines: +208 -218
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 21:22:51; author: chip; state: Exp; lines: +12 -9
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2
date: 1995/02/21 18:02:05; author: chip; state: Exp; lines: +12 -12
periodic checkin of Tue Feb 21 10:01:55 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n10s.ly,v
working file: atlas/compass/layouts/xlmux3n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:35:03; author: chip; state: Exp; lines: +69 -70
periodic checkin of Wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

revision 2.2
date: 1995/02/21 22:37:49; author: chip; state: Exp; lines: +49 -41
periodic checkin of Tue Feb 21 14:37:40 PST 1995

revision 2.1
date: 1995/02/21 22:32:46; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n160s.ly,v
working file: atlas/compass/layouts/xlmux3n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:35:04; author: chip; state: Exp; lines: +335 -350
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/21 19:07:19; author: chip; state: Exp;
periodic checkin of Tue Feb 21 11:07:13 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n20s.ly,v
working file: atlas/compass/layouts/xlmux3n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:35:33; author: chip; state: Exp; lines: +111 -114
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:40:28; author: chip; state: Exp; lines: +80 -55
periodic checkin of Tue Feb 21 14:40:18 PST 1995

revision 2.1
date: 1995/02/21 22:32:48; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n40s.ly,v
working file: atlas/compass/layouts/xlmux3n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3

bz Feb 21-27 1995.log

description:

revision 2.4

date: 1995/02/23 07:35:35; author: chip; state: Exp; lines: +140 -146
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3

date: 1995/02/21 21:22:54; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2

date: 1995/02/21 18:02:07; author: chip; state: Exp; lines: +8 -9
periodic checkin of Tue Feb 21 10:01:55 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n80s.ly,v

Working file: atlas/compass/layouts/xlmux3n80s.ly

head: 2.5

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 3

description:

revision 2.4

date: 1995/02/23 07:35:38; author: chip; state: Exp; lines: +232 -244
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3

date: 1995/02/21 21:22:57; author: chip; state: Exp; lines: +13 -10
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2

date: 1995/02/21 18:02:09; author: chip; state: Exp; lines: +13 -13
periodic checkin of Tue Feb 21 10:01:55 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n10s.ly,v

Working file: atlas/compass/layouts/xlmux4n10s.ly

head: 2.6

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 3

description:

revision 2.3

date: 1995/02/23 07:35:43; author: chip; state: Exp; lines: +78 -79
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2

date: 1995/02/21 22:40:31; author: chip; state: Exp; lines: +55 -47
periodic checkin of Tue Feb 21 14:40:18 PST 1995

revision 2.1

date: 1995/02/21 22:32:50; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n160s.ly,v
working file: atlas/compass/layouts/xlmux4n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:35:45; author: chip; state: Exp; lines: +359 -376
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/21 19:07:21; author: chip; state: Exp;
periodic checkin of Tue Feb 21 11:07:13 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n20s.ly,v
working file: atlas/compass/layouts/xlmux4n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:35:47; author: chip; state: Exp; lines: +116 -119
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:40:34; author: chip; state: Exp; lines: +79 -49
periodic checkin of Tue Feb 21 14:40:18 PST 1995

revision 2.1
date: 1995/02/21 22:32:54; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n40s.ly,v
working file: atlas/compass/layouts/xlmux4n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:35:48; author: chip; state: Exp; lines: +150 -157
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 21:22:59; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 13:22:39 PST 1995

bz Feb 21-27 1995.log

revision 2.2
date: 1995/02/21 18:13:59; author: chip; state: Exp; lines: +8 -9
periodic checkin of Tue Feb 21 10:13:52 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux4n80s.ly,v
working file: atlas/compass/layouts/x1mux4n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:35:50; author: chip; state: Exp; lines: +257 -270
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 21:23:01; author: chip; state: Exp; lines: +14 -10
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2
date: 1995/02/21 18:06:18; author: chip; state: Exp; lines: +13 -14
periodic checkin of Tue Feb 21 10:06:13 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux5n10s.ly,v
working file: atlas/compass/layouts/x1mux5n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:35:52; author: chip; state: Exp; lines: +96 -98
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:44:03; author: chip; state: Exp; lines: +67 -41
periodic checkin of Tue Feb 21 14:43:51 PST 1995

revision 2.1
date: 1995/02/21 22:32:56; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux5n160s.ly,v
working file: atlas/compass/layouts/x1mux5n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 2.2
date: 1995/02/23 07:35:55; author: chip; state: Exp; lines: +384 -403
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/21 19:07:23; author: chip; state: Exp;
periodic checkin of Tue Feb 21 11:07:13 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux5n20s.ly,v
working file: atlas/compass/layouts/x1mux5n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:35:57; author: chip; state: Exp; lines: +139 -143
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:44:05; author: chip; state: Exp; lines: +95 -56
periodic checkin of Tue Feb 21 14:43:51 PST 1995

revision 2.1
date: 1995/02/21 22:32:58; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux5n40s.ly,v
working file: atlas/compass/layouts/x1mux5n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:36:00; author: chip; state: Exp; lines: +169 -176
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 21:23:03; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2
date: 1995/02/21 18:14:01; author: chip; state: Exp; lines: +13 -19
periodic checkin of Tue Feb 21 10:13:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux5n80s.ly,v
working file: atlas/compass/layouts/x1mux5n80s.ly
head: 2.5
branch:
locks: strict

bz Feb 21-27 1995.log

```
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 3
description:
-----
revision 2.4
date: 1995/02/23 07:36:03; author: chip; state: Exp; lines: +281 -296
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.3
date: 1995/02/21 21:23:05; author: chip; state: Exp; lines: +14 -11
periodic checkin of Tue Feb 21 13:22:39 PST 1995
-----
revision 2.2
date: 1995/02/21 18:06:20; author: chip; state: Exp; lines: +14 -14
periodic checkin of Tue Feb 21 10:06:13 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n10s.ly,v
working file: atlas/compass/layouts/xlmux6n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;    selected revisions: 3
description:
-----
revision 2.3
date: 1995/02/23 07:36:05; author: chip; state: Exp; lines: +133 -137
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 22:44:07; author: chip; state: Exp; lines: +90 -74
periodic checkin of Tue Feb 21 14:43:51 PST 1995
-----
revision 2.1
date: 1995/02/21 22:33:00; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n160s.ly,v
working file: atlas/compass/layouts/xlmux6n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:36:07; author: chip; state: Exp; lines: +433 -455
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.1
date: 1995/02/21 19:09:37; author: chip; state: Exp;
periodic checkin of Tue Feb 21 11:09:31 PST 1995
=====
```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n20s.ly,v
working file: atlas/compass/layouts/xlmux6n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:36:10; author: chip; state: Exp; lines: +142 -146
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:44:10; author: chip; state: Exp; lines: +99 -63
periodic checkin of Tue Feb 21 14:43:51 PST 1995

revision 2.1
date: 1995/02/21 22:33:02; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n40s.ly,v
working file: atlas/compass/layouts/xlmux6n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:36:13; author: chip; state: Exp; lines: +186 -193
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 21:23:07; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2
date: 1995/02/21 18:08:38; author: chip; state: Exp; lines: +12 -17
periodic checkin of Tue Feb 21 10:08:33 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n80s.ly,v
working file: atlas/compass/layouts/xlmux6n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:36:15; author: chip; state: Exp; lines: +306 -322
periodic checkin of wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

revision 2.3

date: 1995/02/21 19:54:06; author: chip; state: Exp; lines: +15 -12
periodic checkin of Tue Feb 21 11:53:57 PST 1995

revision 2.2

date: 1995/02/21 18:08:40; author: chip; state: Exp; lines: +15 -15
periodic checkin of Tue Feb 21 10:08:33 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n10s.ly,v

working file: atlas/compass/layouts/xlmux7n10s.ly

head: 2.5

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 3

description:

revision 2.3

date: 1995/02/23 07:36:16; author: chip; state: Exp; lines: +163 -167
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2

date: 1995/02/21 22:46:24; author: chip; state: Exp; lines: +113 -90
periodic checkin of Tue Feb 21 14:46:17 PST 1995

revision 2.1

date: 1995/02/21 22:33:04; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n160s.ly,v

working file: atlas/compass/layouts/xlmux7n160s.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:36:21; author: chip; state: Exp; lines: +408 -428
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1

date: 1995/02/21 19:09:38; author: chip; state: Exp;
periodic checkin of Tue Feb 21 11:09:31 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n20s.ly,v

working file: atlas/compass/layouts/xlmux7n20s.ly

head: 2.6

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 3

description:

bz Feb 21-27 1995.log

revision 2.3
date: 1995/02/23 07:36:25; author: chip; state: Exp; lines: +168 -171
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:46:26; author: chip; state: Exp; lines: +120 -80
periodic checkin of Tue Feb 21 14:46:17 PST 1995

revision 2.1
date: 1995/02/21 22:33:07; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n40s.ly,v
working file: atlas/compass/layouts/xlmux7n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:36:27; author: chip; state: Exp; lines: +196 -203
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 19:54:07; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 11:53:57 PST 1995

revision 2.2
date: 1995/02/21 18:11:18; author: chip; state: Exp; lines: +13 -19
periodic checkin of Tue Feb 21 10:11:12 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n80s.ly,v
working file: atlas/compass/layouts/xlmux7n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:36:29; author: chip; state: Exp; lines: +330 -349
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 19:54:09; author: chip; state: Exp; lines: +16 -12
periodic checkin of Tue Feb 21 11:53:57 PST 1995

revision 2.2
date: 1995/02/21 18:11:21; author: chip; state: Exp; lines: +15 -16
periodic checkin of Tue Feb 21 10:11:12 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n10s.ly,v

```

bz Feb 21-27 1995.log
working file: atlas/compass/layouts/xlmux8n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 3
description:
-----
revision 2.3
date: 1995/02/23 07:36:31; author: chip; state: Exp; lines: +165 -169
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 22:48:24; author: chip; state: Exp; lines: +114 -94
periodic checkin of Tue Feb 21 14:48:17 PST 1995
-----
revision 2.1
date: 1995/02/21 22:33:10; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n160s.ly,v
working file: atlas/compass/layouts/xlmux8n160s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 3
description:
-----
revision 2.3
date: 1995/02/23 07:36:34; author: chip; state: Exp; lines: +457 -481
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 19:54:10; author: chip; state: Exp; lines: +21 -17
periodic checkin of Tue Feb 21 11:53:57 PST 1995
-----
revision 2.1
date: 1995/02/21 18:26:47; author: chip; state: Exp;
periodic checkin of Tue Feb 21 10:26:42 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n20s.ly,v
working file: atlas/compass/layouts/xlmux8n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 3
description:
-----
revision 2.3
date: 1995/02/23 07:36:37; author: chip; state: Exp; lines: +175 -178
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.2

```

bz Feb 21-27 1995.log
date: 1995/02/21 22:48:26; author: chip; state: Exp; lines: +122 -95
periodic checkin of Tue Feb 21 14:48:17 PST 1995

revision 2.1
date: 1995/02/21 22:33:13; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n40s.ly,v
working file: atlas/compass/layouts/xlmux8n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:36:40; author: chip; state: Exp; lines: +208 -215
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 19:54:12; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 11:53:57 PST 1995

revision 2.2
date: 1995/02/21 18:11:23; author: chip; state: Exp; lines: +14 -21
periodic checkin of Tue Feb 21 10:11:12 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n80s.ly,v
working file: atlas/compass/layouts/xlmux8n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:36:42; author: chip; state: Exp; lines: +355 -374
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 19:54:13; author: chip; state: Exp; lines: +16 -13
periodic checkin of Tue Feb 21 11:53:57 PST 1995

revision 2.2
date: 1995/02/21 18:11:26; author: chip; state: Exp; lines: +16 -16
periodic checkin of Tue Feb 21 10:11:12 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n10s.ly,v
working file: atlas/compass/layouts/xlor2n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:37:02; author: chip; state: Exp; lines: +42 -42
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n160s.ly,v
working file: atlas/compass/layouts/xlor2n160s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:37:04; author: chip; state: Exp; lines: +461 -479
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n20s.ly,v
working file: atlas/compass/layouts/xlor2n20s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:37:07; author: chip; state: Exp; lines: +66 -66
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n40s.ly,v
working file: atlas/compass/layouts/xlor2n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:37:09; author: chip; state: Exp; lines: +120 -124
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n80s.ly,v
working file: atlas/compass/layouts/xlor2n80s.ly
head: 2.5
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:37:11; author: chip; state: Exp; lines: +220 -230
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n10s.ly,v
working file: atlas/compass/layouts/xlor3n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:37:14; author: chip; state: Exp; lines: +55 -55
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n160s.ly,v
working file: atlas/compass/layouts/xlor3n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.6
date: 1995/02/23 07:37:17; author: chip; state: Exp; lines: +524 -539
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n20s.ly,v
working file: atlas/compass/layouts/xlor3n20s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.6
date: 1995/02/23 07:37:19; author: chip; state: Exp; lines: +86 -88
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n40s.ly,v
working file: atlas/compass/layouts/xlor3n40s.ly
head: 2.7
branch:
locks: strict

bz Feb 21-27 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.6
date: 1995/02/23 07:37:22; author: chip; state: Exp; lines: +150 -153
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n80s.ly,v
working file: atlas/compass/layouts/xlor3n80s.ly
head: 2.8
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 2.7
date: 1995/02/23 07:37:25; author: chip; state: Exp; lines: +253 -261
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n10s.ly,v
working file: atlas/compass/layouts/xlor4n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:37:27; author: chip; state: Exp; lines: +52 -53
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n160s.ly,v
working file: atlas/compass/layouts/xlor4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.6
date: 1995/02/23 07:37:31; author: chip; state: Exp; lines: +694 -740
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n20s.ly,v
working file: atlas/compass/layouts/xlor4n20s.ly
head: 2.5
branch:

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.5
date: 1995/02/23 07:37:33; author: chip; state: Exp; lines: +96 -100
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n40s.ly,v
working file: atlas/compass/layouts/xlor4n40s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 2.5
date: 1995/02/23 07:37:36; author: chip; state: Exp; lines: +184 -193
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n80s.ly,v
working file: atlas/compass/layouts/xlor4n80s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 2.7
date: 1995/02/23 07:37:40; author: chip; state: Exp; lines: +356 -380
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand12n.ly,v
working file: atlas/compass/layouts/xvdand12n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/21 23:00:35; author: chip; state: Exp;
periodic checkin of Tue Feb 21 15:00:26 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand17n.ly,v
working file: atlas/compass/layouts/xvdand17n.ly
head: 2.1

bz Feb 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/21 22:52:08; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:52:00 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand2n.ly,v
working file: atlas/compass/layouts/xvdand2n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/21 23:52:59; author: chip; state: Exp;
periodic checkin of Tue Feb 21 15:52:50 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand3n.ly,v
working file: atlas/compass/layouts/xvdand3n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/21 23:53:02; author: chip; state: Exp;
periodic checkin of Tue Feb 21 15:52:50 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand4n.ly,v
working file: atlas/compass/layouts/xvdand4n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/22 00:02:43; author: chip; state: Exp;
periodic checkin of Tue Feb 21 16:02:34 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand6n.ly,v
working file: atlas/compass/layouts/xvdand6n.ly

bz Feb 21-27 1995.log

head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/21 23:58:12; author: chip; state: Exp;
periodic checkin of Tue Feb 21 15:58:05 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand8n.ly,v
working file: atlas/compass/layouts/xvdand8n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/21 23:58:14; author: chip; state: Exp;
periodic checkin of Tue Feb 21 15:58:05 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xvlan.ly,v
working file: atlas/compass/layouts/xvlan.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:37:43; author: chip; state: Exp; lines: +68 -69
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

revision 2.1
date: 1995/02/23 01:13:52; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:13:31 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xvmux8nm.ly,v
working file: atlas/compass/layouts/xvmux8nm.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 2.2
date: 1995/02/23 07:37:44; author: chip; state: Exp; lines: +176 -185
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/23 01:13:55; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:13:31 PST 1995
=====

RCS file: /p/cvsroot/atlas/doc/BOM,v
working file: atlas/doc/BOM
head: 37.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 37.0
keyword substitution: kv
total revisions: 83; selected revisions: 2
description:
releasebom adding BOM

revision 29.0
date: 1995/02/22 00:38:01; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

New layout rules

Geert

revision 28.1
date: 1995/02/22 00:37:52; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/doc/layout.ht,v
working file: atlas/doc/layout.ht
head: 11.18
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 11.18
keyword substitution: kv
total revisions: 18; selected revisions: 1
description:

revision 11.13
date: 1995/02/22 00:37:13; author: geert; state: Exp; lines: +8 -1
New layout rules

Geert

=====

RCS file: /p/cvsroot/atlas/gards/.checkoutrc,v
working file: atlas/gards/.checkoutrc
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 22:50:02; author: wampler; state: Exp; lines: +2 -2
Disabled atlas/gards .checkoutrc for now.
-----
revision 1.1
date: 1995/02/22 22:49:10; author: wampler; state: Exp;
Initial check-in of atlas/basegen.
=====

RCS file: /p/cvsroot/atlas/gards/BOM,v
working file: atlas/gards/BOM
head: 37.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 37.0
keyword substitution: kv
total revisions: 88;    selected revisions: 6
description:
-----
revision 2.3
date: 1995/02/24 01:51:58; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.
-----
revision 2.2
date: 1995/02/24 00:14:36; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Fixed bug in sofacdl with regard to recognition of cell profile identifiers.
-----
revision 2.1
date: 1995/02/23 20:48:18; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacdl.c.template
-----
revision 2.0
date: 1995/02/22 22:50:59; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards

Initial release of atlas/gards Makefiles & basegen stuff.
-----
revision 1.2
date: 1995/02/22 22:50:52; author: wampler; state: Exp; lines: +6 -1
releasebom: File needs to be up-to-date to use commit -r
-----
revision 1.1
date: 1995/02/22 22:43:54; author: wampler; state: Exp;
Release Target: atlas/gards/basegen

Initial release of atlas/gards/basegen scripts/programs.
=====

RCS file: /p/cvsroot/atlas/gards/Makefile,v
working file: atlas/gards/Makefile
head: 1.5
branch:

```


bz Feb 21-27 1995.log

```
locks: strict
access list:
symbolic names:
    b4_rich: 1.5
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:39:45; author: wampler; state: Exp;
Initial check-in of atlas GARDS Makefiles. Untested.
```

```
RCS file: /p/cvsroot/atlas/gards/Makefile.base,v
working file: atlas/gards/Makefile.base
head: 1.11
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.11
keyword substitution: kv
total revisions: 11;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:39:47; author: wampler; state: Exp;
Initial check-in of atlas GARDS Makefiles. Untested.
```

```
RCS file: /p/cvsroot/atlas/gards/Makefile.chipbase,v
working file: atlas/gards/Makefile.chipbase
head: 1.10
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.10
keyword substitution: kv
total revisions: 10;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:39:49; author: wampler; state: Exp;
Initial check-in of atlas GARDS Makefiles. Untested.
```

```
RCS file: /p/cvsroot/atlas/gards/basegen/.checkoutrc,v
working file: atlas/gards/basegen/.checkoutrc
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:42:54; author: wampler; state: Exp;
Initial atlas/gards/basegen checkin.
```

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/gards/basegen/BOM,v
working file: atlas/gards/basegen/BOM
head: 31.0

branch:
locks: strict
access list:
symbolic names:
 b4_rich: 31.0
keyword substitution: kv
total revisions: 60; selected revisions: 8
description:
releasebom adding BOM

revision 5.0
date: 1995/02/24 01:51:46; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.

revision 4.1
date: 1995/02/24 01:51:38; author: wampler; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 4.0
date: 1995/02/24 00:14:25; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards/basegen

Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

revision 3.1
date: 1995/02/24 00:14:17; author: wampler; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 3.0
date: 1995/02/23 20:48:07; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards/basegen

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacd1.c.template

revision 2.1
date: 1995/02/23 20:47:59; author: wampler; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 22:43:45; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards/basegen

Initial release of atlas/gards/basegen scripts/programs.

revision 1.1
date: 1995/02/22 22:43:37; author: wampler; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/gards/basegen/Makefile,v
working file: atlas/gards/basegen/Makefile
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:38:40; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas/gards/basegen/abgen.c,v
working file: atlas/gards/basegen/abgen.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:

b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:38:42; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas/gards/basegen/abgen.h,v
working file: atlas/gards/basegen/abgen.h
head: 1.1
branch:
locks: strict
access list:
symbolic names:

b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:38:44; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas/gards/basegen/basecompile,v
working file: atlas/gards/basegen/basecompile
head: 1.5
branch:
locks: strict
access list:
symbolic names:

b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:38:45; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas/gards/basegen/baseflatten,v
working file: atlas/gards/basegen/baseflatten
head: 1.1

bz Feb 21-27 1995.log

```
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:38:47; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
```

```
RCS file: /p/cvsroot/atlas/gards/basegen/basegen,v
working file: atlas/gards/basegen/basegen
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:38:49; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
```

```
RCS file: /p/cvsroot/atlas/gards/basegen/baseobmerge,v
working file: atlas/gards/basegen/baseobmerge
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:38:50; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
```

```
RCS file: /p/cvsroot/atlas/gards/basegen/derive_bounds,v
working file: atlas/gards/basegen/derive_bounds
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:38:52; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
```

```
=====
RCS file: /p/cvsroot/atlas/gards/basegen/derive_cutouts,v
working file: atlas/gards/basegen/derive_cutouts
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 22:38:54; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====
```

```
RCS file: /p/cvsroot/atlas/gards/basegen/flat.sel,v
working file: atlas/gards/basegen/flat.sel
head: 1.12
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.12
keyword substitution: kv
total revisions: 12;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 22:38:55; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====
```

```
RCS file: /p/cvsroot/atlas/gards/basegen/freepos_cdls,v
working file: atlas/gards/basegen/freepos_cdls
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 22:38:57; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====
```

```
RCS file: /p/cvsroot/atlas/gards/basegen/get_profiles,v
working file: atlas/gards/basegen/get_profiles
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 2
```

bz Feb 21-27 1995.log

description:

revision 1.2

date: 1995/02/24 00:13:41; author: wampler; state: Exp; lines: +2 -2
Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

revision 1.1

date: 1995/02/22 22:38:59; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/gards/basegen/gsub,v

Working file: atlas/gards/basegen/gsub

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/02/22 22:39:00; author: wampler; state: Exp;

Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/gards/basegen/pdlobs.c,v

Working file: atlas/gards/basegen/pdlobs.c

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.2

date: 1995/02/23 20:47:13; author: wampler; state: Exp; lines: +5 -5

Fixed layer map in pdlobs; updated vdd/vss/phi_am wire data in 1x1 CDL default profile.

revision 1.1

date: 1995/02/22 22:39:02; author: wampler; state: Exp;

Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/gards/basegen/pobsgen.c,v

Working file: atlas/gards/basegen/pobsgen.c

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

bz Feb 21-27 1995.log
date: 1995/02/22 22:39:04; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofa.tdl.template,v
working file: atlas/gards/basegen/sofa.tdl.template
head: 1.7
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.7
keyword substitution: kv
total revisions: 7; selected revisions: 2
description:

revision 1.2
date: 1995/02/24 01:51:09; author: wampler; state: Exp; lines: +7 -7
Changed line-pad & pad-pad spacing rules for csm tdl template.

revision 1.1
date: 1995/02/22 22:39:06; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofa_exclude,v
working file: atlas/gards/basegen/sofa_exclude
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:39:08; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofa_model.ly.template,v
working file: atlas/gards/basegen/sofa_model.ly.template
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:39:10; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofacd1.c.template,v
working file: atlas/gards/basegen/sofacd1.c.template
head: 1.8
branch:

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:
 b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 3
description:

revision 1.3
date: 1995/02/24 00:13:43; author: wampler; state: Exp; lines: +13 -7
Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

revision 1.2
date: 1995/02/23 20:47:15; author: wampler; state: Exp; lines: +8 -6
Fixed layer map in pdlobs; updated vdd/vss/phi_am wire data in 1x1 CDL default profile.

revision 1.1
date: 1995/02/22 22:39:12; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas/ged/BOM,v
working file: atlas/ged/BOM
head: 22.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 22.0
keyword substitution: kv
total revisions: 654; selected revisions: 3
description:

revision 4.8
date: 1995/02/24 01:23:15; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

revision 4.7
date: 1995/02/22 01:55:15; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 4.6
date: 1995/02/22 00:33:21; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand
=====

RCS file: /p/cvsroot/atlas/ged/xv/BOM,v
working file: atlas/ged/xv/BOM
head: 33.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 33.0
keyword substitution: kv
total revisions: 102; selected revisions: 5

bz Feb 21-27 1995.log

description:
releasebom adding BOM

revision 8.1
date: 1995/02/24 01:23:05; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

revision 8.0
date: 1995/02/22 01:55:05; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 7.1
date: 1995/02/22 01:54:59; author: ong; state: Exp; lines: +15 -15
releasebom: File needs to be up-to-date to use commit -r

revision 7.0
date: 1995/02/22 00:33:10; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 6.1
date: 1995/02/22 00:33:03; author: ong; state: Exp; lines: +15 -3
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/BOM,v
working file: atlas/ged/xv/xvdand12n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:48:34; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:48:27; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:26:30; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:26:23; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdand12n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 01:45:08; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
revision 1.1
date: 1995/02/22 00:17:42; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdand12n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 01:45:10; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
revision 1.1
date: 1995/02/22 00:17:45; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvdand12n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 00:17:46; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvdand12n/spice_cn.1.1
head: 1.1
branch:
locks: strict

```

bz Feb 21-27 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:17:48; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/BOM,v
working file: atlas/ged/xv/xvdand17n/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 4
description:
releasebom adding BOM

revision 4.0
date: 1995/02/22 01:48:55; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 3.1
date: 1995/02/22 01:48:48; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 3.0
date: 1995/02/22 00:26:50; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 2.1
date: 1995/02/22 00:26:43; author: ong; state: Exp; lines: +5 -5
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdand17n/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 1.3
date: 1995/02/22 01:45:19; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.2
date: 1995/02/22 00:22:21; author: ong; state: Exp; lines: +64 -63
Sized transistors. Discharge transistor is a different size than the

bz Feb 21-27 1995.log

logic transistors

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdand17n/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 1.3
date: 1995/02/22 01:45:21; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.2
date: 1995/02/22 00:22:24; author: ong; state: Exp; lines: +6 -5
Sized transistors. Discharge transistor is a different size than the
logic transistors

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvdand17n/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/22 00:22:26; author: ong; state: Exp; lines: +1141 -1135
Sized transistors. Discharge transistor is a different size than the
logic transistors

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvdand17n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/22 00:22:33; author: ong; state: Exp; lines: +258 -258
Sized transistors. Discharge transistor is a different size than the
logic transistors

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/BOM,v
Working file: atlas/ged/xv/xvdand2n/BOM
head: 4.0
branch:

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:49:15; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:49:08; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:27:09; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:27:02; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdand2n/body.1.1
head: 1.3
branch:

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:26; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:17:55; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdand2n/body.2.1
head: 1.3
branch:

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:28; author: ong; state: Exp; lines: +1 -1

bz Feb 21-27 1995.log
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:17:57; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvdand2n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:17:58; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvdand2n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:01; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/BOM,v
working file: atlas/ged/xv/xvdand3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:49:35; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:49:28; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0

bz Feb 21-27 1995.log
date: 1995/02/22 00:27:26; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:27:19; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdand3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:34; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:06; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdand3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:35; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:08; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvdand3n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/22 00:18:10; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvdand3n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:11; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/BOM,v
working file: atlas/ged/xv/xvdand4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:49:56; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:49:49; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:27:44; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:27:36; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdand4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.2

date: 1995/02/22 01:45:41; author: ong; state: Exp; lines: +1 -1

Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1

date: 1995/02/22 00:18:18; author: ong; state: Exp;

New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/body.2.1,v

Working file: atlas/ged/xv/xvdand4n/body.2.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.2

date: 1995/02/22 01:45:43; author: ong; state: Exp; lines: +1 -1

Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1

date: 1995/02/22 00:18:20; author: ong; state: Exp;

New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/spice.1.1,v

Working file: atlas/ged/xv/xvdand4n/spice.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/02/22 00:18:21; author: ong; state: Exp;

New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/spice_cn.1.1,v

Working file: atlas/ged/xv/xvdand4n/spice_cn.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/02/22 00:18:23; author: ong; state: Exp;

New schematics based on the 17-input schematic, with sizes

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/BOM,v
working file: atlas/ged/xv/xvdand6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 4
description:
releasebom adding BOM
-----
revision 3.0
date: 1995/02/22 01:50:16; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Changed Bodies of xvdor* and xvdand* to include strength qualifier

```
-----
revision 2.1
date: 1995/02/22 01:50:09; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
```

```
revision 2.0
date: 1995/02/22 00:28:01; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

New schematic of different fanins of xvdor and xvdand

```
-----
revision 1.1
date: 1995/02/22 00:27:54; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdand6n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 1.2
date: 1995/02/22 01:45:49; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
```

```
revision 1.1
date: 1995/02/22 00:18:29; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdand6n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
```

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:50; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:32; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvdand6n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:34; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvdand6n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:36; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/BOM,v
working file: atlas/ged/xv/xvdand8n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:50:37; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

bz Feb 21-27 1995.log

revision 2.1
date: 1995/02/22 01:50:30; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:28:19; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:28:12; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdand8n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:55; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:44; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdand8n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:57; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:46; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvdand8n/spice.1.1
head: 1.1
branch:
locks: strict

bz Feb 21-27 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:48; author: ong; state: Exp;
New Schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvdand8n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:50; author: ong; state: Exp;
New Schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/BOM,v
working file: atlas/ged/xv/xvdor12n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:51:07; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:51:01; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:28:50; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:28:43; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdor12n/body.1.1
head: 1.3

bz Feb 21-27 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 01:46:03; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
revision 1.1
date: 1995/02/22 00:18:56; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdor12n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 01:46:04; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
revision 1.1
date: 1995/02/22 00:18:58; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvdor12n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 00:19:00; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvdor12n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
```

bz Feb 21-27 1995.log
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:02; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/BOM,v
Working file: atlas/ged/xv/xvdor17n/BOM
head: 5.0

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 4
description:
releasebom adding BOM

revision 4.0
date: 1995/02/22 01:51:27; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 3.1
date: 1995/02/22 01:51:20; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 3.0
date: 1995/02/22 00:29:12; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 2.1
date: 1995/02/22 00:29:04; author: ong; state: Exp; lines: +5 -5
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdor17n/body.1.1
head: 1.4

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 1.3
date: 1995/02/22 01:46:10; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.2
date: 1995/02/22 00:22:40; author: ong; state: Exp; lines: +63 -62
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdor17n/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 2
description:
-----
revision 1.3
date: 1995/02/22 01:46:12; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
revision 1.2
date: 1995/02/22 00:22:42; author: ong; state: Exp; lines: +2 -1
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvdor17n/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.2
date: 1995/02/22 00:22:43; author: ong; state: Exp; lines: +1102 -1095
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvdor17n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.2
date: 1995/02/22 00:22:50; author: ong; state: Exp; lines: +257 -257
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/BOM,v
Working file: atlas/ged/xv/xvdor2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:

```



```

bz Feb 21-27 1995.log
keyword substitution: kv
total revisions: 6;      selected revisions: 4
description:
releasebom adding BOM
-----
revision 3.0
date: 1995/02/22 01:51:47; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
Changed Bodies of xvdor* and xvdand* to include strength qualifier
-----
revision 2.1
date: 1995/02/22 01:51:41; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
revision 2.0
date: 1995/02/22 00:29:30; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
New schematic of different fanins of xvdor and xvdand
-----
revision 1.1
date: 1995/02/22 00:29:23; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdor2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 01:46:17; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
revision 1.1
date: 1995/02/22 00:19:09; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdor2n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 01:46:19; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----

```

bz Feb 21-27 1995.log

revision 1.1

date: 1995/02/22 00:19:11; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvdor2n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1

date: 1995/02/22 00:19:13; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvdor2n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1

date: 1995/02/22 00:19:15; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/BOM,v
working file: atlas/ged/xv/xvdor3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0

date: 1995/02/22 01:52:06; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1

date: 1995/02/22 01:51:59; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0

date: 1995/02/22 00:29:49; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

bz Feb 21-27 1995.log
New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:29:41; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdor3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:24; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:21; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdor3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:25; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:23; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvdor3n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:25; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvdor3n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 00:19:26; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/BOM,v
Working file: atlas/ged/xv/xvdor4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 4
description:
releasebom adding BOM
-----
```

```
revision 3.0
date: 1995/02/22 01:52:25; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Changed Bodies of xvdor* and xvdand* to include strength qualifier

```
-----
revision 2.1
date: 1995/02/22 01:52:19; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
```

```
revision 2.0
date: 1995/02/22 00:30:06; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

New schematic of different fanins of xvdor and xvdand

```
-----
revision 1.1
date: 1995/02/22 00:30:00; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdor4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 1.2
```

bz Feb 21-27 1995.log
date: 1995/02/22 01:46:30; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:32; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdor4n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:33; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:34; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvdor4n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:36; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvdor4n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:38; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/BOM,v

bz Feb 21-27 1995.log
working file: atlas/ged/xv/xvdor6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:52:44; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:52:38; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:30:26; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:30:18; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdor6n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:39; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:44; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdor6n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.2
date: 1995/02/22 01:46:40; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:47; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvdor6n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:49; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvdor6n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:51; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/BOM,v
Working file: atlas/ged/xv/xvdor8n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:53:04; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:52:57; author: ong; state: Exp; lines: +3 -3

```

                                bz Feb 21-27 1995.log
releasebom: File needs to be up-to-date to use commit -r
-----
revision 2.0
date: 1995/02/22 00:30:47; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

New schematic of different fanins of xvdor and xvdand

```
-----
revision 1.1
date: 1995/02/22 00:30:39; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdor8n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

```
revision 1.2
date: 1995/02/22 01:46:46; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
```

```
revision 1.1
date: 1995/02/22 00:19:58; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdor8n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

```
revision 1.2
date: 1995/02/22 01:46:48; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
```

```
revision 1.1
date: 1995/02/22 00:20:00; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvdor8n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
```


bz Feb 21-27 1995.log
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:20:02; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvdor8n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:20:04; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv1bn/BOM,v
working file: atlas/ged/xv/xv1bn/BOM
head: 9.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 9.0
keyword substitution: kv
total revisions: 16; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/02/24 01:22:51; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

revision 2.1
date: 1995/02/24 01:22:44; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv1bn/body.1.1,v
working file: atlas/ged/xv/xv1bn/body.1.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.2
date: 1995/02/24 01:22:08; author: ong; state: Exp; lines: +17 -16
Added transistor size parameters to body

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv1bn/body.2.1,v
working file: atlas/ged/xv/xv1bn/body.2.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.6
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
```

```
revision 1.2
date: 1995/02/24 01:22:10; author: ong; state: Exp; lines: +17 -16
Added transistor size parameters to body
=====
```

```
RCS file: /p/cvsroot/atlas/leafgen/makeDepend,v
working file: atlas/leafgen/makeDepend
head: 3.15
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 3.15
keyword substitution: kv
total revisions: 15;    selected revisions: 1
description:
-----
```

```
revision 3.3
date: 1995/02/24 01:32:44; author: brianl; state: Exp; lines: +17 -2
Added dand* dor* cells
=====
```

```
RCS file: /p/cvsroot/atlas/tab/BOM,v
working file: atlas/tab/BOM
head: 3.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 3.0
keyword substitution: kv
total revisions: 7;    selected revisions: 1
description:
releasebom adding BOM
-----
```

```
revision 2.2
date: 1995/02/21 22:54:25; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/tab/doc
```

Added more info from Trancy

Geert

```
=====
RCS file: /p/cvsroot/atlas/tab/doc/BOM,v
working file: atlas/tab/doc/BOM
head: 4.0
branch:
locks: strict
```

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 4.0

keyword substitution: kv

total revisions: 6; selected revisions: 2

description:

releasebom adding BOM

revision 3.0

date: 1995/02/21 22:54:16; author: geert; state: Exp; lines: +1 -1

Release Target: atlas/tab/doc

Added more info from Trancy

Geert

revision 2.1

date: 1995/02/21 22:54:10; author: geert; state: Exp; lines: +2 -2

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/tab/doc/tab.ht,v

working file: atlas/tab/doc/tab.ht

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/02/21 22:53:35; author: geert; state: Exp; lines: +17 -8

Added more info from Trancy

Geert

=====

RCS file: /p/cvsroot/atlas2/BOM,v

working file: atlas2/BOM

head: 201.2755

branch:

locks: strict

access list:

symbolic names:

b4_rich: 201.2700

keyword substitution: kv

total revisions: 4418; selected revisions: 12

description:

revision 2.77

date: 1995/02/24 01:52:08; author: wampler; state: Exp; lines: +2 -2

Release Target: atlas/gads/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.

revision 2.76

date: 1995/02/24 01:23:25; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xvln

Added transistor size parameters to bodies

bz Feb 21-27 1995.log

revision 2.75

date: 1995/02/24 00:14:48; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

revision 2.74

date: 1995/02/23 20:48:27; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacd1.c.template

revision 2.73

date: 1995/02/23 07:43:23; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts

releasing after conversion from microns to DBUS

revision 2.72

date: 1995/02/23 06:52:12; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts

releasing before conversion from microns to DBUS

revision 2.71

date: 1995/02/22 22:51:12; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards

Initial release of atlas/gards Makefiles & basegen stuff.

revision 2.70

date: 1995/02/22 22:44:05; author: wampler; state: Exp; lines: +5 -1
Release Target: atlas/gards/basegen

Initial release of atlas/gards/basegen scripts/programs.

revision 2.69

date: 1995/02/22 01:55:23; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.68

date: 1995/02/22 00:38:12; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

New layout rules

Geert

revision 2.67

date: 1995/02/22 00:33:30; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 2.66

date: 1995/02/21 22:54:33; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/tab/doc

Added more info from Trancy

Geert

```
=====
RCS file: /p/cvsroot/atlas2/compass/BOM,v
working file: atlas2/compass/BOM
head: 203.329
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 203.329
keyword substitution: kv
total revisions: 532;   selected revisions: 2
description:
releasebom adding BOM
```

```
-----
revision 2.3
date: 1995/02/23 07:43:10; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
```

releasing after conversion from microns to DBUS

```
-----
revision 2.2
date: 1995/02/23 06:52:00; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
```

releasing before conversion from microns to DBUS

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/BOM,v
working file: atlas2/compass/layouts/BOM
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 248;   selected revisions: 4
description:
releasebom adding BOM
```

```
-----
revision 4.0
date: 1995/02/23 07:42:53; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/compass/layouts
```

releasing after conversion from microns to DBUS

```
-----
revision 3.1
date: 1995/02/23 07:42:40; author: tom; state: Exp; lines: +260 -260
releasebom: File needs to be up-to-date to use commit -r
```

```
-----
revision 3.0
date: 1995/02/23 06:51:45; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/compass/layouts
```

releasing before conversion from microns to DBUS

```
-----
revision 2.1
date: 1995/02/23 06:51:34; author: tom; state: Exp; lines: +261 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/atlas.db,v

```

bz Feb 21-27 1995.log
working file: atlas2/compass/layouts/atlas.db
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 133;   selected revisions: 2
description:
-----
revision 1.7
date: 1995/02/23 00:02:59; author: chip; state: Exp; lines: +26 -26
periodic checkin of Wed Feb 22 16:02:52 PST 1995

```

```

-----
revision 1.6
date: 1995/02/22 17:43:28; author: chip; state: Exp; lines: +17 -8
periodic checkin of Wed Feb 22 09:43:14 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr1bar1.ly,v
working file: atlas2/compass/layouts/ccr1bar1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 2
description:
-----

```

```

revision 2.2
date: 1995/02/23 07:20:43; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----

```

```

revision 2.1
date: 1995/02/22 22:43:11; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr1col1.ly,v
working file: atlas2/compass/layouts/ccr1col1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 2
description:
-----

```

```

revision 2.2
date: 1995/02/23 07:20:47; author: chip; state: Exp; lines: +82 -82
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----

```

```

revision 2.1
date: 1995/02/22 22:43:14; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr1col2.ly,v
working file: atlas2/compass/layouts/ccr1col2.ly
head: 200.0
branch:

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:49; author: chip; state: Exp; lines: +16 -16
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:18; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr1colr.ly,v
working file: atlas2/compass/layouts/ccr1colr.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:50; author: chip; state: Exp; lines: +83 -83
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:21; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr2col.ly,v
working file: atlas2/compass/layouts/ccr2col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:53; author: chip; state: Exp; lines: +28 -28
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:24; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr4col.ly,v
working file: atlas2/compass/layouts/ccr4col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:55; author: chip; state: Exp; lines: +75 -75
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:28; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrcap.ly,v
working file: atlas2/compass/layouts/ccrcap.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:20:58; author: chip; state: Exp; lines: +17 -17
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:31; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrcell.ly,v
working file: atlas2/compass/layouts/ccrcell.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:00; author: chip; state: Exp; lines: +58 -58
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:34; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrcell_1.ly,v
working file: atlas2/compass/layouts/ccrcell_1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 2.2
date: 1995/02/23 07:21:02; author: chip; state: Exp; lines: +266 -266
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:01; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrddrv.ly,v
working file: atlas2/compass/layouts/ccrddrv.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:05; author: chip; state: Exp; lines: +226 -226
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:38; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrddrv2.ly,v
working file: atlas2/compass/layouts/ccrddrv2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:08; author: chip; state: Exp; lines: +228 -228
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:41; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrdec.ly,v
working file: atlas2/compass/layouts/ccrdec.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:09; author: chip; state: Exp; lines: +16 -16

bz Feb 21-27 1995.log
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:45; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrdec1.ly,v
working file: atlas2/compass/layouts/ccrdec1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:11; author: chip; state: Exp; lines: +259 -259
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:48; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrmcap.ly,v
working file: atlas2/compass/layouts/ccrmcap.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:15; author: chip; state: Exp; lines: +17 -17
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:51; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrplat.ly,v
working file: atlas2/compass/layouts/ccrplat.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:17; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

bz Feb 21-27 1995.log
date: 1995/02/22 22:43:54; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrsa.ly,v
working file: atlas2/compass/layouts/ccrsa.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:20; author: chip; state: Exp; lines: +341 -341
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:43:58; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrsa2.ly,v
working file: atlas2/compass/layouts/ccrsa2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:21; author: chip; state: Exp; lines: +350 -350
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:01; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrsanlat.ly,v
working file: atlas2/compass/layouts/ccrsanlat.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:23; author: chip; state: Exp; lines: +153 -153
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:04; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cell16t.ly,v
working file: atlas2/compass/layouts/cell16t.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:26; author: chip; state: Exp; lines: +1146 -1146
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:05; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cell16tx2.ly,v
working file: atlas2/compass/layouts/cell16tx2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:29; author: chip; state: Exp; lines: +6 -6
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:10; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cell16tx4.ly,v
working file: atlas2/compass/layouts/cell16tx4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:31; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:14; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cell16tx8.ly,v
working file: atlas2/compass/layouts/cell16tx8.ly

bz Feb 21-27 1995.log

head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:32; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:17; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cell18t.ly,v
working file: atlas2/compass/layouts/cell18t.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:35; author: chip; state: Exp; lines: +932 -932
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:21; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/crcell_6.ly,v
working file: atlas2/compass/layouts/crcell_6.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:38; author: chip; state: Exp; lines: +227 -227
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:24; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm.ly,v
working file: atlas2/compass/layouts/csm.ly
head: 200.0
branch:
locks: strict

bz Feb 21-27 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:40; author: chip; state: Exp; lines: +533 -581
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/23 01:13:36; author: chip; state: Exp;
periodic checkin of wed Feb 22 17:13:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6t.ly,v
working file: atlas2/compass/layouts/csm6t.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:44; author: chip; state: Exp; lines: +60 -60
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:27; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tc.ly,v
working file: atlas2/compass/layouts/csm6tc.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:45; author: chip; state: Exp; lines: +49 -49
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:30; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tcell.ly,v
working file: atlas2/compass/layouts/csm6tcell.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

bz Feb 21-27 1995.log
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:48; author: chip; state: Exp; lines: +75 -75
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:33; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tcell1.1ly,v
working file: atlas2/compass/layouts/csm6tcell1.1ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:50; author: chip; state: Exp; lines: +77 -77
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:35; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tcx2.1ly,v
working file: atlas2/compass/layouts/csm6tcx2.1ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:53; author: chip; state: Exp; lines: +6 -6
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:38; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tcx4.1ly,v
working file: atlas2/compass/layouts/csm6tcx4.1ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 2.2
date: 1995/02/23 07:21:54; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:42; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1.ly,v
working file: atlas2/compass/layouts/csm6tm1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:56; author: chip; state: Exp; lines: +129 -129
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:45; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm18x8.ly,v
working file: atlas2/compass/layouts/csm6tm18x8.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:21:59; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:48; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1a.ly,v
working file: atlas2/compass/layouts/csm6tm1a.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:02; author: chip; state: Exp; lines: +132 -135
periodic checkin of Wed Feb 22 23:20:23 PST 1995

bz Feb 21-27 1995.log

revision 2.1
date: 1995/02/22 22:49:52; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1ax4.ly,v
working file: atlas2/compass/layouts/csm6tm1ax4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:04; author: chip; state: Exp; lines: +3 -3
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:55; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1b.ly,v
working file: atlas2/compass/layouts/csm6tm1b.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:29; author: chip; state: Exp; lines: +132 -133
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:49:58; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1c.ly,v
working file: atlas2/compass/layouts/csm6tm1c.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:34; author: chip; state: Exp; lines: +64 -64
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:01; author: chip; state: Exp;

bz Feb 21-27 1995.log
periodic checkin of Wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tmld.ly,v
working file: atlas2/compass/layouts/csm6tmld.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:36; author: chip; state: Exp; lines: +46 -46
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:04; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tmle.ly,v
working file: atlas2/compass/layouts/csm6tmle.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:39; author: chip; state: Exp; lines: +43 -43
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:07; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1f.ly,v
working file: atlas2/compass/layouts/csm6tm1f.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:40; author: chip; state: Exp; lines: +48 -48
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:10; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1x4.ly,v
working file: atlas2/compass/layouts/csm6tm1x4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:42; author: chip; state: Exp; lines: +8 -8
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:13; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm28x8.ly,v
working file: atlas2/compass/layouts/csm6tm28x8.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:45; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:16; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm38x8.ly,v
working file: atlas2/compass/layouts/csm6tm38x8.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:22:49; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:19; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tx2.ly,v
working file: atlas2/compass/layouts/csm6tx2.ly
head: 2.2

bz Feb 21-27 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:22:51; author: chip; state: Exp; lines: +6 -6
periodic checkin of Wed Feb 22 23:20:23 PST 1995
```

```
-----
revision 2.1
date: 1995/02/22 22:50:22; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
```

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tx4.ly,v
working file: atlas2/compass/layouts/csm6tx4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 2.2
date: 1995/02/23 07:22:53; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995
```

```
-----
revision 2.1
date: 1995/02/22 22:50:25; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
```

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm_a1.ly,v
working file: atlas2/compass/layouts/csm_a1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 2.2
date: 1995/02/23 07:22:55; author: chip; state: Exp; lines: +21 -21
periodic checkin of Wed Feb 22 23:20:23 PST 1995
```

```
-----
revision 2.1
date: 1995/02/22 22:50:28; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
```

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm_a2.ly,v
working file: atlas2/compass/layouts/csm_a2.ly
head: 2.2
branch:
locks: strict
access list:
```

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:22:57; author: chip; state: Exp; lines: +17 -17

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:50:32; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm_a3.ly,v

working file: atlas2/compass/layouts/csm_a3.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:23:01; author: chip; state: Exp; lines: +17 -17

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:50:35; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm_a4.ly,v

working file: atlas2/compass/layouts/csm_a4.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:23:03; author: chip; state: Exp; lines: +17 -17

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:50:37; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm_a5.ly,v

working file: atlas2/compass/layouts/csm_a5.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 2.2

date: 1995/02/23 07:23:06; author: chip; state: Exp; lines: +13 -13
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:50:40; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm_a6.ly,v

working file: atlas2/compass/layouts/csm_a6.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:23:07; author: chip; state: Exp; lines: +17 -17
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:50:42; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm_a7.ly,v

working file: atlas2/compass/layouts/csm_a7.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:23:10; author: chip; state: Exp; lines: +19 -19
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:50:45; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm_b1.ly,v

working file: atlas2/compass/layouts/csm_b1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

bz Feb 21-27 1995.log
date: 1995/02/23 07:23:13; author: chip; state: Exp; lines: +19 -19
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:50:48; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm_b1_a1.ly,v
working file: atlas2/compass/layouts/csm_b1_a1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:23:16; author: chip; state: Exp; lines: +162 -162
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:15; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm_c1.ly,v
working file: atlas2/compass/layouts/csm_c1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:23:17; author: chip; state: Exp; lines: +25 -25
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:19; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csmatom.ly,v
working file: atlas2/compass/layouts/csmatom.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:23:19; author: chip; state: Exp; lines: +25 -25
periodic checkin of wed Feb 22 23:20:23 PST 1995

bz Feb 21-27 1995.log

revision 2.1

date: 1995/02/22 22:51:24; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csmatom_2.ly,v
working file: atlas2/compass/layouts/csmatom_2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2

date: 1995/02/23 07:23:22; author: chip; state: Exp; lines: +26 -26
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:51:28; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csmloadlatbc.ly,v
working file: atlas2/compass/layouts/csmloadlatbc.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2

date: 1995/02/23 07:23:25; author: chip; state: Exp; lines: +122 -122
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:51:31; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csmloadlatbc_a7.ly,v
working file: atlas2/compass/layouts/csmloadlatbc_a7.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2

date: 1995/02/23 07:23:27; author: chip; state: Exp; lines: +118 -118
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:51:35; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995


```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csmsertriflop.ly,v
Working file: atlas2/compass/layouts/csmsertriflop.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:23:28; author: chip; state: Exp; lines: +8 -8
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:51:39; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/decls.ly,v
Working file: atlas2/compass/layouts/decls.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:23:31; author: chip; state: Exp; lines: +981 -981
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:44:07; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/drv1.ly,v
Working file: atlas2/compass/layouts/drv1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:23:34; author: chip; state: Exp; lines: +219 -219
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:44:10; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/emptyatom.ly,v
```

```

bz Feb 21-27 1995.log
working file: atlas2/compass/layouts/emptyatom.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:23:37; author: chip; state: Exp; lines: +8 -8
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/exand1b17nm.ly,v
working file: atlas2/compass/layouts/exand1b17nm.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:23:39; author: chip; state: Exp; lines: +385 -407
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/exnor4nm.ly,v
working file: atlas2/compass/layouts/exnor4nm.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 2
description:
-----
revision 2.3
date: 1995/02/23 07:23:42; author: chip; state: Exp; lines: +61 -63
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.2
date: 1995/02/23 01:13:38; author: chip; state: Exp; lines: +22 -18
periodic checkin of Wed Feb 22 17:13:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/exvffqm.ly,v
working file: atlas2/compass/layouts/exvffqm.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 1
description:
-----
revision 2.3

```

bz Feb 21-27 1995.log
date: 1995/02/23 07:23:45; author: chip; state: Exp; lines: +181 -183
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/guardring.ly,v
working file: atlas2/compass/layouts/guardring.ly
head: 2.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 2.7
date: 1995/02/23 07:23:47; author: chip; state: Exp; lines: +11 -11
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/guardringcnr.ly,v
working file: atlas2/compass/layouts/guardringcnr.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:23:49; author: chip; state: Exp; lines: +9 -9
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mos_site.ly,v
working file: atlas2/compass/layouts/mos_site.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 2.4
date: 1995/02/23 07:24:21; author: chip; state: Exp; lines: +8 -8
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

revision 2.3
date: 1995/02/22 23:28:36; author: chip; state: Exp; lines: +9 -28
periodic checkin of Wed Feb 22 15:28:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mousbit.ly,v
working file: atlas2/compass/layouts/mousbit.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:24; author: chip; state: Exp; lines: +97 -106
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/23 01:13:41; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:13:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mousbit2.ly,v
working file: atlas2/compass/layouts/mousbit2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:27; author: chip; state: Exp; lines: +85 -93
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/23 01:13:43; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:13:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mousbitx2.ly,v
working file: atlas2/compass/layouts/mousbitx2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:30; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/23 01:13:45; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:13:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mousmemw1.ly,v
working file: atlas2/compass/layouts/mousmemw1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 2.2
date: 1995/02/23 07:24:33; author: chip; state: Exp; lines: +28 -28
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/23 01:16:06; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:16:03 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/moussmem.ly,v
Working file: atlas2/compass/layouts/moussmem.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:35; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/23 01:16:08; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:16:03 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux2_a1.ly,v
Working file: atlas2/compass/layouts/mux2_a1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:38; author: chip; state: Exp; lines: +12 -12
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:43; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a1.ly,v
Working file: atlas2/compass/layouts/mux_a1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:42; author: chip; state: Exp; lines: +36 -36

bz Feb 21-27 1995.log
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:46; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a2.ly,v
working file: atlas2/compass/layouts/mux_a2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:45; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:49; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a3.ly,v
working file: atlas2/compass/layouts/mux_a3.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:47; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:52; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a3_1.ly,v
working file: atlas2/compass/layouts/mux_a3_1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:50; author: chip; state: Exp; lines: +24 -24
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

bz Feb 21-27 1995.log
date: 1995/02/22 22:51:55; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a3.2.ly,v
working file: atlas2/compass/layouts/mux_a3.2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:54; author: chip; state: Exp; lines: +15 -15
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:51:58; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a4.ly,v
Working file: atlas2/compass/layouts/mux_a4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:57; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:01; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a5.ly,v
working file: atlas2/compass/layouts/mux_a5.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:24:59; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:05; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a6.1y,v
working file: atlas2/compass/layouts/mux_a6.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:01; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:08; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a6_1.1y,v
working file: atlas2/compass/layouts/mux_a6_1.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:03; author: chip; state: Exp; lines: +68 -68
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:13; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a7.1y,v
working file: atlas2/compass/layouts/mux_a7.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:06; author: chip; state: Exp; lines: +33 -33
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:16; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a7_1.1y,v
working file: atlas2/compass/layouts/mux_a7_1.1y

bz Feb 21-27 1995.log

head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:09; author: chip; state: Exp; lines: +27 -27
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:20; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a7_2.ly,v
working file: atlas2/compass/layouts/mux_a7_2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:11; author: chip; state: Exp; lines: +122 -122
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:25; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a7_2a.ly,v
working file: atlas2/compass/layouts/mux_a7_2a.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:12; author: chip; state: Exp; lines: +125 -125
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:28; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_a7_a.ly,v
working file: atlas2/compass/layouts/mux_a7_a.ly
head: 2.2
branch:
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:14; author: chip; state: Exp; lines: +32 -32

periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:32; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux_c1.ly,v

working file: atlas2/compass/layouts/mux_c1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:17; author: chip; state: Exp; lines: +4 -4

periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:34; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/nbcell.ly,v

working file: atlas2/compass/layouts/nbcell.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:20; author: chip; state: Exp; lines: +111 -111

periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:37; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/nbcell_1.ly,v

working file: atlas2/compass/layouts/nbcell_1.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

bz Feb 21-27 1995.log
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:22; author: chip; state: Exp; lines: +108 -108
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:40; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/nbcellx4.ly,v
working file: atlas2/compass/layouts/nbcellx4.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:24; author: chip; state: Exp; lines: +8 -8
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:43; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell10u.ly,v
working file: atlas2/compass/layouts/ncell10u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:26; author: chip; state: Exp; lines: +28 -28
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:52:46; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell10ua.ly,v
working file: atlas2/compass/layouts/ncell10ua.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 2.2

date: 1995/02/23 07:25:27; author: chip; state: Exp; lines: +9 -9
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:49; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell10ub.ly,v

working file: atlas2/compass/layouts/ncell10ub.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:30; author: chip; state: Exp; lines: +10 -10
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:52; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell10ub1.ly,v

working file: atlas2/compass/layouts/ncell10ub1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:32; author: chip; state: Exp; lines: +10 -10
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:52:55; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell15u.ly,v

working file: atlas2/compass/layouts/ncell15u.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:25:35; author: chip; state: Exp; lines: +19 -19
periodic checkin of wed Feb 22 23:20:23 PST 1995

bz Feb 21-27 1995.log

revision 2.1
date: 1995/02/22 22:52:58; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell6u.ly,v
working file: atlas2/compass/layouts/ncell6u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:37; author: chip; state: Exp; lines: +19 -19
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:01; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell7u.ly,v
working file: atlas2/compass/layouts/ncell7u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:40; author: chip; state: Exp; lines: +22 -22
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:04; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell8u.ly,v
working file: atlas2/compass/layouts/ncell8u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:42; author: chip; state: Exp; lines: +22 -22
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:07; author: chip; state: Exp;

bz Feb 21-27 1995.log
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvdd.ly,v
working file: atlas2/compass/layouts/padvdd.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 39; selected revisions: 2
description:

revision 2.3
date: 1995/02/23 07:25:45; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.2
date: 1995/02/23 00:55:44; author: chip; state: Exp; lines: +2 -44
periodic checkin of Wed Feb 22 16:55:42 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell110u.ly,v
working file: atlas2/compass/layouts/pcell110u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:25:48; author: chip; state: Exp; lines: +28 -28
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:24; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell112u.ly,v
working file: atlas2/compass/layouts/pcell112u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:16; author: chip; state: Exp; lines: +28 -28
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:27; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell114u.ly,v
working file: atlas2/compass/layouts/pcell114u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:18; author: chip; state: Exp; lines: +31 -31
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:32; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell115u.ly,v
working file: atlas2/compass/layouts/pcell115u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:20; author: chip; state: Exp; lines: +31 -31
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:35; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell16u.ly,v
working file: atlas2/compass/layouts/pcell16u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:23; author: chip; state: Exp; lines: +22 -22
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:38; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell17u.ly,v
working file: atlas2/compass/layouts/pcell17u.ly
head: 2.2

bz Feb 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:25; author: chip; state: Exp; lines: +22 -22
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:41; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell8u.ly,v
working file: atlas2/compass/layouts/pcell8u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:27; author: chip; state: Exp; lines: +22 -22
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:45; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell9u.ly,v
working file: atlas2/compass/layouts/pcell9u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:29; author: chip; state: Exp; lines: +22 -22
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:53:47; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rcell11.ly,v
working file: atlas2/compass/layouts/rcell11.ly
head: 2.2
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:30; author: chip; state: Exp; lines: +53 -53

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:44:13; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rdec1.ly,v

working file: atlas2/compass/layouts/rdec1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:33; author: chip; state: Exp; lines: +122 -122

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:44:17; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rdec2.ly,v

working file: atlas2/compass/layouts/rdec2.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:36; author: chip; state: Exp; lines: +98 -98

periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:44:20; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rdec3.ly,v

working file: atlas2/compass/layouts/rdec3.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 2.2

date: 1995/02/23 07:26:38; author: chip; state: Exp; lines: +59 -59
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:44:23; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rdec4.ly,v

working file: atlas2/compass/layouts/rdec4.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:40; author: chip; state: Exp; lines: +55 -55
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:44:26; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rvia12.ly,v

working file: atlas2/compass/layouts/rvia12.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:41; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/23 00:22:56; author: chip; state: Exp;
periodic checkin of Wed Feb 22 16:22:53 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rvia23.ly,v

working file: atlas2/compass/layouts/rvia23.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 2.2

bz Feb 21-27 1995.log
date: 1995/02/23 07:26:43; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/23 00:22:58; author: chip; state: Exp;
periodic checkin of wed Feb 22 16:22:53 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sa1.ly,v
working file: atlas2/compass/layouts/sa1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:45; author: chip; state: Exp; lines: +166 -166
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:29; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sa2.ly,v
working file: atlas2/compass/layouts/sa2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:48; author: chip; state: Exp; lines: +158 -158
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 22:44:32; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sa3.ly,v
working file: atlas2/compass/layouts/sa3.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:26:51; author: chip; state: Exp; lines: +524 -524
periodic checkin of wed Feb 22 23:20:23 PST 1995

bz Feb 21-27 1995.log

revision 2.1

date: 1995/02/22 22:44:36; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:42:50 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sa_c1.ly,v

working file: atlas2/compass/layouts/sa_c1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:53; author: chip; state: Exp; lines: +21 -21

periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:53:50; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sertriflop_b1.ly,v

working file: atlas2/compass/layouts/sertriflop_b1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:55; author: chip; state: Exp; lines: +165 -165

periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:53:54; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/tempcr.ly,v

working file: atlas2/compass/layouts/tempcr.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/02/23 07:26:57; author: chip; state: Exp; lines: +5 -5

periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1

date: 1995/02/22 22:44:39; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:42:50 PST 1995

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/template.ly,v
working file: atlas2/compass/layouts/template.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
-----
```

```
revision 2.3
date: 1995/02/23 07:27:00; author: chip; state: Exp; lines: +28 -28
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/tempx16.ly,v
working file: atlas2/compass/layouts/tempx16.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:27:02; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:53:57; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_10x1.ly,v
working file: atlas2/compass/layouts/uh_10x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 2.3
date: 1995/02/23 07:27:03; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_11x1.ly,v
working file: atlas2/compass/layouts/uh_11x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
```

bz Feb 21-27 1995.log

description:

revision 2.3

date: 1995/02/23 07:27:05; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_12x1.ly,v
working file: atlas2/compass/layouts/uh_12x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3

date: 1995/02/23 07:27:07; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_13x1.ly,v
working file: atlas2/compass/layouts/uh_13x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3

date: 1995/02/23 07:27:10; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_14x1.ly,v
working file: atlas2/compass/layouts/uh_14x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3

date: 1995/02/23 07:27:12; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_15x1.ly,v
working file: atlas2/compass/layouts/uh_15x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 3;      selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:27:14; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_16x1.ly,v
working file: atlas2/compass/layouts/uh_16x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
```

```
revision 2.3
date: 1995/02/23 07:27:15; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_17x1.ly,v
working file: atlas2/compass/layouts/uh_17x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
```

```
revision 2.3
date: 1995/02/23 07:27:19; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_18x1.ly,v
working file: atlas2/compass/layouts/uh_18x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
```

```
revision 2.3
date: 1995/02/23 07:27:22; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_19x1.ly,v
working file: atlas2/compass/layouts/uh_19x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
```

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:25; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_20x1.ly,v
working file: atlas2/compass/layouts/uh_20x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:26; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_21x1.ly,v
working file: atlas2/compass/layouts/uh_21x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:29; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_22x1.ly,v
working file: atlas2/compass/layouts/uh_22x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:32; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_23x1.ly,v
working file: atlas2/compass/layouts/uh_23x1.ly
head: 2.3
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:35; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_24x1.ly,v
working file: atlas2/compass/layouts/uh_24x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:37; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_25x1.ly,v
working file: atlas2/compass/layouts/uh_25x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:38; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_26x1.ly,v
working file: atlas2/compass/layouts/uh_26x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:27:52; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_27x1.ly,v
working file: atlas2/compass/layouts/uh_27x1.ly
head: 2.4
branch:
locks: strict

bz Feb 21-27 1995.log

```
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:27:53; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_28x1.ly,v
working file: atlas2/compass/layouts/uh_28x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 2.3
date: 1995/02/23 07:27:55; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_29x1.ly,v
working file: atlas2/compass/layouts/uh_29x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 2.3
date: 1995/02/23 07:27:57; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_2x1.ly,v
working file: atlas2/compass/layouts/uh_2x1.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 2
description:
-----
```

```
revision 2.4
date: 1995/02/23 07:28:00; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:20:23 PST 1995
=====
```

```
revision 2.3
date: 1995/02/22 23:59:34; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 15:59:31 PST 1995
=====
```

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_30x1.ly,v
working file: atlas2/compass/layouts/uh_30x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:28:02; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_33x1.ly,v
working file: atlas2/compass/layouts/uh_33x1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 2.2
date: 1995/02/23 07:28:04; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_34x1.ly,v
working file: atlas2/compass/layouts/uh_34x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:28:07; author: chip; state: Exp; lines: +8 -8
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_3x1.ly,v
working file: atlas2/compass/layouts/uh_3x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:28:10; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

```

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_40x1.ly,v
working file: atlas2/compass/layouts/uh_40x1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:28:13; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995

revision 2.1
date: 1995/02/22 23:59:36; author: chip; state: Exp;
periodic checkin of wed Feb 22 15:59:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_45x1.ly,v
working file: atlas2/compass/layouts/uh_45x1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:28:14; author: chip; state: Exp; lines: +7 -7
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_46x1.ly,v
working file: atlas2/compass/layouts/uh_46x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:28:15; author: chip; state: Exp; lines: +8 -8
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_4x1.ly,v
working file: atlas2/compass/layouts/uh_4x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

bz Feb 21-27 1995.log

revision 2.3
date: 1995/02/23 07:32:07; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_5x1.ly,v
working file: atlas2/compass/layouts/uh_5x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:32:09; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_6x1.ly,v
working file: atlas2/compass/layouts/uh_6x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:32:12; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_7x1.ly,v
working file: atlas2/compass/layouts/uh_7x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:32:15; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_8x1.ly,v
working file: atlas2/compass/layouts/uh_8x1.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1

bz Feb 21-27 1995.log

description:

revision 2.3

date: 1995/02/23 07:32:18; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_9x1.ly,v

working file: atlas2/compass/layouts/uh_9x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/02/23 07:32:20; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_grid.ly,v

working file: atlas2/compass/layouts/uh_grid.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

revision 2.4

date: 1995/02/23 07:32:23; author: chip; state: Exp; lines: +22 -41
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_hzchk.ly,v

working file: atlas2/compass/layouts/uh_hzchk.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.2

date: 1995/02/23 07:32:25; author: chip; state: Exp; lines: +13 -13
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_power.ly,v

working file: atlas2/compass/layouts/uh_power.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

bz Feb 21-27 1995.log
total revisions: 6; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:32:28; author: chip; state: Exp; lines: +154 -154
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 23:56:46; author: chip; state: Exp;
periodic checkin of Wed Feb 22 15:56:43 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_pwr.ly,v
working file: atlas2/compass/layouts/uh_pwr.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:32:31; author: chip; state: Exp; lines: +123 -123
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_vrtchk.ly,v
working file: atlas2/compass/layouts/uh_vrtchk.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.3
date: 1995/02/23 07:32:33; author: chip; state: Exp; lines: +16 -16
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/22 23:59:38; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Feb 22 15:59:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown.ly,v
working file: atlas2/compass/layouts/unknown.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:32:35; author: chip; state: Exp; lines: +359 -359
periodic checkin of Wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

revision 2.1

date: 1995/02/22 22:54:00; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown2.1y,v
working file: atlas2/compass/layouts/unknown2.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2

date: 1995/02/23 07:32:38; author: chip; state: Exp; lines: +372 -372
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.1

date: 1995/02/22 22:54:04; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown3.1y,v
working file: atlas2/compass/layouts/unknown3.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2

date: 1995/02/23 07:32:41; author: chip; state: Exp; lines: +88 -88
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.1

date: 1995/02/22 22:54:08; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown4.1y,v
working file: atlas2/compass/layouts/unknown4.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2

date: 1995/02/23 07:32:43; author: chip; state: Exp; lines: +327 -327
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.1

date: 1995/02/22 22:54:12; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995


```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown5.ly,v
working file: atlas2/compass/layouts/unknown5.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:32:45; author: chip; state: Exp; lines: +253 -253
periodic checkin of wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:54:15; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown6.ly,v
working file: atlas2/compass/layouts/unknown6.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:32:47; author: chip; state: Exp; lines: +342 -342
periodic checkin of wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:54:19; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/via12.ly,v
working file: atlas2/compass/layouts/via12.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:32:48; author: chip; state: Exp; lines: +6 -6
periodic checkin of wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.1
date: 1995/02/23 00:23:00; author: chip; state: Exp;
periodic checkin of wed Feb 22 16:22:53 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/via23.ly,v
```

```

bz Feb 21-27 1995.log
working file: atlas2/compass/layouts/via23.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:32:50; author: chip; state: Exp; lines: +6 -6
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.1
date: 1995/02/23 00:23:02; author: chip; state: Exp;
periodic checkin of Wed Feb 22 16:22:53 PST 1995
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/vlsi.log,v
working file: atlas2/compass/layouts/vlsi.log
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3575; selected revisions: 77
description:
-----
revision 1.215
date: 1995/02/26 19:19:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sun Feb 26 11:18:58 PST 1995
-----
revision 1.214
date: 1995/02/26 18:40:57; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sun Feb 26 10:40:54 PST 1995
-----
revision 1.213
date: 1995/02/25 17:51:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:51:56 PST 1995
-----
revision 1.212
date: 1995/02/25 17:42:41; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:42:38 PST 1995
-----
revision 1.211
date: 1995/02/25 17:40:50; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:40:47 PST 1995
-----
revision 1.210
date: 1995/02/25 17:38:44; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:38:41 PST 1995
-----
revision 1.209
date: 1995/02/24 21:59:18; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:59:15 PST 1995
-----
revision 1.208
date: 1995/02/24 21:29:30; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:29:26 PST 1995
-----
revision 1.207

```

```

bz Feb 21-27 1995.log
date: 1995/02/24 21:08:50; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:08:47 PST 1995
-----
revision 1.206
date: 1995/02/24 18:29:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 10:29:17 PST 1995
-----
revision 1.205
date: 1995/02/24 02:01:32; author: chip; state: Exp; lines: +5 -0
periodic checkin of Thu Feb 23 18:01:29 PST 1995
-----
revision 1.204
date: 1995/02/24 01:59:46; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Feb 23 17:59:43 PST 1995
-----
revision 1.203
date: 1995/02/24 01:58:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 17:57:59 PST 1995
-----
revision 1.202
date: 1995/02/24 01:56:15; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Feb 23 17:56:12 PST 1995
-----
revision 1.201
date: 1995/02/24 01:34:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 23 17:34:09 PST 1995
-----
revision 1.200
date: 1995/02/24 01:32:27; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 17:32:24 PST 1995
-----
revision 1.199
date: 1995/02/23 22:30:14; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 14:30:10 PST 1995
-----
revision 1.198
date: 1995/02/23 18:37:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 23 10:37:37 PST 1995
-----
revision 1.197
date: 1995/02/23 18:20:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 10:20:01 PST 1995
-----
revision 1.196
date: 1995/02/23 15:21:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 07:20:57 PST 1995
-----
revision 1.195
date: 1995/02/23 07:32:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 1.194
date: 1995/02/23 01:16:11; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 22 17:16:03 PST 1995
-----
revision 1.193
date: 1995/02/23 01:13:48; author: chip; state: Exp; lines: +18 -0
periodic checkin of Wed Feb 22 17:13:31 PST 1995
-----
revision 1.192
date: 1995/02/23 00:55:48; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Feb 22 16:55:42 PST 1995
-----

```

bz Feb 21-27 1995.log

revision 1.191

date: 1995/02/23 00:53:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Feb 22 16:53:45 PST 1995

revision 1.190

date: 1995/02/23 00:23:05; author: chip; state: Exp; lines: +8 -0
periodic checkin of wed Feb 22 16:22:53 PST 1995

revision 1.189

date: 1995/02/23 00:03:03; author: chip; state: Exp; lines: +2 -0
periodic checkin of wed Feb 22 16:02:52 PST 1995

revision 1.188

date: 1995/02/22 23:59:41; author: chip; state: Exp; lines: +17 -1122
periodic checkin of wed Feb 22 15:59:31 PST 1995

revision 1.187

date: 1995/02/22 23:56:51; author: chip; state: Exp; lines: +53 -0
periodic checkin of wed Feb 22 15:56:43 PST 1995

revision 1.186

date: 1995/02/22 23:28:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of wed Feb 22 15:28:31 PST 1995

revision 1.185

date: 1995/02/22 23:23:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Feb 22 15:23:42 PST 1995

revision 1.184

date: 1995/02/22 23:16:13; author: chip; state: Exp; lines: +6 -0
periodic checkin of wed Feb 22 15:16:04 PST 1995

revision 1.183

date: 1995/02/22 23:10:42; author: chip; state: Exp; lines: +2 -0
periodic checkin of wed Feb 22 15:10:37 PST 1995

revision 1.182

date: 1995/02/22 23:07:50; author: chip; state: Exp; lines: +6 -0
periodic checkin of wed Feb 22 15:07:41 PST 1995

revision 1.181

date: 1995/02/22 23:02:38; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Feb 22 15:02:33 PST 1995

revision 1.180

date: 1995/02/22 22:57:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Feb 22 14:56:58 PST 1995

revision 1.179

date: 1995/02/22 22:54:23; author: chip; state: Exp; lines: +172 -0
periodic checkin of wed Feb 22 14:48:36 PST 1995

revision 1.178

date: 1995/02/22 22:44:43; author: chip; state: Exp; lines: +56 -0
periodic checkin of wed Feb 22 14:42:50 PST 1995

revision 1.177

date: 1995/02/22 22:39:55; author: chip; state: Exp; lines: +2 -0
periodic checkin of wed Feb 22 14:39:50 PST 1995

revision 1.176

date: 1995/02/22 22:37:26; author: chip; state: Exp; lines: +2 -0
periodic checkin of wed Feb 22 14:37:21 PST 1995

bz Feb 21-27 1995.log

revision 1.175
date: 1995/02/22 18:53:51; author: chip; state: Exp; lines: +14 -0
periodic checkin of Wed Feb 22 10:53:44 PST 1995

revision 1.174
date: 1995/02/22 17:43:33; author: chip; state: Exp; lines: +24 -0
periodic checkin of Wed Feb 22 09:43:14 PST 1995

revision 1.173
date: 1995/02/22 00:02:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 16:02:34 PST 1995

revision 1.172
date: 1995/02/21 23:58:09; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 15:58:05 PST 1995

revision 1.171
date: 1995/02/21 23:52:55; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 15:52:50 PST 1995

revision 1.170
date: 1995/02/21 23:00:32; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 15:00:26 PST 1995

revision 1.169
date: 1995/02/21 22:52:05; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 14:52:00 PST 1995

revision 1.168
date: 1995/02/21 22:48:21; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 14:48:17 PST 1995

revision 1.167
date: 1995/02/21 22:46:22; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 14:46:17 PST 1995

revision 1.166
date: 1995/02/21 22:43:59; author: chip; state: Exp; lines: +8 -0
periodic checkin of Tue Feb 21 14:43:51 PST 1995

revision 1.165
date: 1995/02/21 22:40:23; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Feb 21 14:40:18 PST 1995

revision 1.164
date: 1995/02/21 22:37:43; author: chip; state: Exp; lines: +7 -0
periodic checkin of Tue Feb 21 14:37:40 PST 1995

revision 1.163
date: 1995/02/21 22:35:47; author: chip; state: Exp; lines: +16 -0
periodic checkin of Tue Feb 21 14:35:43 PST 1995

revision 1.162
date: 1995/02/21 22:32:37; author: chip; state: Exp; lines: +31 -0
periodic checkin of Tue Feb 21 14:32:29 PST 1995

revision 1.161
date: 1995/02/21 21:22:46; author: chip; state: Exp; lines: +18 -0
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 1.160
date: 1995/02/21 19:54:02; author: chip; state: Exp; lines: +12 -0

bz Feb 21-27 1995.log

periodic checkin of Tue Feb 21 11:53:57 PST 1995

revision 1.159

date: 1995/02/21 19:45:36; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:45:34 PST 1995

revision 1.158

date: 1995/02/21 19:27:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:27:33 PST 1995

revision 1.157

date: 1995/02/21 19:25:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:25:09 PST 1995

revision 1.156

date: 1995/02/21 19:22:54; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:22:52 PST 1995

revision 1.155

date: 1995/02/21 19:20:38; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:20:35 PST 1995

revision 1.154

date: 1995/02/21 19:18:24; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:18:20 PST 1995

revision 1.153

date: 1995/02/21 19:15:43; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:15:41 PST 1995

revision 1.152

date: 1995/02/21 19:14:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:14:01 PST 1995

revision 1.151

date: 1995/02/21 19:12:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:12:05 PST 1995

revision 1.150

date: 1995/02/21 19:09:34; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 11:09:31 PST 1995

revision 1.149

date: 1995/02/21 19:07:16; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Feb 21 11:07:13 PST 1995

revision 1.148

date: 1995/02/21 19:05:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:05:08 PST 1995

revision 1.147

date: 1995/02/21 18:54:08; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 10:54:06 PST 1995

revision 1.146

date: 1995/02/21 18:52:04; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 10:52:00 PST 1995

revision 1.145

date: 1995/02/21 18:49:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 10:49:50 PST 1995

revision 1.144

bz Feb 21-27 1995.log
date: 1995/02/21 18:26:45; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 10:26:42 PST 1995

revision 1.143
date: 1995/02/21 18:13:55; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 10:13:52 PST 1995

revision 1.142
date: 1995/02/21 18:11:16; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Feb 21 10:11:12 PST 1995

revision 1.141
date: 1995/02/21 18:08:36; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Feb 21 10:08:33 PST 1995

revision 1.140
date: 1995/02/21 18:06:16; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 10:06:13 PST 1995

revision 1.139
date: 1995/02/21 18:02:00; author: chip; state: Exp; lines: +8 -0
periodic checkin of Tue Feb 21 10:01:55 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n10s.ly,v
Working file: atlas2/compass/layouts/xland2n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:32:57; author: chip; state: Exp; lines: +47 -48
periodic checkin of wed Feb 22 23:31:42 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n160s.ly,v
Working file: atlas2/compass/layouts/xland2n160s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:33:00; author: chip; state: Exp; lines: +499 -517
periodic checkin of wed Feb 22 23:31:42 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n20s.ly,v
Working file: atlas2/compass/layouts/xland2n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:02; author: chip; state: Exp; lines: +96 -98
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n40s.ly,v
working file: atlas2/compass/layouts/xland2n40s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:33:05; author: chip; state: Exp; lines: +148 -152
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n80s.ly,v
working file: atlas2/compass/layouts/xland2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:33:09; author: chip; state: Exp; lines: +260 -271
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n10s.ly,v
working file: atlas2/compass/layouts/xland3n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:11; author: chip; state: Exp; lines: +44 -45
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n160s.ly,v
working file: atlas2/compass/layouts/xland3n160s.ly
head: 2.3
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:14; author: chip; state: Exp; lines: +651 -677
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n20s.ly,v
working file: atlas2/compass/layouts/xland3n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:16; author: chip; state: Exp; lines: +101 -103
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n40s.ly,v
working file: atlas2/compass/layouts/xland3n40s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:18; author: chip; state: Exp; lines: +210 -221
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n80s.ly,v
working file: atlas2/compass/layouts/xland3n80s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:21; author: chip; state: Exp; lines: +342 -356
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n10s.ly,v
working file: atlas2/compass/layouts/xland4n10s.ly
head: 2.3
branch:
locks: strict

bz Feb 21-27 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:24; author: chip; state: Exp; lines: +68 -71
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n160s.ly,v
working file: atlas2/compass/layouts/xland4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.6
date: 1995/02/23 07:33:27; author: chip; state: Exp; lines: +788 -823
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n20s.ly,v
working file: atlas2/compass/layouts/xland4n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:33:29; author: chip; state: Exp; lines: +130 -136
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n40s.ly,v
working file: atlas2/compass/layouts/xland4n40s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:33:55; author: chip; state: Exp; lines: +229 -241
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n80s.ly,v
working file: atlas2/compass/layouts/xland4n80s.ly
head: 2.4
branch:

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3

date: 1995/02/23 07:33:58; author: chip; state: Exp; lines: +416 -435
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn10s.ly,v
working file: atlas2/compass/layouts/xlbufn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 2.3

date: 1995/02/23 07:34:02; author: chip; state: Exp; lines: +23 -23
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn160s.ly,v
working file: atlas2/compass/layouts/xlbufn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 2.5

date: 1995/02/23 07:34:05; author: chip; state: Exp; lines: +308 -319
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn20s.ly,v
working file: atlas2/compass/layouts/xlbufn20s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.3

date: 1995/02/23 07:34:07; author: chip; state: Exp; lines: +23 -23
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn40s.ly,v
working file: atlas2/compass/layouts/xlbufn40s.ly
head: 200.0

bz Feb 21-27 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12;    selected revisions: 1
description:
-----
revision 2.4
date: 1995/02/23 07:34:10; author: chip; state: Exp; lines: +56 -57
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn80s.ly,v
working file: atlas2/compass/layouts/xlbufn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12;    selected revisions: 1
description:
-----
revision 2.5
date: 1995/02/23 07:34:13; author: chip; state: Exp; lines: +149 -153
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand12n20s.ly,v
working file: atlas2/compass/layouts/xldand12n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:34:15; author: chip; state: Exp; lines: +180 -183
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.1
date: 1995/02/22 17:43:39; author: chip; state: Exp;
periodic checkin of Wed Feb 22 09:43:14 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand17n20s.ly,v
working file: atlas2/compass/layouts/xldand17n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:34:17; author: chip; state: Exp; lines: +226 -229
periodic checkin of Wed Feb 22 23:31:42 PST 1995
```

bz Feb 21-27 1995.log

revision 2.1
date: 1995/02/22 17:43:42; author: chip; state: Exp;
periodic checkin of Wed Feb 22 09:43:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand2n10s.ly,v
working file: atlas2/compass/layouts/xldand2n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:34:19; author: chip; state: Exp; lines: +63 -67
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 17:43:45; author: chip; state: Exp;
periodic checkin of Wed Feb 22 09:43:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand3n10s.ly,v
working file: atlas2/compass/layouts/xldand3n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:34:21; author: chip; state: Exp; lines: +73 -76
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 17:43:48; author: chip; state: Exp;
periodic checkin of Wed Feb 22 09:43:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand4n10s.ly,v
working file: atlas2/compass/layouts/xldand4n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:34:24; author: chip; state: Exp; lines: +89 -92
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 17:43:51; author: chip; state: Exp;

bz Feb 21-27 1995.log
periodic checkin of wed Feb 22 09:43:14 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand6n10s.ly,v
working file: atlas2/compass/layouts/xldand6n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:34:27; author: chip; state: Exp; lines: +105 -109
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 17:43:55; author: chip; state: Exp;
periodic checkin of wed Feb 22 09:43:14 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand8n10s.ly,v
working file: atlas2/compass/layouts/xldand8n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:34:29; author: chip; state: Exp; lines: +130 -133
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/22 17:43:58; author: chip; state: Exp;
periodic checkin of wed Feb 22 09:43:14 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor12n20s.ly,v
working file: atlas2/compass/layouts/xldor12n20s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 5
description:

revision 2.5
date: 1995/02/24 02:01:34; author: chip; state: Exp; lines: +32 -25
periodic checkin of Thu Feb 23 18:01:29 PST 1995

revision 2.4
date: 1995/02/24 01:34:15; author: chip; state: Exp; lines: +107 -130
periodic checkin of Thu Feb 23 17:34:09 PST 1995

revision 2.3

bz Feb 21-27 1995.log
date: 1995/02/23 07:34:32; author: chip; state: Exp; lines: +177 -180
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/22 23:10:47; author: chip; state: Exp; lines: +30 -24
periodic checkin of Wed Feb 22 15:10:37 PST 1995

revision 2.1
date: 1995/02/22 18:53:55; author: chip; state: Exp;
periodic checkin of Wed Feb 22 10:53:44 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor17n20s.ly,v
working file: atlas2/compass/layouts/xldor17n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 5
description:

revision 2.5
date: 1995/02/24 02:01:36; author: chip; state: Exp; lines: +28 -18
periodic checkin of Thu Feb 23 18:01:29 PST 1995

revision 2.4
date: 1995/02/24 01:56:17; author: chip; state: Exp; lines: +137 -137
periodic checkin of Thu Feb 23 17:56:12 PST 1995

revision 2.3
date: 1995/02/23 07:34:36; author: chip; state: Exp; lines: +192 -199
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/22 23:16:18; author: chip; state: Exp; lines: +20 -21
periodic checkin of Wed Feb 22 15:16:04 PST 1995

revision 2.1
date: 1995/02/22 18:53:59; author: chip; state: Exp;
periodic checkin of Wed Feb 22 10:53:44 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor2n10s.ly,v
working file: atlas2/compass/layouts/xldor2n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:

revision 2.4
date: 1995/02/24 01:59:48; author: chip; state: Exp; lines: +12 -15
periodic checkin of Thu Feb 23 17:59:43 PST 1995

revision 2.3
date: 1995/02/23 07:34:39; author: chip; state: Exp; lines: +55 -56
periodic checkin of Wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

revision 2.2
date: 1995/02/22 23:07:55; author: chip; state: Exp; lines: +8 -6
periodic checkin of wed Feb 22 15:07:41 PST 1995

revision 2.1
date: 1995/02/22 18:54:01; author: chip; state: Exp;
periodic checkin of wed Feb 22 10:53:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor3n10s.ly,v
working file: atlas2/compass/layouts/xldor3n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:34:41; author: chip; state: Exp; lines: +65 -65
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/22 23:07:59; author: chip; state: Exp; lines: +8 -6
periodic checkin of wed Feb 22 15:07:41 PST 1995

revision 2.1
date: 1995/02/22 18:54:03; author: chip; state: Exp;
periodic checkin of wed Feb 22 10:53:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor4n10s.ly,v
working file: atlas2/compass/layouts/xldor4n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:34:42; author: chip; state: Exp; lines: +88 -90
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/22 23:08:01; author: chip; state: Exp; lines: +8 -6
periodic checkin of wed Feb 22 15:07:41 PST 1995

revision 2.1
date: 1995/02/22 18:54:06; author: chip; state: Exp;
periodic checkin of wed Feb 22 10:53:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor6n10s.ly,v
working file: atlas2/compass/layouts/xldor6n10s.ly
head: 2.4
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 3

description:

revision 2.3

date: 1995/02/23 07:34:45; author: chip; state: Exp; lines: +100 -103

periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2

date: 1995/02/22 23:16:20; author: chip; state: Exp; lines: +19 -17

periodic checkin of Wed Feb 22 15:16:04 PST 1995

revision 2.1

date: 1995/02/22 18:54:09; author: chip; state: Exp;

periodic checkin of Wed Feb 22 10:53:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor8n10s.ly,v

working file: atlas2/compass/layouts/xldor8n10s.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 3

description:

revision 2.3

date: 1995/02/23 07:34:48; author: chip; state: Exp; lines: +111 -114

periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2

date: 1995/02/22 23:16:23; author: chip; state: Exp; lines: +7 -6

periodic checkin of Wed Feb 22 15:16:04 PST 1995

revision 2.1

date: 1995/02/22 18:54:11; author: chip; state: Exp;

periodic checkin of Wed Feb 22 10:53:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n10s.ly,v

working file: atlas2/compass/layouts/xlmux2n10s.ly

head: 2.6

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 3

description:

revision 2.3

date: 1995/02/23 07:34:51; author: chip; state: Exp; lines: +83 -84

periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2

date: 1995/02/21 22:35:50; author: chip; state: Exp; lines: +49 -13

periodic checkin of Tue Feb 21 14:35:43 PST 1995

revision 2.1

date: 1995/02/21 22:32:41; author: chip; state: Exp;

bz Feb 21-27 1995.log
periodic checkin of Tue Feb 21 14:32:29 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n160s.ly,v
working file: atlas2/compass/layouts/xlmux2n160s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:34:52; author: chip; state: Exp; lines: +310 -325
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 19:05:14; author: chip; state: Exp; lines: +17 -13
periodic checkin of Tue Feb 21 11:05:08 PST 1995

revision 2.1
date: 1995/02/21 18:49:56; author: chip; state: Exp;
periodic checkin of Tue Feb 21 10:49:50 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n20s.ly,v
working file: atlas2/compass/layouts/xlmux2n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:34:54; author: chip; state: Exp; lines: +78 -81
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:37:47; author: chip; state: Exp; lines: +54 -37
periodic checkin of Tue Feb 21 14:37:40 PST 1995

revision 2.1
date: 1995/02/21 22:32:43; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n40s.ly,v
working file: atlas2/compass/layouts/xlmux2n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4

bz Feb 21-27 1995.log
date: 1995/02/23 07:34:57; author: chip; state: Exp; lines: +129 -135
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 21:22:49; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2
date: 1995/02/21 18:02:03; author: chip; state: Exp; lines: +8 -9
periodic checkin of Tue Feb 21 10:01:55 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x1mux2n80s.ly,v
working file: atlas2/compass/layouts/x1mux2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:34:59; author: chip; state: Exp; lines: +208 -218
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 21:22:51; author: chip; state: Exp; lines: +12 -9
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2
date: 1995/02/21 18:02:05; author: chip; state: Exp; lines: +12 -12
periodic checkin of Tue Feb 21 10:01:55 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x1mux3n10s.ly,v
working file: atlas2/compass/layouts/x1mux3n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:35:03; author: chip; state: Exp; lines: +69 -70
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:37:49; author: chip; state: Exp; lines: +49 -41
periodic checkin of Tue Feb 21 14:37:40 PST 1995

revision 2.1
date: 1995/02/21 22:32:46; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x1mux3n160s.ly,v
working file: atlas2/compass/layouts/x1mux3n160s.ly
head: 2.3

bz Feb 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:35:04; author: chip; state: Exp; lines: +335 -350
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/21 19:07:19; author: chip; state: Exp;
periodic checkin of Tue Feb 21 11:07:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n20s.ly,v
working file: atlas2/compass/layouts/xlmux3n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:35:33; author: chip; state: Exp; lines: +111 -114
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:40:28; author: chip; state: Exp; lines: +80 -55
periodic checkin of Tue Feb 21 14:40:18 PST 1995

revision 2.1
date: 1995/02/21 22:32:48; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n40s.ly,v
working file: atlas2/compass/layouts/xlmux3n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:35:35; author: chip; state: Exp; lines: +140 -146
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 21:22:54; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2
date: 1995/02/21 18:02:07; author: chip; state: Exp; lines: +8 -9
periodic checkin of Tue Feb 21 10:01:55 PST 1995

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n80s.ly,v
working file: atlas2/compass/layouts/xlmux3n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 3
description:
-----
```

```
revision 2.4
date: 1995/02/23 07:35:38; author: chip; state: Exp; lines: +232 -244
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.3
date: 1995/02/21 21:22:57; author: chip; state: Exp; lines: +13 -10
periodic checkin of Tue Feb 21 13:22:39 PST 1995
-----
```

```
revision 2.2
date: 1995/02/21 18:02:09; author: chip; state: Exp; lines: +13 -13
periodic checkin of Tue Feb 21 10:01:55 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n10s.ly,v
working file: atlas2/compass/layouts/xlmux4n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 3
description:
-----
```

```
revision 2.3
date: 1995/02/23 07:35:43; author: chip; state: Exp; lines: +78 -79
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.2
date: 1995/02/21 22:40:31; author: chip; state: Exp; lines: +55 -47
periodic checkin of Tue Feb 21 14:40:18 PST 1995
-----
```

```
revision 2.1
date: 1995/02/21 22:32:50; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n160s.ly,v
working file: atlas2/compass/layouts/xlmux4n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:35:45; author: chip; state: Exp; lines: +359 -376
```

bz Feb 21-27 1995.log
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/21 19:07:21; author: chip; state: Exp;
periodic checkin of Tue Feb 21 11:07:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n20s.ly,v
working file: atlas2/compass/layouts/xlmux4n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:35:47; author: chip; state: Exp; lines: +116 -119
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:40:34; author: chip; state: Exp; lines: +79 -49
periodic checkin of Tue Feb 21 14:40:18 PST 1995

revision 2.1
date: 1995/02/21 22:32:54; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n40s.ly,v
working file: atlas2/compass/layouts/xlmux4n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:35:48; author: chip; state: Exp; lines: +150 -157
periodic checkin of wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 21:22:59; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2
date: 1995/02/21 18:13:59; author: chip; state: Exp; lines: +8 -9
periodic checkin of Tue Feb 21 10:13:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n80s.ly,v
working file: atlas2/compass/layouts/xlmux4n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

bz Feb 21-27 1995.log
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:35:50; author: chip; state: Exp; lines: +257 -270
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 21:23:01; author: chip; state: Exp; lines: +14 -10
periodic checkin of Tue Feb 21 13:22:39 PST 1995

revision 2.2
date: 1995/02/21 18:06:18; author: chip; state: Exp; lines: +13 -14
periodic checkin of Tue Feb 21 10:06:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n10s.ly,v
working file: atlas2/compass/layouts/xlmux5n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:35:52; author: chip; state: Exp; lines: +96 -98
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:44:03; author: chip; state: Exp; lines: +67 -41
periodic checkin of Tue Feb 21 14:43:51 PST 1995

revision 2.1
date: 1995/02/21 22:32:56; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n160s.ly,v
working file: atlas2/compass/layouts/xlmux5n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:35:55; author: chip; state: Exp; lines: +384 -403
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/21 19:07:23; author: chip; state: Exp;
periodic checkin of Tue Feb 21 11:07:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n20s.ly,v
working file: atlas2/compass/layouts/xlmux5n20s.ly
head: 2.6

bz Feb 21-27 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;    selected revisions: 3
description:
-----
revision 2.3
date: 1995/02/23 07:35:57; author: chip; state: Exp; lines: +139 -143
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 22:44:05; author: chip; state: Exp; lines: +95 -56
periodic checkin of Tue Feb 21 14:43:51 PST 1995
-----
revision 2.1
date: 1995/02/21 22:32:58; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n40s.ly,v
working file: atlas2/compass/layouts/xlmux5n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 3
description:
-----
```

```
revision 2.4
date: 1995/02/23 07:36:00; author: chip; state: Exp; lines: +169 -176
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.3
date: 1995/02/21 21:23:03; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 13:22:39 PST 1995
-----
revision 2.2
date: 1995/02/21 18:14:01; author: chip; state: Exp; lines: +13 -19
periodic checkin of Tue Feb 21 10:13:52 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n80s.ly,v
working file: atlas2/compass/layouts/xlmux5n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 3
description:
-----
```

```
revision 2.4
date: 1995/02/23 07:36:03; author: chip; state: Exp; lines: +281 -296
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.3
date: 1995/02/21 21:23:05; author: chip; state: Exp; lines: +14 -11
periodic checkin of Tue Feb 21 13:22:39 PST 1995
```


bz Feb 21-27 1995.log

revision 2.2
date: 1995/02/21 18:06:20; author: chip; state: Exp; lines: +14 -14
periodic checkin of Tue Feb 21 10:06:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n10s.ly,v
working file: atlas2/compass/layouts/xlmux6n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:36:05; author: chip; state: Exp; lines: +133 -137
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:44:07; author: chip; state: Exp; lines: +90 -74
periodic checkin of Tue Feb 21 14:43:51 PST 1995

revision 2.1
date: 1995/02/21 22:33:00; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n160s.ly,v
working file: atlas2/compass/layouts/xlmux6n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:36:07; author: chip; state: Exp; lines: +433 -455
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/21 19:09:37; author: chip; state: Exp;
periodic checkin of Tue Feb 21 11:09:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n20s.ly,v
working file: atlas2/compass/layouts/xlmux6n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:36:10; author: chip; state: Exp; lines: +142 -146

```

bz Feb 21-27 1995.log
periodic checkin of wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 22:44:10; author: chip; state: Exp; lines: +99 -63
periodic checkin of Tue Feb 21 14:43:51 PST 1995
-----
revision 2.1
date: 1995/02/21 22:33:02; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n40s.ly,v
working file: atlas2/compass/layouts/xlmux6n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:
-----
revision 2.4
date: 1995/02/23 07:36:13; author: chip; state: Exp; lines: +186 -193
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.3
date: 1995/02/21 21:23:07; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 13:22:39 PST 1995
-----
revision 2.2
date: 1995/02/21 18:08:38; author: chip; state: Exp; lines: +12 -17
periodic checkin of Tue Feb 21 10:08:33 PST 1995
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n80s.ly,v
working file: atlas2/compass/layouts/xlmux6n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:
-----
revision 2.4
date: 1995/02/23 07:36:15; author: chip; state: Exp; lines: +306 -322
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.3
date: 1995/02/21 19:54:06; author: chip; state: Exp; lines: +15 -12
periodic checkin of Tue Feb 21 11:53:57 PST 1995
-----
revision 2.2
date: 1995/02/21 18:08:40; author: chip; state: Exp; lines: +15 -15
periodic checkin of Tue Feb 21 10:08:33 PST 1995
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n10s.ly,v
working file: atlas2/compass/layouts/xlmux7n10s.ly
head: 2.5
branch:

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:36:16; author: chip; state: Exp; lines: +163 -167
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:46:24; author: chip; state: Exp; lines: +113 -90
periodic checkin of Tue Feb 21 14:46:17 PST 1995

revision 2.1
date: 1995/02/21 22:33:04; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n160s.ly,v
working file: atlas2/compass/layouts/xlmux7n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:36:21; author: chip; state: Exp; lines: +408 -428
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/21 19:09:38; author: chip; state: Exp;
periodic checkin of Tue Feb 21 11:09:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n20s.ly,v
working file: atlas2/compass/layouts/xlmux7n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:36:25; author: chip; state: Exp; lines: +168 -171
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:46:26; author: chip; state: Exp; lines: +120 -80
periodic checkin of Tue Feb 21 14:46:17 PST 1995

revision 2.1
date: 1995/02/21 22:33:07; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n40s.ly,v
working file: atlas2/compass/layouts/xlmux7n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:36:27; author: chip; state: Exp; lines: +196 -203
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 19:54:07; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 11:53:57 PST 1995

revision 2.2
date: 1995/02/21 18:11:18; author: chip; state: Exp; lines: +13 -19
periodic checkin of Tue Feb 21 10:11:12 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n80s.ly,v
working file: atlas2/compass/layouts/xlmux7n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:36:29; author: chip; state: Exp; lines: +330 -349
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 19:54:09; author: chip; state: Exp; lines: +16 -12
periodic checkin of Tue Feb 21 11:53:57 PST 1995

revision 2.2
date: 1995/02/21 18:11:21; author: chip; state: Exp; lines: +15 -16
periodic checkin of Tue Feb 21 10:11:12 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n10s.ly,v
working file: atlas2/compass/layouts/xlmux8n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:36:31; author: chip; state: Exp; lines: +165 -169
periodic checkin of Wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

revision 2.2
date: 1995/02/21 22:48:24; author: chip; state: Exp; lines: +114 -94
periodic checkin of Tue Feb 21 14:48:17 PST 1995

revision 2.1
date: 1995/02/21 22:33:10; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n160s.ly,v
working file: atlas2/compass/layouts/xlmux8n160s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:36:34; author: chip; state: Exp; lines: +457 -481
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 19:54:10; author: chip; state: Exp; lines: +21 -17
periodic checkin of Tue Feb 21 11:53:57 PST 1995

revision 2.1
date: 1995/02/21 18:26:47; author: chip; state: Exp;
periodic checkin of Tue Feb 21 10:26:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n20s.ly,v
working file: atlas2/compass/layouts/xlmux8n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 2.3
date: 1995/02/23 07:36:37; author: chip; state: Exp; lines: +175 -178
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2
date: 1995/02/21 22:48:26; author: chip; state: Exp; lines: +122 -95
periodic checkin of Tue Feb 21 14:48:17 PST 1995

revision 2.1
date: 1995/02/21 22:33:13; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n40s.ly,v
working file: atlas2/compass/layouts/xlmux8n40s.ly
head: 2.5
branch:
locks: strict

bz Feb 21-27 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:36:40; author: chip; state: Exp; lines: +208 -215
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 19:54:12; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 11:53:57 PST 1995

revision 2.2
date: 1995/02/21 18:11:23; author: chip; state: Exp; lines: +14 -21
periodic checkin of Tue Feb 21 10:11:12 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n80s.ly,v
working file: atlas2/compass/layouts/xlmux8n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.4
date: 1995/02/23 07:36:42; author: chip; state: Exp; lines: +355 -374
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.3
date: 1995/02/21 19:54:13; author: chip; state: Exp; lines: +16 -13
periodic checkin of Tue Feb 21 11:53:57 PST 1995

revision 2.2
date: 1995/02/21 18:11:26; author: chip; state: Exp; lines: +16 -16
periodic checkin of Tue Feb 21 10:11:12 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n10s.ly,v
working file: atlas2/compass/layouts/xlor2n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:37:02; author: chip; state: Exp; lines: +42 -42
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n160s.ly,v
working file: atlas2/compass/layouts/xlor2n160s.ly
head: 2.5
branch:

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:37:04; author: chip; state: Exp; lines: +461 -479
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n20s.ly,v
working file: atlas2/compass/layouts/xlor2n20s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/02/23 07:37:07; author: chip; state: Exp; lines: +66 -66
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n40s.ly,v
working file: atlas2/compass/layouts/xlor2n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:37:09; author: chip; state: Exp; lines: +120 -124
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n80s.ly,v
working file: atlas2/compass/layouts/xlor2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:37:11; author: chip; state: Exp; lines: +220 -230
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n10s.ly,v
working file: atlas2/compass/layouts/xlor3n10s.ly
head: 2.4

bz Feb 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.2
date: 1995/02/23 07:37:14; author: chip; state: Exp; lines: +55 -55
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n160s.ly,v
working file: atlas2/compass/layouts/xlor3n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.6
date: 1995/02/23 07:37:17; author: chip; state: Exp; lines: +524 -539
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n20s.ly,v
working file: atlas2/compass/layouts/xlor3n20s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.6
date: 1995/02/23 07:37:19; author: chip; state: Exp; lines: +86 -88
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n40s.ly,v
working file: atlas2/compass/layouts/xlor3n40s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.6
date: 1995/02/23 07:37:22; author: chip; state: Exp; lines: +150 -153
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n80s.ly,v
working file: atlas2/compass/layouts/xlor3n80s.ly

bz Feb 21-27 1995.log

head: 2.8
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 2.7
date: 1995/02/23 07:37:25; author: chip; state: Exp; lines: +253 -261
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n10s.ly,v
working file: atlas2/compass/layouts/xlor4n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.4
date: 1995/02/23 07:37:27; author: chip; state: Exp; lines: +52 -53
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n160s.ly,v
working file: atlas2/compass/layouts/xlor4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.6
date: 1995/02/23 07:37:31; author: chip; state: Exp; lines: +694 -740
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n20s.ly,v
working file: atlas2/compass/layouts/xlor4n20s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.5
date: 1995/02/23 07:37:33; author: chip; state: Exp; lines: +96 -100
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n40s.ly,v

```

bz Feb 21-27 1995.log
working file: atlas2/compass/layouts/xlor4n40s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 1
description:
-----
revision 2.5
date: 1995/02/23 07:37:36; author: chip; state: Exp; lines: +184 -193
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n80s.ly,v
working file: atlas2/compass/layouts/xlor4n80s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11;     selected revisions: 1
description:
-----
revision 2.7
date: 1995/02/23 07:37:40; author: chip; state: Exp; lines: +356 -380
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand12n.ly,v
working file: atlas2/compass/layouts/xvdand12n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 2.1
date: 1995/02/21 23:00:35; author: chip; state: Exp;
periodic checkin of Tue Feb 21 15:00:26 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand17n.ly,v
working file: atlas2/compass/layouts/xvdand17n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 2.1
date: 1995/02/21 22:52:08; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:52:00 PST 1995
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand2n.ly,v
working file: atlas2/compass/layouts/xvdand2n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/21 23:52:59; author: chip; state: Exp;
periodic checkin of Tue Feb 21 15:52:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand3n.ly,v
working file: atlas2/compass/layouts/xvdand3n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/21 23:53:02; author: chip; state: Exp;
periodic checkin of Tue Feb 21 15:52:50 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand4n.ly,v
working file: atlas2/compass/layouts/xvdand4n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/22 00:02:43; author: chip; state: Exp;
periodic checkin of Tue Feb 21 16:02:34 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand6n.ly,v
working file: atlas2/compass/layouts/xvdand6n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/21 23:58:12; author: chip; state: Exp;
periodic checkin of Tue Feb 21 15:58:05 PST 1995
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand8n.ly,v
working file: atlas2/compass/layouts/xvdand8n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/21 23:58:14; author: chip; state: Exp;
periodic checkin of Tue Feb 21 15:58:05 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvlan.ly,v
working file: atlas2/compass/layouts/xvlan.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:37:43; author: chip; state: Exp; lines: +68 -69
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/23 01:13:52; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:13:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvmux8nm.ly,v
working file: atlas2/compass/layouts/xvmux8nm.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 2.2
date: 1995/02/23 07:37:44; author: chip; state: Exp; lines: +176 -185
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.1
date: 1995/02/23 01:13:55; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:13:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/doc/BOM,v
working file: atlas2/doc/BOM
head: 208.0
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

 b4_rich: 203.0
keyword substitution: kv
total revisions: 101; selected revisions: 2
description:
releasebom adding BOM

revision 29.0

date: 1995/02/22 00:38:01; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

New layout rules

Geert

revision 28.1

date: 1995/02/22 00:37:52; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/doc/layout.ht,v

working file: atlas2/doc/layout.ht

head: 200.1

branch:

locks: strict

access list:

symbolic names:

 b4_rich: 200.0

keyword substitution: kv

total revisions: 20; selected revisions: 1

description:

revision 11.13

date: 1995/02/22 00:37:13; author: geert; state: Exp; lines: +8 -1

New layout rules

Geert

=====

RCS file: /p/cvsroot/atlas2/gards/.checkoutrc,v

working file: atlas2/gards/.checkoutrc

head: 200.0

branch:

locks: strict

access list:

symbolic names:

 b4_rich: 200.0

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

revision 1.2

date: 1995/02/22 22:50:02; author: wampler; state: Exp; lines: +2 -2
Disabled atlas/gards .checkoutrc for now.

revision 1.1

date: 1995/02/22 22:49:10; author: wampler; state: Exp;
Initial check-in of atlas/basegen.

=====

RCS file: /p/cvsroot/atlas2/gards/BOM,v

working file: atlas2/gards/BOM

head: 235.0

bz Feb 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
 b4_rich: 235.0
keyword substitution: kv
total revisions: 168; selected revisions: 6
description:

revision 2.3
date: 1995/02/24 01:51:58; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.

revision 2.2
date: 1995/02/24 00:14:36; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

revision 2.1
date: 1995/02/23 20:48:18; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacd1.c.template

revision 2.0
date: 1995/02/22 22:50:59; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards

Initial release of atlas/gards Makefiles & basegen stuff.

revision 1.2
date: 1995/02/22 22:50:52; author: wampler; state: Exp; lines: +6 -1
releasebom: File needs to be up-to-date to use commit -r

revision 1.1
date: 1995/02/22 22:43:54; author: wampler; state: Exp;
Release Target: atlas/gards/basegen

Initial release of atlas/gards/basegen scripts/programs.

=====

RCS file: /p/cvsroot/atlas2/gards/Makefile,v
working file: atlas2/gards/Makefile
head: 200.5

branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.5
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:39:45; author: wampler; state: Exp;
Initial check-in of atlas GARDS Makefiles. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/Makefile.base,v
working file: atlas2/gards/Makefile.base

bz Feb 21-27 1995.log

head: 200.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.10
keyword substitution: kv
total revisions: 22; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:39:47; author: wampler; state: Exp;
Initial check-in of atlas GARDS Makefiles. Untested.
=====

RCS file: /p/cvsroot/atlas2/gards/Attic/Makefile.chipbase,v
working file: atlas2/gards/Makefile.chipbase
head: 200.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:39:49; author: wampler; state: Exp;
Initial check-in of atlas GARDS Makefiles. Untested.
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/.checkoutrc,v
working file: atlas2/gards/basegen/.checkoutrc
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.1
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:42:54; author: wampler; state: Exp;
Initial atlas/gards/basegen checkin.
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/BOM,v
working file: atlas2/gards/basegen/BOM
head: 228.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 228.0
keyword substitution: kv
total revisions: 109; selected revisions: 8
description:
releasebom adding BOM

revision 5.0
date: 1995/02/24 01:51:46; author: wampler; state: Exp; lines: +1 -1

Release Target: atlas/gards/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.

revision 4.1

```
revision 4.1
date: 1995/02/24 01:51:38; author: wampler; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
```

```
revision 4.0
date: 1995/02/24 00:14:25; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards/basegen
```

Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

```
revision 3.1
date: 1995/02/24 00:14:17; author: wampler; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
```

```
revision 3.0
date: 1995/02/23 20:48:07; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards/basegen
```

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacd1.c.template

```
revision 2.1
date: 1995/02/23 20:47:59; author: wampler; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
```

```
revision 2.0
date: 1995/02/22 22:43:45; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards/basegen
```

Initial release of atlas/gards/basegen scripts/programs.

```
revision 1.1
date: 1995/02/22 22:43:37; author: wampler; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
```

```
RCS file: /p/cvsroot/atlas2/gards/basegen/Makefile,v
working file: atlas2/gards/basegen/Makefile
head: 200.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.3
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
```

```
revision 1.1
date: 1995/02/22 22:38:40; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
```

```
RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/abngen.c,v
working file: atlas2/gards/basegen/abngen.c
head: 200.0
branch:
locks: strict
access list:
symbolic names:
```


bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1

date: 1995/02/22 22:38:42; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/abgen.h,v

working file: atlas2/gards/basegen/abgen.h

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/02/22 22:38:44; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/basecompile,v

working file: atlas2/gards/basegen/basecompile

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.1

date: 1995/02/22 22:38:45; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/baseflatten,v

working file: atlas2/gards/basegen/baseflatten

head: 200.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 200.0

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/02/22 22:38:47; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/basegen,v

working file: atlas2/gards/basegen/basegen

head: 200.2

branch:

locks: strict

bz Feb 21-27 1995.log

access list:
symbolic names:
 b4_rich: 200.2
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:38:49; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/baseobmerge,v
working file: atlas2/gards/basegen/baseobmerge
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:38:50; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/derive_bounds,v
working file: atlas2/gards/basegen/derive_bounds
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:38:52; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/derive_cutouts,v
working file: atlas2/gards/basegen/derive_cutouts
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:38:54; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/flat.sel,v
working file: atlas2/gards/basegen/flat.sel

bz Feb 21-27 1995.log

```
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:38:55; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====
```

```
RCS file: /p/cvsroot/atlas2/gards/basegen/freepos_cdls,v
working file: atlas2/gards/basegen/freepos_cdls
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 22:38:57; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====
```

```
RCS file: /p/cvsroot/atlas2/gards/basegen/get_profiles,v
working file: atlas2/gards/basegen/get_profiles
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

```
revision 1.2
date: 1995/02/24 00:13:41; author: wampler; state: Exp; lines: +2 -2
Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.
-----
```

```
revision 1.1
date: 1995/02/22 22:38:59; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====
```

```
RCS file: /p/cvsroot/atlas2/gards/basegen/gsub,v
working file: atlas2/gards/basegen/gsub
head: 200.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
```

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/22 22:39:00; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/pdlobs.c,v
working file: atlas2/gards/basegen/pdlobs.c
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 1.2
date: 1995/02/23 20:47:13; author: wampler; state: Exp; lines: +5 -5
Fixed layer map in pdlobs; updated vdd/vss/phi_am wire data in 1x1 CDL default
profile.

revision 1.1
date: 1995/02/22 22:39:02; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/pobsgen.c,v
working file: atlas2/gards/basegen/pobsgen.c
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 22:39:04; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofa.tdl.template,v
working file: atlas2/gards/basegen/sofa.tdl.template
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 2
description:

revision 1.2
date: 1995/02/24 01:51:09; author: wampler; state: Exp; lines: +7 -7
changed line-pad & pad-pad spacing rules for csm tdl template.

revision 1.1
date: 1995/02/22 22:39:06; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas. Untested.
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofa_exclude,v
working file: atlas2/gards/basegen/sofa_exclude
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:39:08; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====

```

```

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofa_model.ly.template,v
working file: atlas2/gards/basegen/sofa_model.ly.template
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:39:10; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====

```

```

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofacd1.c.template,v
working file: atlas2/gards/basegen/sofacd1.c.template
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;      selected revisions: 3
description:
-----

```

```

revision 1.3
date: 1995/02/24 00:13:43; author: wampler; state: Exp; lines: +13 -7
Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.
-----

```

```

revision 1.2
date: 1995/02/23 20:47:15; author: wampler; state: Exp; lines: +8 -6
Fixed layer map in pdlobs; updated vdd/vss/phi_am wire data in 1x1 CDL default
profile.
-----

```

```

revision 1.1
date: 1995/02/22 22:39:12; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====

```

```

RCS file: /p/cvsroot/atlas2/ged/BOM,v
working file: atlas2/ged/BOM
head: 207.61
branch:
locks: strict
access list:

```

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 207.57

keyword substitution: kv

total revisions: 1847; selected revisions: 3

description:

revision 4.8

date: 1995/02/24 01:23:15; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

revision 4.7

date: 1995/02/22 01:55:15; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 4.6

date: 1995/02/22 00:33:21; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

=====

RCS file: /p/cvsroot/atlas2/ged/xv/BOM,v

working file: atlas2/ged/xv/BOM

head: 212.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 212.0

keyword substitution: kv

total revisions: 348; selected revisions: 5

description:

releasebom adding BOM

revision 8.1

date: 1995/02/24 01:23:05; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

revision 8.0

date: 1995/02/22 01:55:05; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 7.1

date: 1995/02/22 01:54:59; author: ong; state: Exp; lines: +15 -15

releasebom: File needs to be up-to-date to use commit -r

revision 7.0

date: 1995/02/22 00:33:10; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 6.1

date: 1995/02/22 00:33:03; author: ong; state: Exp; lines: +15 -3

releasebom: File needs to be up-to-date to use commit -r

bz Feb 21-27 1995.log

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/BOM,v
working file: atlas2/ged/xv/xvdand12n/BOM

head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:48:34; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:48:27; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:26:30; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:26:23; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdand12n/body.1.1

head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:08; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:17:42; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdand12n/body.2.1

head: 1.3
branch:
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:10; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:17:45; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdand12n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:17:46; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdand12n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:17:48; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/BOM,v
working file: atlas2/ged/xv/xvdand17n/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 4
description:
releasebom adding BOM

revision 4.0
date: 1995/02/22 01:48:55; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

bz Feb 21-27 1995.log

revision 3.1
date: 1995/02/22 01:48:48; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 3.0
date: 1995/02/22 00:26:50; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 2.1
date: 1995/02/22 00:26:43; author: ong; state: Exp; lines: +5 -5
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdand17n/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 1.3
date: 1995/02/22 01:45:19; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.2
date: 1995/02/22 00:22:21; author: ong; state: Exp; lines: +64 -63
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdand17n/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 1.3
date: 1995/02/22 01:45:21; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.2
date: 1995/02/22 00:22:24; author: ong; state: Exp; lines: +6 -5
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdand17n/spice.1.1
head: 1.2

bz Feb 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2

date: 1995/02/22 00:22:26; author: ong; state: Exp; lines: +1141 -1135
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xvdand17n/spice_cn.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.2

date: 1995/02/22 00:22:33; author: ong; state: Exp; lines: +258 -258
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/BOM,v

working file: atlas2/ged/xv/xvdand2n/BOM

head: 4.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 4

description:

releasebom adding BOM
=====

revision 3.0

date: 1995/02/22 01:49:15; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier
=====

revision 2.1

date: 1995/02/22 01:49:08; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

revision 2.0

date: 1995/02/22 00:27:09; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand
=====

revision 1.1

date: 1995/02/22 00:27:02; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

bz Feb 21-27 1995.log

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdand2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 01:45:26; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
revision 1.1
date: 1995/02/22 00:17:55; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdand2n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 01:45:28; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
revision 1.1
date: 1995/02/22 00:17:57; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdand2n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 00:17:58; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdand2n/spice_cn.1.1
head: 1.1
branch:
```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:01; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/BOM,v
working file: atlas2/ged/xv/xvdand3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:49:35; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:49:28; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:27:26; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:27:19; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdand3n/body.1.1
head: 1.3

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:34; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:06; author: ong; state: Exp;

bz Feb 21-27 1995.log
New schematics based on the 17-input schematic, with sizes

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdand3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:35; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:08; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdand3n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:10; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdand3n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:11; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/BOM,v
working file: atlas2/ged/xv/xvdand4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:49:56; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:49:49; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:27:44; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:27:36; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdand4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:41; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:18; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdand4n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:43; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/22 00:18:20; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdand4n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:21; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdand4n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:23; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/BOM,v
working file: atlas2/ged/xv/xvdand6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:50:16; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:50:09; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:28:01; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

bz Feb 21-27 1995.log
New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:27:54; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdand6n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:49; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:29; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdand6n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:50; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:32; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdand6n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:34; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes


```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvdand6n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 00:18:36; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdand8n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;    selected revisions: 4
description:
releasebom adding BOM
-----
```

```
revision 3.0
date: 1995/02/22 01:50:37; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Changed Bodies of xvdor* and xvdand* to include strength qualifier

```
-----
revision 2.1
date: 1995/02/22 01:50:30; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
```

```
revision 2.0
date: 1995/02/22 00:28:19; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

New schematic of different fanins of xvdor and xvdand

```
-----
revision 1.1
date: 1995/02/22 00:28:12; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdand8n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

```
revision 1.2
```

bz Feb 21-27 1995.log
date: 1995/02/22 01:45:55; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:44; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdand8n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:45:57; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:46; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdand8n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:48; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdand8n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:18:50; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/BOM,v

bz Feb 21-27 1995.log
working file: atlas2/ged/xv/xvdor12n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:51:07; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:51:01; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:28:50; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:28:43; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdor12n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:03; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:56; author: ong; state: Exp;
New Schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdor12n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.2
date: 1995/02/22 01:46:04; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:18:58; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvdor12n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:00; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvdor12n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:02; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdor17n/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 4
description:
releasebom adding BOM

revision 4.0
date: 1995/02/22 01:51:27; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 3.1
date: 1995/02/22 01:51:20; author: ong; state: Exp; lines: +3 -3

bz Feb 21-27 1995.log
releasebom: File needs to be up-to-date to use commit -r

revision 3.0
date: 1995/02/22 00:29:12; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 2.1
date: 1995/02/22 00:29:04; author: ong; state: Exp; lines: +5 -5
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdor17n/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 1.3
date: 1995/02/22 01:46:10; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.2
date: 1995/02/22 00:22:40; author: ong; state: Exp; lines: +63 -62
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdor17n/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 1.3
date: 1995/02/22 01:46:12; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.2
date: 1995/02/22 00:22:42; author: ong; state: Exp; lines: +2 -1
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdor17n/spice.1.1
head: 1.2
branch:
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/22 00:22:43; author: ong; state: Exp; lines: +1102 -1095
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdor17n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/22 00:22:50; author: ong; state: Exp; lines: +257 -257
Sized transistors. Discharge transistor is a different size than the
logic transistors
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/BOM,v
working file: atlas2/ged/xv/xvdor2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:51:47; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:51:41; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:29:30; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:29:23; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdor2n/body.1.1

bz Feb 21-27 1995.log

head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:17; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:09; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdor2n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:19; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:11; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdor2n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:13; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdor2n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:15; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/BOM,v
working file: atlas2/ged/xv/xvdor3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:52:06; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:51:59; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:29:49; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:29:41; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdor3n/body.1.1
head: 1.3
branch:

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:24; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:21; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdor3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:25; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:23; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdor3n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:25; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdor3n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:26; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/BOM,v
working file: atlas2/ged/xv/xvdor4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:

bz Feb 21-27 1995.log

releasebom adding BOM

revision 3.0

date: 1995/02/22 01:52:25; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1

date: 1995/02/22 01:52:19; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0

date: 1995/02/22 00:30:06; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1

date: 1995/02/22 00:30:00; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/body.1.1,v

working file: atlas2/ged/xv/xvdor4n/body.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.2

date: 1995/02/22 01:46:30; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1

date: 1995/02/22 00:19:32; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/body.2.1,v

working file: atlas2/ged/xv/xvdor4n/body.2.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.2

date: 1995/02/22 01:46:33; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1

date: 1995/02/22 00:19:34; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdor4n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 00:19:36; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdor4n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 00:19:38; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/BOM,v
working file: atlas2/ged/xv/xvdor6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;    selected revisions: 4
description:
releasebom adding BOM
-----
```

```
revision 3.0
date: 1995/02/22 01:52:44; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Changed Bodies of xvdor* and xvdand* to include strength qualifier

```
-----
revision 2.1
date: 1995/02/22 01:52:38; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
```

```
revision 2.0
date: 1995/02/22 00:30:26; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

New schematic of different fanins of xvdor and xvdand

```
-----
revision 1.1
```

bz Feb 21-27 1995.log
date: 1995/02/22 00:30:18; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdor6n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:39; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:44; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdor6n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:40; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:19:47; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdor6n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:49; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/spice_cn.1.1,v

bz Feb 21-27 1995.log
working file: atlas2/ged/xv/xvdor6n/spice_cn.1.1

head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:19:51; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/BOM,v
working file: atlas2/ged/xv/xvdor8n/BOM
head: 4.0

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/22 01:53:04; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed Bodies of xvdor* and xvdand* to include strength qualifier

revision 2.1
date: 1995/02/22 01:52:57; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/22 00:30:47; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

revision 1.1
date: 1995/02/22 00:30:39; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdor8n/body.1.1
head: 1.3

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:46; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/22 00:19:58; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdor8n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/22 01:46:48; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor

revision 1.1
date: 1995/02/22 00:20:00; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdor8n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:20:02; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdor8n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/22 00:20:04; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv1bn/Attic/BOM,v
working file: atlas2/ged/xv/xv1bn/BOM
head: 201.0
branch:

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/02/24 01:22:51; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

revision 2.1
date: 1995/02/24 01:22:44; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv1bn/Attic/body.1.1,v
working file: atlas2/ged/xv/xv1bn/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.2
date: 1995/02/24 01:22:08; author: ong; state: Exp; lines: +17 -16
Added transistor size parameters to body
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv1bn/Attic/body.2.1,v
working file: atlas2/ged/xv/xv1bn/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.2
date: 1995/02/24 01:22:10; author: ong; state: Exp; lines: +17 -16
Added transistor size parameters to body
=====

RCS file: /p/cvsroot/atlas2/leafgen/Attic/makeDepend,v
working file: atlas2/leafgen/makeDepend
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 15; selected revisions: 1
description:

revision 3.3

bz Feb 21-27 1995.log

date: 1995/02/24 01:32:44; author: brianl; state: Exp; lines: +17 -2
Added dand* dor* cells

RCS file: /p/cvsroot/atlas2/tab/BOM,v
Working file: atlas2/tab/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 201.0
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:
releasebom adding BOM

revision 2.2
date: 1995/02/21 22:54:25; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/tab/doc

Added more info from Trancy

Geert

RCS file: /p/cvsroot/atlas2/tab/doc/BOM,v
Working file: atlas2/tab/doc/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 201.0
keyword substitution: kv
total revisions: 9; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/02/21 22:54:16; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/tab/doc

Added more info from Trancy

Geert

revision 2.1
date: 1995/02/21 22:54:10; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/tab/doc/tab.ht,v
Working file: atlas2/tab/doc/tab.ht
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:
-

bz Feb 21-27 1995.log

revision 1.2
date: 1995/02/21 22:53:35; author: geert; state: Exp; lines: +17 -8
Added more info from Trancy

Geert

=====
RCS file: /p/cvsroot/c_tests/nullstone/analysis.c,v
working file: c_tests/nullstone/analysis.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/boolean.h,v
working file: c_tests/nullstone/boolean.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/chart.c,v
working file: c_tests/nullstone/chart.c
head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

```
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/commands,v
working file: c_tests/nullstone/commands
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 3
description:
-----
revision 1.2
date: 1995/02/24 22:26:04; author: claseman; state: Exp; lines: +14 -14
change from stb to osf
-----
revision 1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config.bat,v
working file: c_tests/nullstone/config.bat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

```
revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/config.mpw,v
working file: c_tests/nullstone/config.mpw
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/config.sh,v
working file: c_tests/nullstone/config.sh
head: 1.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 5;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/driver.c,v
working file: c_tests/nullstone/driver.c
head: 1.3
```

bz Feb 21-27 1995.log

```
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 5;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/error.c,v
working file: c_tests/nullstone/error.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/error.log,v
working file: c_tests/nullstone/error.log
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/gui.c,v

working file: c_tests/nullstone/gui.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/kernels.h,v

working file: c_tests/nullstone/kernels.h

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/libnull.c,v

working file: c_tests/nullstone/libnull.c

head: 1.3

branch:

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.3

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 5; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/main.c,v

working file: c_tests/nullstone/main.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:12; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/notice.txt,v

working file: c_tests/nullstone/notice.txt

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/page.c,v

working file: c_tests/nullstone/page.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/page.h,v

working file: c_tests/nullstone/page.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/parse.c,v

working file: c_tests/nullstone/parse.c

head: 1.2

branch:

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/parse.h,v

working file: c_tests/nullstone/parse.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/reprtgen.c,v

working file: c_tests/nullstone/reprtgen.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:11; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/Attic/stderr.dat,v
working file: c_tests/nullstone/stderr.dat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/Attic/stdout.dat,v
working file: c_tests/nullstone/stdout.dat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/Attic/stone.dat,v
working file: c_tests/nullstone/stone.dat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/testlist,v
working file: c_tests/nullstone/testlist
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/tick.c,v
working file: c_tests/nullstone/tick.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/tick.h,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone/tick.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/tokens.h,v
working file: c_tests/nullstone/tokens.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/values.h,v
working file: c_tests/nullstone/values.h
head: 1.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 5;      selected revisions: 2
description:

```

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:31:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/version.h,v
working file: c_tests/nullstone/version.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/alpha/commands,v
working file: c_tests/nullstone/config/alpha/commands
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/alpha/config.h,v
working file: c_tests/nullstone/config/alpha/config.h

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:18;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:19;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/config/alpha/makefile,v
working file: c_tests/nullstone/config/alpha/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:17;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:18;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/config/mac040/analysis.mak,v
working file: c_tests/nullstone/config/mac040/analysis.mak
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/mac040/config.h,v
working file: c_tests/nullstone/config/mac040/config.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/mac040/driver.mak,v
working file: c_tests/nullstone/config/mac040/driver.mak
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/mac040/driver.mpw,v
working file: c_tests/nullstone/config/mac040/driver.mpw
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/mac040/readme,v
working file: c_tests/nullstone/config/mac040/readme
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/pentium/commands,v
working file: c_tests/nullstone/config/pentium/commands
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/config/pentium/config.h,v
working file: c_tests/nullstone/config/pentium/config.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/config/pentium/makefile,v
working file: c_tests/nullstone/config/pentium/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/config/rs6000/commands,v
working file: c_tests/nullstone/config/rs6000/commands
head: 1.1
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/rs6000/config.h,v

working file: c_tests/nullstone/config/rs6000/config.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/rs6000/makefile,v

working file: c_tests/nullstone/config/rs6000/makefile

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:20; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/sparc/commands,v
working file: c_tests/nullstone/config/sparc/commands
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/sparc/config.h,v
working file: c_tests/nullstone/config/sparc/config.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/sparc/makefile,v
working file: c_tests/nullstone/config/sparc/makefile
head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/template/commands,v

working file: c_tests/nullstone/config/template/commands

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/template/config.h,v

working file: c_tests/nullstone/config/template/config.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/template/makefile,v

working file: c_tests/nullstone/config/template/makefile

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/terp/commands,v

working file: c_tests/nullstone/config/terp/commands

head: 1.5

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.5

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 6; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/terp/config.h,v

working file: c_tests/nullstone/config/terp/config.h

head: 1.4

branch:

locks: strict

access list:

symbolic names:

bz Feb 21-27 1995.log

b4_rich: 1.4
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/config/terp/makefile,v
working file: c_tests/nullstone/config/terp/makefile
head: 1.6
branch:
locks: strict
access list:
symbolic names:

b4_rich: 1.6
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 7; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/address/addr_01.c,v
working file: c_tests/nullstone/src/address/addr_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone/src/address/addr_02.c,v
working file: c_tests/nullstone/src/address/addr_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

=====
RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_01.c,v
working file: c_tests/nullstone/src/alias/alias_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

=====
RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_02.c,v
working file: c_tests/nullstone/src/alias/alias_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1

```

bz Feb 21-27 1995.log

TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_03.c,v
working file: c_tests/nullstone/src/alias/alias_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_04.c,v
working file: c_tests/nullstone/src/alias/alias_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_05.c,v
Working file: c_tests/nullstone/src/alias/alias_05.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_06.c,v
Working file: c_tests/nullstone/src/alias/alias_06.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_07.c,v
Working file: c_tests/nullstone/src/alias/alias_07.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_08.c,v
working file: c_tests/nullstone/src/alias/alias_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_09.c,v
working file: c_tests/nullstone/src/alias/alias_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_10.c,v
working file: c_tests/nullstone/src/alias/alias_10.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_11.c,v
working file: c_tests/nullstone/src/alias/alias_11.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_12.c,v
working file: c_tests/nullstone/src/alias/alias_12.c

head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 4;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_20.c,v
working file: c_tests/nullstone/src/alias/alias_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_21.c,v
working file: c_tests/nullstone/src/alias/alias_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_22.c,v
working file: c_tests/nullstone/src/alias/alias_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_23.c,v
working file: c_tests/nullstone/src/alias/alias_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/bitfield/bit_01.c,v
working file: c_tests/nullstone/src/bitfield/bit_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/bitfield/bit_02.c,v

working file: c_tests/nullstone/src/bitfield/bit_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/bitfield/bit_03.c,v

working file: c_tests/nullstone/src/bitfield/bit_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:07; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_01.c,v

```
bz Feb 21-27 1995.log
working file: c_tests/nullstone/src/branch/br_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_02.c,v
working file: c_tests/nullstone/src/branch/br_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_03.c,v
working file: c_tests/nullstone/src/branch/br_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

bz Feb 21-27 1995.log

```
-----
revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_04.c,v
working file: c_tests/nullstone/src/branch/br_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_05.c,v
working file: c_tests/nullstone/src/branch/br_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_06.c,v
working file: c_tests/nullstone/src/branch/br_06.c
```

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8.8: 1.1.1.1
    NS_3_8.4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_07.c,v
working file: c_tests/nullstone/src/branch/br_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8.8: 1.1.1.1
    NS_3_8.4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_08.c,v
working file: c_tests/nullstone/src/branch/br_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8.8: 1.1.1.1
    NS_3_8.4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```


bz Feb 21-27 1995.log

```
revision 1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_09.c,v
working file: c_tests/nullstone/src/branch/br_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_10.c,v
Working file: c_tests/nullstone/src/branch/br_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_11.c,v
working file: c_tests/nullstone/src/branch/br_11.c
head: 1.1
```

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_12.c,v

working file: c_tests/nullstone/src/branch/br_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_13.c,v

working file: c_tests/nullstone/src/branch/br_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_14.c,v
working file: c_tests/nullstone/src/branch/br_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_15.c,v
working file: c_tests/nullstone/src/branch/br_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_16.c,v
working file: c_tests/nullstone/src/branch/br_16.c
head: 1.1
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_01.c,v
working file: c_tests/nullstone/src/combine/comb_01.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_02.c,v
working file: c_tests/nullstone/src/combine/comb_02.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:12; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_03.c,v
working file: c_tests/nullstone/src/combine/comb_03.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_04.c,v
working file: c_tests/nullstone/src/combine/comb_04.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_05.c,v
working file: c_tests/nullstone/src/combine/comb_05.c

head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_06.c,v

working file: c_tests/nullstone/src/combine/comb_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_07.c,v

working file: c_tests/nullstone/src/combine/comb_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

```
-----
revision 1.1.1.1
date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_08.c,v
working file: c_tests/nullstone/src/combine/comb_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_09.c,v
working file: c_tests/nullstone/src/combine/comb_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_10.c,v
working file: c_tests/nullstone/src/combine/comb_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_11.c,v

Working file: c_tests/nullstone/src/combine/comb_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_12.c,v

Working file: c_tests/nullstone/src/combine/comb_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_13.c,v
Working file: c_tests/nullstone/src/combine/comb_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_14.c,v
Working file: c_tests/nullstone/src/combine/comb_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_15.c,v
Working file: c_tests/nullstone/src/combine/comb_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_16.c,v
working file: c_tests/nullstone/src/combine/comb_16.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_17.c,v
working file: c_tests/nullstone/src/combine/comb_17.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_18.c,v
working file: c_tests/nullstone/src/combine/comb_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_19.c,v
working file: c_tests/nullstone/src/combine/comb_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_20.c,v
working file: c_tests/nullstone/src/combine/comb_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1

bz Feb 21-27 1995.log

```
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_21.c,v
working file: c_tests/nullstone/src/combine/comb_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_22.c,v
working file: c_tests/nullstone/src/combine/comb_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_23.c,v
working file: c_tests/nullstone/src/combine/comb_23.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_24.c,v
working file: c_tests/nullstone/src/combine/comb_24.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_25.c,v
working file: c_tests/nullstone/src/combine/comb_25.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

```
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_31.c,v
Working file: c_tests/nullstone/src/combine/comb_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_32.c,v
Working file: c_tests/nullstone/src/combine/comb_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0
```

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_33.c,v
working file: c_tests/nullstone/src/combine/comb_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_34.c,v
working file: c_tests/nullstone/src/combine/comb_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_35.c,v
working file: c_tests/nullstone/src/combine/comb_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_36.c,v

working file: c_tests/nullstone/src/combine/comb_36.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_37.c,v

working file: c_tests/nullstone/src/combine/comb_37.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4


```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_38.c,v
working file: c_tests/nullstone/src/combine/comb_38.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_39.c,v
working file: c_tests/nullstone/src/combine/comb_39.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_40.c,v
working file: c_tests/nullstone/src/combine/comb_40.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
=====
```

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_41.c,v
working file: c_tests/nullstone/src/combine/comb_41.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_42.c,v
working file: c_tests/nullstone/src/combine/comb_42.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_43.c,v
working file: c_tests/nullstone/src/combine/comb_43.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_44.c,v
working file: c_tests/nullstone/src/combine/comb_44.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_45.c,v
working file: c_tests/nullstone/src/combine/comb_45.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:20;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:21;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_46.c,v
working file: c_tests/nullstone/src/combine/comb_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:20;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:21;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_47.c,v
working file: c_tests/nullstone/src/combine/comb_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:20;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:21;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

```

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_48.c,v
working file: c_tests/nullstone/src/combine/comb_48.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_49.c,v
working file: c_tests/nullstone/src/combine/comb_49.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_50.c,v
working file: c_tests/nullstone/src/combine/comb_50.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2

```

bz Feb 21-27 1995.log

description:

revision 1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_51.c,v
working file: c_tests/nullstone/src/combine/comb_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_52.c,v
working file: c_tests/nullstone/src/combine/comb_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_53.c,v

bz Feb 21-27 1995.log
working file: c_tests/nullstone/src/combine/comb_53.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_54.c,v

working file: c_tests/nullstone/src/combine/comb_54.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_55.c,v

working file: c_tests/nullstone/src/combine/comb_55.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

```
-----
revision 1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_61.c,v
Working file: c_tests/nullstone/src/combine/comb_61.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_62.c,v
Working file: c_tests/nullstone/src/combine/comb_62.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_63.c,v
Working file: c_tests/nullstone/src/combine/comb_63.c
```


bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_64.c,v
working file: c_tests/nullstone/src/combine/comb_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_65.c,v
working file: c_tests/nullstone/src/combine/comb_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_66.c,v
Working file: c_tests/nullstone/src/combine/comb_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_67.c,v
Working file: c_tests/nullstone/src/combine/comb_67.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_68.c,v
Working file: c_tests/nullstone/src/combine/comb_68.c
head: 1.1

bz Feb 21-27 1995.log

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_69.c,v
working file: c_tests/nullstone/src/combine/comb_69.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_70.c,v
working file: c_tests/nullstone/src/combine/comb_70.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
```

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_71.c,v
working file: c_tests/nullstone/src/combine/comb_71.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_72.c,v
working file: c_tests/nullstone/src/combine/comb_72.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_73.c,v
working file: c_tests/nullstone/src/combine/comb_73.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_74.c,v

working file: c_tests/nullstone/src/combine/comb_74.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_75.c,v

working file: c_tests/nullstone/src/combine/comb_75.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:26; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_76.c,v
working file: c_tests/nullstone/src/combine/comb_76.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_77.c,v
working file: c_tests/nullstone/src/combine/comb_77.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_78.c,v
working file: c_tests/nullstone/src/combine/comb_78.c

head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:26; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_79.c,v

working file: c_tests/nullstone/src/combine/comb_79.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_80.c,v

working file: c_tests/nullstone/src/combine/comb_80.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_81.c,v
working file: c_tests/nullstone/src/combine/comb_81.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_82.c,v
working file: c_tests/nullstone/src/combine/comb_82.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_83.c,v
working file: c_tests/nullstone/src/combine/comb_83.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_84.c,v

working file: c_tests/nullstone/src/combine/comb_84.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_85.c,v

working file: c_tests/nullstone/src/combine/comb_85.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_01.c,v
working file: c_tests/nullstone/src/consfold/fold_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_02.c,v
working file: c_tests/nullstone/src/consfold/fold_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_03.c,v
working file: c_tests/nullstone/src/consfold/fold_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

```

    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_04.c,v
Working file: c_tests/nullstone/src/consfold/fold_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_05.c,v
Working file: c_tests/nullstone/src/consfold/fold_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_06.c,v
working file: c_tests/nullstone/src/consfold/fold_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_07.c,v
working file: c_tests/nullstone/src/consfold/fold_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_08.c,v
working file: c_tests/nullstone/src/consfold/fold_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1

bz Feb 21-27 1995.log

```
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_09.c,v
working file: c_tests/nullstone/src/consfold/fold_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_10.c,v
working file: c_tests/nullstone/src/consfold/fold_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_11.c,v
working file: c_tests/nullstone/src/consfold/fold_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_12.c,v
working file: c_tests/nullstone/src/consfold/fold_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_13.c,v
working file: c_tests/nullstone/src/consfold/fold_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_14.c,v

working file: c_tests/nullstone/src/consfold/fold_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_15.c,v

working file: c_tests/nullstone/src/consfold/fold_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_16.c,v
working file: c_tests/nullstone/src/consfold/fold_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
  b4_rich: 1.1.1.1
  NS_3_8_8: 1.1.1.1
  NS_3_8_4: 1.1.1.1
  TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:27;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:28;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_17.c,v
working file: c_tests/nullstone/src/consfold/fold_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
  b4_rich: 1.1.1.1
  NS_3_8_8: 1.1.1.1
  NS_3_8_4: 1.1.1.1
  TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:28;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:29;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_18.c,v
working file: c_tests/nullstone/src/consfold/fold_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
  b4_rich: 1.1.1.1
  NS_3_8_8: 1.1.1.1
  NS_3_8_4: 1.1.1.1
```


bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_19.c,v

working file: c_tests/nullstone/src/consfold/fold_19.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_20.c,v

working file: c_tests/nullstone/src/consfold/fold_20.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_21.c,v
working file: c_tests/nullstone/src/consfold/fold_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_22.c,v
working file: c_tests/nullstone/src/consfold/fold_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_23.c,v
working file: c_tests/nullstone/src/consfold/fold_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_24.c,v
working file: c_tests/nullstone/src/consfold/fold_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_25.c,v
working file: c_tests/nullstone/src/consfold/fold_25.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_26.c,v
working file: c_tests/nullstone/src/consfold/fold_26.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_27.c,v
working file: c_tests/nullstone/src/consfold/fold_27.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_28.c,v
working file: c_tests/nullstone/src/consfold/fold_28.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_31.c,v
working file: c_tests/nullstone/src/consfold/fold_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_32.c,v
working file: c_tests/nullstone/src/consfold/fold_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_33.c,v
working file: c_tests/nullstone/src/consfold/fold_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_34.c,v
working file: c_tests/nullstone/src/consfold/fold_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_35.c,v
working file: c_tests/nullstone/src/consfold/fold_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2

```

bz Feb 21-27 1995.log

description:

revision 1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_36.c,v
Working file: c_tests/nullstone/src/consfold/fold_36.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_37.c,v
Working file: c_tests/nullstone/src/consfold/fold_37.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_38.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone/src/consfold/fold_38.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_39.c,v
working file: c_tests/nullstone/src/consfold/fold_39.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_40.c,v
working file: c_tests/nullstone/src/consfold/fold_40.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```


bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_41.c,v
working file: c_tests/nullstone/src/consfold/fold_41.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_42.c,v
working file: c_tests/nullstone/src/consfold/fold_42.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_43.c,v
working file: c_tests/nullstone/src/consfold/fold_43.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_44.c,v
working file: c_tests/nullstone/src/consfold/fold_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_45.c,v
working file: c_tests/nullstone/src/consfold/fold_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_46.c,v
Working file: c_tests/nullstone/src/consfold/fold_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_47.c,v
Working file: c_tests/nullstone/src/consfold/fold_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_48.c,v
Working file: c_tests/nullstone/src/consfold/fold_48.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_49.c,v

working file: c_tests/nullstone/src/consfold/fold_49.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_50.c,v

working file: c_tests/nullstone/src/consfold/fold_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_51.c,v
working file: c_tests/nullstone/src/consfold/fold_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_52.c,v
working file: c_tests/nullstone/src/consfold/fold_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_53.c,v
working file: c_tests/nullstone/src/consfold/fold_53.c
head: 1.1
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_54.c,v

working file: c_tests/nullstone/src/consfold/fold_54.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_55.c,v

working file: c_tests/nullstone/src/consfold/fold_55.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_56.c,v
working file: c_tests/nullstone/src/consfold/fold_56.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_57.c,v
working file: c_tests/nullstone/src/consfold/fold_57.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_58.c,v
working file: c_tests/nullstone/src/consfold/fold_58.c

head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_01.c,v

working file: c_tests/nullstone/src/consprop/prop_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:35; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_02.c,v

working file: c_tests/nullstone/src/consprop/prop_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_03.c,v
working file: c_tests/nullstone/src/consprop/prop_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_04.c,v
working file: c_tests/nullstone/src/consprop/prop_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_05.c,v
working file: c_tests/nullstone/src/consprop/prop_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_06.c,v

working file: c_tests/nullstone/src/consprop/prop_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_07.c,v

working file: c_tests/nullstone/src/consprop/prop_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_08.c,v
working file: c_tests/nullstone/src/consprop/prop_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_09.c,v
working file: c_tests/nullstone/src/consprop/prop_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_10.c,v
working file: c_tests/nullstone/src/consprop/prop_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_11.c,v
working file: c_tests/nullstone/src/consprop/prop_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_12.c,v
working file: c_tests/nullstone/src/consprop/prop_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_13.c,v
working file: c_tests/nullstone/src/consprop/prop_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_14.c,v
working file: c_tests/nullstone/src/consprop/prop_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/consprop/prop_15.c,v
working file: c_tests/nullstone/src/consprop/prop_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2

bz Feb 21-27 1995.log

NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_01.c,v
working file: c_tests/nullstone/src/cse/cse_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_02.c,v
working file: c_tests/nullstone/src/cse/cse_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_03.c,v
Working file: c_tests/nullstone/src/cse/cse_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_04.c,v
Working file: c_tests/nullstone/src/cse/cse_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_05.c,v
Working file: c_tests/nullstone/src/cse/cse_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_06.c,v

working file: c_tests/nullstone/src/cse/cse_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_07.c,v

working file: c_tests/nullstone/src/cse/cse_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_08.c,v
working file: c_tests/nullstone/src/cse/cse_08.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_09.c,v
working file: c_tests/nullstone/src/cse/cse_09.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_10.c,v
working file: c_tests/nullstone/src/cse/cse_10.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_11.c,v

working file: c_tests/nullstone/src/cse/cse_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_12.c,v

working file: c_tests/nullstone/src/cse/cse_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_13.c,v
working file: c_tests/nullstone/src/cse/cse_13.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_14.c,v
working file: c_tests/nullstone/src/cse/cse_14.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_15.c,v
working file: c_tests/nullstone/src/cse/cse_15.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_01.c,v
working file: c_tests/nullstone/src/dead/dead_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_02.c,v
working file: c_tests/nullstone/src/dead/dead_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_03.c,v
working file: c_tests/nullstone/src/dead/dead_03.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_04.c,v
working file: c_tests/nullstone/src/dead/dead_04.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_05.c,v
working file: c_tests/nullstone/src/dead/dead_05.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_06.c,v
working file: c_tests/nullstone/src/dead/dead_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_07.c,v
working file: c_tests/nullstone/src/dead/dead_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_08.c,v
working file: c_tests/nullstone/src/dead/dead_08.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_09.c,v
working file: c_tests/nullstone/src/dead/dead_09.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_10.c,v
working file: c_tests/nullstone/src/dead/dead_10.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_11.c,v

working file: c_tests/nullstone/src/dead/dead_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_12.c,v

working file: c_tests/nullstone/src/dead/dead_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_13.c,v

bz Feb 21-27 1995.log

working file: c_tests/nullstone/src/dead/dead_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_14.c,v

working file: c_tests/nullstone/src/dead/dead_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_15.c,v

working file: c_tests/nullstone/src/dead/dead_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

bz Feb 21-27 1995.log

```
-----
revision 1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_16.c,v
working file: c_tests/nullstone/src/dead/dead_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:10; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_17.c,v
working file: c_tests/nullstone/src/dead/dead_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_18.c,v
working file: c_tests/nullstone/src/dead/dead_18.c
```

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_19.c,v
working file: c_tests/nullstone/src/dead/dead_19.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_20.c,v
working file: c_tests/nullstone/src/dead/dead_20.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_21.c,v
working file: c_tests/nullstone/src/dead/dead_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_22.c,v
working file: c_tests/nullstone/src/dead/dead_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_23.c,v
working file: c_tests/nullstone/src/dead/dead_23.c
head: 1.1

bz Feb 21-27 1995.log

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_24.c,v
working file: c_tests/nullstone/src/dead/dead_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_01.c,v
working file: c_tests/nullstone/src/divide/div_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
```

```
bz Feb 21-27 1995.log
date: 1995/02/24 00:33:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_02.c,v
working file: c_tests/nullstone/src/divide/div_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_03.c,v
working file: c_tests/nullstone/src/divide/div_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_04.c,v
working file: c_tests/nullstone/src/divide/div_04.c
head: 1.1
branch: 1.1.1
```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_05.c,v
working file: c_tests/nullstone/src/divide/div_05.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_06.c,v
working file: c_tests/nullstone/src/divide/div_06.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_07.c,v

working file: c_tests/nullstone/src/divide/div_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_08.c,v

working file: c_tests/nullstone/src/divide/div_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_09.c,v

working file: c_tests/nullstone/src/divide/div_09.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_10.c,v

Working file: c_tests/nullstone/src/divide/div_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_11.c,v

Working file: c_tests/nullstone/src/divide/div_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_12.c,v
working file: c_tests/nullstone/src/divide/div_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_13.c,v
working file: c_tests/nullstone/src/divide/div_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_14.c,v
working file: c_tests/nullstone/src/divide/div_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_15.c,v

working file: c_tests/nullstone/src/divide/div_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_16.c,v

working file: c_tests/nullstone/src/divide/div_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_17.c,v
working file: c_tests/nullstone/src/divide/div_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_18.c,v
working file: c_tests/nullstone/src/divide/div_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_19.c,v
working file: c_tests/nullstone/src/divide/div_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

```

    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_20.c,v
working file: c_tests/nullstone/src/divide/div_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_21.c,v
working file: c_tests/nullstone/src/divide/div_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_22.c,v
working file: c_tests/nullstone/src/divide/div_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_23.c,v
working file: c_tests/nullstone/src/divide/div_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_24.c,v
working file: c_tests/nullstone/src/divide/div_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_25.c,v
working file: c_tests/nullstone/src/divide/div_25.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_26.c,v
working file: c_tests/nullstone/src/divide/div_26.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_27.c,v
working file: c_tests/nullstone/src/divide/div_27.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_28.c,v
working file: c_tests/nullstone/src/divide/div_28.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_29.c,v
working file: c_tests/nullstone/src/divide/div_29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

```
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_30.c,v
working file: c_tests/nullstone/src/divide/div_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_31.c,v
working file: c_tests/nullstone/src/divide/div_31.c
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 4;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0
```

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_32.c,v
Working file: c_tests/nullstone/src/divide/div_32.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_33.c,v
Working file: c_tests/nullstone/src/divide/div_33.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_34.c,v
Working file: c_tests/nullstone/src/divide/div_34.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

```
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_35.c,v
working file: c_tests/nullstone/src/divide/div_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_36.c,v
working file: c_tests/nullstone/src/divide/div_36.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_37.c,v
working file: c_tests/nullstone/src/divide/div_37.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_38.c,v
working file: c_tests/nullstone/src/divide/div_38.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_39.c,v
working file: c_tests/nullstone/src/divide/div_39.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_40.c,v

Working file: c_tests/nullstone/src/divide/div_40.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_41.c,v

Working file: c_tests/nullstone/src/divide/div_41.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_42.c,v
working file: c_tests/nullstone/src/divide/div_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_43.c,v
working file: c_tests/nullstone/src/divide/div_43.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_44.c,v
working file: c_tests/nullstone/src/divide/div_44.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_45.c,v
working file: c_tests/nullstone/src/divide/div_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_46.c,v
working file: c_tests/nullstone/src/divide/div_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_47.c,v
working file: c_tests/nullstone/src/divide/div_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_48.c,v
Working file: c_tests/nullstone/src/divide/div_48.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_49.c,v
Working file: c_tests/nullstone/src/divide/div_49.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_50.c,v

Working file: c_tests/nullstone/src/divide/div_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_51.c,v

Working file: c_tests/nullstone/src/divide/div_51.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_52.c,v

bz Feb 21-27 1995.log

working file: c_tests/nullstone/src/divide/div_52.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_53.c,v

working file: c_tests/nullstone/src/divide/div_53.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_54.c,v

working file: c_tests/nullstone/src/divide/div_54.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_55.c,v
working file: c_tests/nullstone/src/divide/div_55.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_56.c,v
working file: c_tests/nullstone/src/divide/div_56.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_57.c,v
working file: c_tests/nullstone/src/divide/div_57.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_58.c,v
working file: c_tests/nullstone/src/divide/div_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_59.c,v
working file: c_tests/nullstone/src/divide/div_59.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_60.c,v
working file: c_tests/nullstone/src/divide/div_60.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_61.c,v
working file: c_tests/nullstone/src/divide/div_61.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_62.c,v
working file: c_tests/nullstone/src/divide/div_62.c
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_63.c,v
working file: c_tests/nullstone/src/divide/div_63.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_64.c,v
working file: c_tests/nullstone/src/divide/div_64.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_65.c,v
working file: c_tests/nullstone/src/divide/div_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_66.c,v
working file: c_tests/nullstone/src/divide/div_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_67.c,v
working file: c_tests/nullstone/src/divide/div_67.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_68.c,v
working file: c_tests/nullstone/src/divide/div_68.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_69.c,v
working file: c_tests/nullstone/src/divide/div_69.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_70.c,v
working file: c_tests/nullstone/src/divide/div_70.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_71.c,v
working file: c_tests/nullstone/src/divide/div_71.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_72.c,v
working file: c_tests/nullstone/src/divide/div_72.c

head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_73.c,v

working file: c_tests/nullstone/src/divide/div_73.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_74.c,v

working file: c_tests/nullstone/src/divide/div_74.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_75.c,v
working file: c_tests/nullstone/src/divide/div_75.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_76.c,v
working file: c_tests/nullstone/src/divide/div_76.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_77.c,v
working file: c_tests/nullstone/src/divide/div_77.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_78.c,v

working file: c_tests/nullstone/src/divide/div_78.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_79.c,v

working file: c_tests/nullstone/src/divide/div_79.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_80.c,v
working file: c_tests/nullstone/src/divide/div_80.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_81.c,v
working file: c_tests/nullstone/src/divide/div_81.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_82.c,v
working file: c_tests/nullstone/src/divide/div_82.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

```
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_83.c,v
working file: c_tests/nullstone/src/divide/div_83.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_84.c,v
working file: c_tests/nullstone/src/divide/div_84.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_85.c,v
working file: c_tests/nullstone/src/divide/div_85.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_86.c,v
working file: c_tests/nullstone/src/divide/div_86.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_87.c,v
working file: c_tests/nullstone/src/divide/div_87.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_88.c,v
working file: c_tests/nullstone/src/divide/div_88.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_89.c,v
working file: c_tests/nullstone/src/divide/div_89.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_90.c,v
working file: c_tests/nullstone/src/divide/div_90.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_91.c,v

working file: c_tests/nullstone/src/divide/div_91.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_92.c,v

working file: c_tests/nullstone/src/divide/div_92.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/ndiv_01.c,v

working file: c_tests/nullstone/src/divide/ndiv_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/ndiv_02.c,v

working file: c_tests/nullstone/src/divide/ndiv_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/ndiv_03.c,v
working file: c_tests/nullstone/src/divide/ndiv_03.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:46;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:47;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/ndiv_04.c,v
working file: c_tests/nullstone/src/divide/ndiv_04.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:47;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:48;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_01.c,v
working file: c_tests/nullstone/src/expr/expr_01.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_02.c,v

working file: c_tests/nullstone/src/expr/expr_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_03.c,v

working file: c_tests/nullstone/src/expr/expr_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_04.c,v
working file: c_tests/nullstone/src/expr/expr_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:31:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_05.c,v
working file: c_tests/nullstone/src/expr/expr_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:31:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_06.c,v
working file: c_tests/nullstone/src/expr/expr_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_07.c,v
working file: c_tests/nullstone/src/expr/expr_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_08.c,v
working file: c_tests/nullstone/src/expr/expr_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_09.c,v
working file: c_tests/nullstone/src/expr/expr_09.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_10.c,v
working file: c_tests/nullstone/src/expr/expr_10.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_100.c,v
working file: c_tests/nullstone/src/expr/expr_100.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_101.c,v
working file: c_tests/nullstone/src/expr/expr_101.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_102.c,v
working file: c_tests/nullstone/src/expr/expr_102.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```



```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_103.c,v
working file: c_tests/nullstone/src/expr/expr_103.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_104.c,v
working file: c_tests/nullstone/src/expr/expr_104.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_105.c,v
working file: c_tests/nullstone/src/expr/expr_105.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2

```

bz Feb 21-27 1995.log

description:

revision 1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_106.c,v
working file: c_tests/nullstone/src/expr/expr_106.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_107.c,v
working file: c_tests/nullstone/src/expr/expr_107.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_108.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone/src/expr/expr_108.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_11.c,v
working file: c_tests/nullstone/src/expr/expr_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_13.c,v
working file: c_tests/nullstone/src/expr/expr_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-

```

bz Feb 21-27 1995.log

```
-----
revision 1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_14.c,v
working file: c_tests/nullstone/src/expr/expr_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_15.c,v
working file: c_tests/nullstone/src/expr/expr_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_16.c,v
working file: c_tests/nullstone/src/expr/expr_16.c
```

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_17.c,v
working file: c_tests/nullstone/src/expr/expr_17.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_18.c,v
working file: c_tests/nullstone/src/expr/expr_18.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_19.c,v
working file: c_tests/nullstone/src/expr/expr_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_20.c,v
working file: c_tests/nullstone/src/expr/expr_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_30.c,v
working file: c_tests/nullstone/src/expr/expr_30.c
head: 1.1

bz Feb 21-27 1995.log

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8.8: 1.1.1.2
    NS_3_8.4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_31.c,v
working file: c_tests/nullstone/src/expr/expr_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8.8: 1.1.1.2
    NS_3_8.4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_32.c,v
working file: c_tests/nullstone/src/expr/expr_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8.8: 1.1.1.2
    NS_3_8.4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
```

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_33.c,v
working file: c_tests/nullstone/src/expr/expr_33.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_34.c,v
working file: c_tests/nullstone/src/expr/expr_34.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_35.c,v
working file: c_tests/nullstone/src/expr/expr_35.c

head: 1.1
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_36.c,v
working file: c_tests/nullstone/src/expr/expr_36.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_37.c,v
working file: c_tests/nullstone/src/expr/expr_37.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_38.c,v
working file: c_tests/nullstone/src/expr/expr_38.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_39.c,v
working file: c_tests/nullstone/src/expr/expr_39.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_40.c,v
working file: c_tests/nullstone/src/expr/expr_40.c
head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_41.c,v

working file: c_tests/nullstone/src/expr/expr_41.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_42.c,v

working file: c_tests/nullstone/src/expr/expr_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_43.c,v
working file: c_tests/nullstone/src/expr/expr_43.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_44.c,v
working file: c_tests/nullstone/src/expr/expr_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_45.c,v
working file: c_tests/nullstone/src/expr/expr_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_46.c,v

working file: c_tests/nullstone/src/expr/expr_46.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_47.c,v

working file: c_tests/nullstone/src/expr/expr_47.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_48.c,v
working file: c_tests/nullstone/src/expr/expr_48.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_49.c,v
working file: c_tests/nullstone/src/expr/expr_49.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_50.c,v
working file: c_tests/nullstone/src/expr/expr_50.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

```
b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_51.c,v
working file: c_tests/nullstone/src/expr/expr_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_52.c,v
working file: c_tests/nullstone/src/expr/expr_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_53.c,v
working file: c_tests/nullstone/src/expr/expr_53.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_54.c,v
working file: c_tests/nullstone/src/expr/expr_54.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_55.c,v
working file: c_tests/nullstone/src/expr/expr_55.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2

bz Feb 21-27 1995.log

NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_56.c,v
working file: c_tests/nullstone/src/expr/expr_56.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_57.c,v
working file: c_tests/nullstone/src/expr/expr_57.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_58.c,v
working file: c_tests/nullstone/src/expr/expr_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_59.c,v
working file: c_tests/nullstone/src/expr/expr_59.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_60.c,v
working file: c_tests/nullstone/src/expr/expr_60.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.2
 NS_3_8_8: 1.1.1.2

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_61.c,v

working file: c_tests/nullstone/src/expr/expr_61.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_62.c,v

working file: c_tests/nullstone/src/expr/expr_62.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_63.c,v
working file: c_tests/nullstone/src/expr/expr_63.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_64.c,v
working file: c_tests/nullstone/src/expr/expr_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_65.c,v
working file: c_tests/nullstone/src/expr/expr_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

```
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:37;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:38;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_66.c,v
working file: c_tests/nullstone/src/expr/expr_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:38;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:39;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_67.c,v
working file: c_tests/nullstone/src/expr/expr_67.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:38;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:39;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_68.c,v
working file: c_tests/nullstone/src/expr/expr_68.c
head: 1.2
branch:
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.2
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_69.c,v
working file: c_tests/nullstone/src/expr/expr_69.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_70.c,v
working file: c_tests/nullstone/src/expr/expr_70.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_71.c,v
working file: c_tests/nullstone/src/expr/expr_71.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_72.c,v
working file: c_tests/nullstone/src/expr/expr_72.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_73.c,v
working file: c_tests/nullstone/src/expr/expr_73.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_74.c,v
working file: c_tests/nullstone/src/expr/expr_74.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_75.c,v
working file: c_tests/nullstone/src/expr/expr_75.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv


```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_76.c,v
working file: c_tests/nullstone/src/expr/expr_76.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_77.c,v
working file: c_tests/nullstone/src/expr/expr_77.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

                                bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_78.c,v
working file: c_tests/nullstone/src/expr/expr_78.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_79.c,v
working file: c_tests/nullstone/src/expr/expr_79.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_80.c,v
working file: c_tests/nullstone/src/expr/expr_80.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2

```

bz Feb 21-27 1995.log

description:

revision 1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_81.c,v
working file: c_tests/nullstone/src/expr/expr_81.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_82.c,v
working file: c_tests/nullstone/src/expr/expr_82.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_83.c,v

bz Feb 21-27 1995.log

working file: c_tests/nullstone/src/expr/expr_83.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_84.c,v

working file: c_tests/nullstone/src/expr/expr_84.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_85.c,v

working file: c_tests/nullstone/src/expr/expr_85.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

```
-----  
revision 1.1  
date: 1995/02/24 00:31:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----
```

```
revision 1.1.1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_86.c,v  
working file: c_tests/nullstone/src/expr/expr_86.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4_rich: 1.1.1.1  
    NS_3_8_8: 1.1.1.1  
    NS_3_8_4: 1.1.1.1  
    TEAM1: 1.1.1
```

```
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----
```

```
revision 1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----
```

```
revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_87.c,v  
working file: c_tests/nullstone/src/expr/expr_87.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4_rich: 1.1.1.1  
    NS_3_8_8: 1.1.1.1  
    NS_3_8_4: 1.1.1.1  
    TEAM1: 1.1.1
```

```
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----
```

```
revision 1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----
```

```
revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_88.c,v  
working file: c_tests/nullstone/src/expr/expr_88.c
```

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_89.c,v
working file: c_tests/nullstone/src/expr/expr_89.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_90.c,v
working file: c_tests/nullstone/src/expr/expr_90.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

```
revision 1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_91.c,v
working file: c_tests/nullstone/src/expr/expr_91.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_92.c,v
working file: c_tests/nullstone/src/expr/expr_92.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_93.c,v
working file: c_tests/nullstone/src/expr/expr_93.c
head: 1.1
```

bz Feb 21-27 1995.log

branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_94.c,v
working file: c_tests/nullstone/src/expr/expr_94.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_95.c,v
working file: c_tests/nullstone/src/expr/expr_95.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1


```

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_96.c,v
working file: c_tests/nullstone/src/expr/expr_96.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----

```

```

revision 1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_97.c,v
working file: c_tests/nullstone/src/expr/expr_97.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----

```

```

revision 1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_98.c,v
working file: c_tests/nullstone/src/expr/expr_98.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_99.c,v

working file: c_tests/nullstone/src/expr/expr_99.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/fstore/fstore_1.c,v

working file: c_tests/nullstone/src/fstore/fstore_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/fstore/fstore_2.c,v
working file: c_tests/nullstone/src/fstore/fstore_2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/fstore/fstore_3.c,v
working file: c_tests/nullstone/src/fstore/fstore_3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_01.c,v
working file: c_tests/nullstone/src/hoist/hoist_01.c
head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_02.c,v

working file: c_tests/nullstone/src/hoist/hoist_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_03.c,v

working file: c_tests/nullstone/src/hoist/hoist_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_04.c,v

working file: c_tests/nullstone/src/hoist/hoist_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_05.c,v

working file: c_tests/nullstone/src/hoist/hoist_05.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_06.c,v

working file: c_tests/nullstone/src/hoist/hoist_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_07.c,v

Working file: c_tests/nullstone/src/hoist/hoist_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_08.c,v

Working file: c_tests/nullstone/src/hoist/hoist_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_09.c,v
working file: c_tests/nullstone/src/hoist/hoist_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_10.c,v
working file: c_tests/nullstone/src/hoist/hoist_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_11.c,v
working file: c_tests/nullstone/src/hoist/hoist_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

```

    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_12.c,v
working file: c_tests/nullstone/src/hoist/hoist_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_13.c,v
working file: c_tests/nullstone/src/hoist/hoist_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```


bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_14.c,v
working file: c_tests/nullstone/src/hoist/hoist_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_15.c,v
working file: c_tests/nullstone/src/hoist/hoist_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_16.c,v
working file: c_tests/nullstone/src/hoist/hoist_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_17.c,v
working file: c_tests/nullstone/src/hoist/hoist_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_18.c,v
working file: c_tests/nullstone/src/hoist/hoist_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_19.c,v
working file: c_tests/nullstone/src/hoist/hoist_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_20.c,v
working file: c_tests/nullstone/src/hoist/hoist_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_21.c,v
working file: c_tests/nullstone/src/hoist/hoist_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_22.c,v
working file: c_tests/nullstone/src/hoist/hoist_22.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_23.c,v
working file: c_tests/nullstone/src/hoist/hoist_23.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_24.c,v
working file: c_tests/nullstone/src/hoist/hoist_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_25.c,v
working file: c_tests/nullstone/src/hoist/hoist_25.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_26.c,v
working file: c_tests/nullstone/src/hoist/hoist_26.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

```
TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_27.c,v
working file: c_tests/nullstone/src/hoist/hoist_27.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_28.c,v
working file: c_tests/nullstone/src/hoist/hoist_28.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_29.c,v
working file: c_tests/nullstone/src/hoist/hoist_29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_30.c,v
working file: c_tests/nullstone/src/hoist/hoist_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_31.c,v
working file: c_tests/nullstone/src/hoist/hoist_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_32.c,v
Working file: c_tests/nullstone/src/hoist/hoist_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_33.c,v
Working file: c_tests/nullstone/src/hoist/hoist_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_34.c,v
working file: c_tests/nullstone/src/hoist/hoist_34.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_35.c,v
working file: c_tests/nullstone/src/hoist/hoist_35.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_36.c,v
working file: c_tests/nullstone/src/hoist/hoist_36.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:49;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:50;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_37.c,v
Working file: c_tests/nullstone/src/hoist/hoist_37.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:49;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:50;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_01.c,v
Working file: c_tests/nullstone/src/if/if_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:28;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:29;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

```

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_02.c,v
working file: c_tests/nullstone/src/if/if_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_03.c,v
working file: c_tests/nullstone/src/if/if_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_04.c,v
working file: c_tests/nullstone/src/if/if_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
```

bz Feb 21-27 1995.log

description:

revision 1.1
date: 1995/02/24 00:32:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_05.c,v
working file: c_tests/nullstone/src/if/if_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_06.c,v
working file: c_tests/nullstone/src/if/if_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_07.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone/src/if/if_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_08.c,v
working file: c_tests/nullstone/src/if/if_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_09.c,v
working file: c_tests/nullstone/src/if/if_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_10.c,v
working file: c_tests/nullstone/src/if/if_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_11.c,v
working file: c_tests/nullstone/src/if/if_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_12.c,v
working file: c_tests/nullstone/src/if/if_12.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_13.c,v
working file: c_tests/nullstone/src/if/if_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_14.c,v
working file: c_tests/nullstone/src/if/if_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_15.c,v
Working file: c_tests/nullstone/src/if/if_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_16.c,v
Working file: c_tests/nullstone/src/if/if_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_17.c,v
Working file: c_tests/nullstone/src/if/if_17.c
head: 1.1

bz Feb 21-27 1995.log

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_18.c,v
working file: c_tests/nullstone/src/if/if_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_19.c,v
working file: c_tests/nullstone/src/if/if_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
```

```
bz Feb 21-27 1995.log
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_20.c,v
working file: c_tests/nullstone/src/if/if_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_21.c,v
working file: c_tests/nullstone/src/if/if_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_22.c,v
working file: c_tests/nullstone/src/if/if_22.c
head: 1.1
branch: 1.1.1
```

bz Feb 21-27 1995.log

locks: strict
access list:

symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_23.c,v
working file: c_tests/nullstone/src/if/if_23.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_24.c,v
working file: c_tests/nullstone/src/if/if_24.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_25.c,v

working file: c_tests/nullstone/src/if/if_25.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_26.c,v

working file: c_tests/nullstone/src/if/if_26.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_27.c,v

working file: c_tests/nullstone/src/if/if_27.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_28.c,v

working file: c_tests/nullstone/src/if/if_28.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_29.c,v

working file: c_tests/nullstone/src/if/if_29.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

```
-----
revision 1.1.1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_30.c,v
working file: c_tests/nullstone/src/if/if_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_31.c,v
working file: c_tests/nullstone/src/if/if_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_32.c,v
working file: c_tests/nullstone/src/if/if_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_33.c,v

working file: c_tests/nullstone/src/if/if_33.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_34.c,v

working file: c_tests/nullstone/src/if/if_34.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_35.c,v
working file: c_tests/nullstone/src/if/if_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_36.c,v
working file: c_tests/nullstone/src/if/if_36.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_37.c,v
working file: c_tests/nullstone/src/if/if_37.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_38.c,v
working file: c_tests/nullstone/src/if/if_38.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_39.c,v
working file: c_tests/nullstone/src/if/if_39.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_40.c,v
working file: c_tests/nullstone/src/if/if_40.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_41.c,v
working file: c_tests/nullstone/src/if/if_41.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_42.c,v
working file: c_tests/nullstone/src/if/if_42.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_43.c,v

working file: c_tests/nullstone/src/if/if_43.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_44.c,v

working file: c_tests/nullstone/src/if/if_44.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_45.c,v
working file: c_tests/nullstone/src/if/if_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_46.c,v
working file: c_tests/nullstone/src/if/if_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_47.c,v
working file: c_tests/nullstone/src/if/if_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_48.c,v

working file: c_tests/nullstone/src/if/if_48.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_49.c,v

working file: c_tests/nullstone/src/if/if_49.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_50.c,v
working file: c_tests/nullstone/src/if/if_50.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_51.c,v
working file: c_tests/nullstone/src/if/if_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_52.c,v
working file: c_tests/nullstone/src/if/if_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_53.c,v

working file: c_tests/nullstone/src/if/if_53.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_54.c,v

working file: c_tests/nullstone/src/if/if_54.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_55.c,v
working file: c_tests/nullstone/src/if/if_55.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_56.c,v
working file: c_tests/nullstone/src/if/if_56.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_57.c,v
working file: c_tests/nullstone/src/if/if_57.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```


bz Feb 21-27 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_58.c,v
working file: c_tests/nullstone/src/if/if_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_59.c,v
working file: c_tests/nullstone/src/if/if_59.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_60.c,v
working file: c_tests/nullstone/src/if/if_60.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_61.c,v
working file: c_tests/nullstone/src/if/if_61.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:32:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_62.c,v
working file: c_tests/nullstone/src/if/if_62.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_63.c,v
working file: c_tests/nullstone/src/if/if_63.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_64.c,v
working file: c_tests/nullstone/src/if/if_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_65.c,v
working file: c_tests/nullstone/src/if/if_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_66.c,v
working file: c_tests/nullstone/src/if/if_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_67.c,v
working file: c_tests/nullstone/src/if/if_67.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2

```

bz Feb 21-27 1995.log

description:

revision 1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_68.c,v

working file: c_tests/nullstone/src/if/if_68.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_69.c,v

working file: c_tests/nullstone/src/if/if_69.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/inline/inline_1.c,v

bz Feb 21-27 1995.log
working file: c_tests/nullstone/src/inline/inline_1.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/inline/inline_2.c,v

working file: c_tests/nullstone/src/inline/inline_2.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/inline/inline_3.c,v

working file: c_tests/nullstone/src/inline/inline_3.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/ive/ive_01.c,v
Working file: c_tests/nullstone/src/ive/ive_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/collapse/clpse_01.c,v
Working file: c_tests/nullstone/src/loop/collapse/clpse_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/collapse/clpse_02.c,v
Working file: c_tests/nullstone/src/loop/collapse/clpse_02.c

bz Feb 21-27 1995.log

head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/collapse/clpse_03.c,v
working file: c_tests/nullstone/src/loop/collapse/clpse_03.c

head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/collapse/clpse_04.c,v
working file: c_tests/nullstone/src/loop/collapse/clpse_04.c

head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

bz Feb 21-27 1995.log

revision 1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/fusion/fusion_1.c,v
Working file: c_tests/nullstone/src/loop/fusion/fusion_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/fusion/fusion_2.c,v
Working file: c_tests/nullstone/src/loop/fusion/fusion_2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_08.c,v
Working file: c_tests/nullstone/src/loop/loop/loop_08.c
head: 1.2

bz Feb 21-27 1995.log

```
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 4;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_09.c,v
working file: c_tests/nullstone/src/loop/loop/loop_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_1.c,v
working file: c_tests/nullstone/src/loop/loop/loop_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
```

```

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_10.c,v
working file: c_tests/nullstone/src/loop/loop/loop_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----

```

```

revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_11.c,v
working file: c_tests/nullstone/src/loop/loop/loop_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----

```

```

revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_12.c,v
working file: c_tests/nullstone/src/loop/loop/loop_12.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict
access list:

symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_13.c,v
working file: c_tests/nullstone/src/loop/loop/loop_13.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_14.c,v
working file: c_tests/nullstone/src/loop/loop/loop_14.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_15.c,v
working file: c_tests/nullstone/src/loop/loop/loop_15.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_16.c,v
working file: c_tests/nullstone/src/loop/loop/loop_16.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_17.c,v
working file: c_tests/nullstone/src/loop/loop/loop_17.c

head: 1.1
branch: 1.1.1
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_3.c,v

working file: c_tests/nullstone/src/loop/loop/loop_3.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_4.c,v

working file: c_tests/nullstone/src/loop/loop/loop_4.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2
NS_3_8_8: 1.1.1.2
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_5.c,v

working file: c_tests/nullstone/src/loop/loop/loop_5.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_6.c,v

working file: c_tests/nullstone/src/loop/loop/loop_6.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_7.c,v

working file: c_tests/nullstone/src/loop/loop/loop_7.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/unroll/unroll_1.c,v

working file: c_tests/nullstone/src/loop/unroll/unroll_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/unroll/unroll_2.c,v

working file: c_tests/nullstone/src/loop/unroll/unroll_2.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2
description:

revision 1.1

date: 1995/02/24 00:33:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/unroll/unroll_3.c,v
working file: c_tests/nullstone/src/loop/unroll/unroll_3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:43; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/unroll/unroll_4.c,v
working file: c_tests/nullstone/src/loop/unroll/unroll_4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/unroll/unroll_5.c,v
working file: c_tests/nullstone/src/loop/unroll/unroll_5.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

bz Feb 21-27 1995.log

b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_01.c,v
working file: c_tests/nullstone/src/loop/wrap/for_01.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_02.c,v
working file: c_tests/nullstone/src/loop/wrap/for_02.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_03.c,v
working file: c_tests/nullstone/src/loop/wrap/for_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_04.c,v
working file: c_tests/nullstone/src/loop/wrap/for_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_05.c,v
working file: c_tests/nullstone/src/loop/wrap/for_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_06.c,v
working file: c_tests/nullstone/src/loop/wrap/for_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_11.c,v
working file: c_tests/nullstone/src/loop/wrap/for_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
b4_rich: 1.1.1.1
NS_3_8_8: 1.1.1.1
NS_3_8_4: 1.1.1.1
TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1

bz Feb 21-27 1995.log
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_12.c,v
working file: c_tests/nullstone/src/loop/wrap/for_12.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_13.c,v
working file: c_tests/nullstone/src/loop/wrap/for_13.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1
 NS_3_8_4: 1.1.1.1
 TEAM1: 1.1.1

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

revision 1.1.1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_14.c,v
working file: c_tests/nullstone/src/loop/wrap/for_14.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
 b4_rich: 1.1.1.1
 NS_3_8_8: 1.1.1.1

bz Feb 21-27 1995.log

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_15.c,v

working file: c_tests/nullstone/src/loop/wrap/for_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/loop/wrap/for_16.c,v

working file: c_tests/nullstone/src/loop/wrap/for_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.1

NS_3_8_8: 1.1.1.1

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/merge/merge_1.c,v

working file: c_tests/nullstone/src/merge/merge_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/merge/merge_2.c,v

working file: c_tests/nullstone/src/merge/merge_2.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c_tests/nullstone/src/merge/merge_3.c,v

working file: c_tests/nullstone/src/merge/merge_3.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/merge/merge_4.c,v

working file: c_tests/nullstone/src/merge/merge_4.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/merge/merge_5.c,v

working file: c_tests/nullstone/src/merge/merge_5.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4_rich: 1.1.1.2

NS_3_8_8: 1.1.1.2

NS_3_8_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

revision 1.1.1.1

date: 1995/02/24 00:32:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4